



- NOTES**
- ADDITIONAL MONITORING POINTS ARE AVAILABLE ON THE HMI VIA THE CONTROL SYSTEM NETWORK.
 - PLEASE REFER TO DETAIL 2380-436 ON DRAWING MDTL-A008 FOR VALVING DETAILS OF UNIT HEATERS.



NO.	REVISIONS	DATE	DESIGN	CHECK
01	ISSUED FOR ADDENDUM 6 - 976-2016	2017/07/19	JBC	
00	ISSUED FOR CONSTRUCTION - 976-2016	2017/04/05	E.F.B.	

CH2MHILL	
SNC-LAVALIN	
DESIGNED BY: T. TRAN	CHECKED BY: R. NATARAJAN
DRAWN BY: J. CORTEZ	APPROVED BY: H.T. FREIHAMMER
SCALE: NTS	ISSUED FOR CONSTRUCTION BY: J. SHUMKA
DATE: 2017/04/05	DATE: 2017/04/05
CONSULTANT NO.: 474248	



THE CITY OF WINNIPEG
Winnipeg WATER AND WASTE DEPARTMENT

SOUTH END WATER POLLUTION CONTROL CENTRE
SEWPPC UPGRADING/EXPANSION PROJECT
PROCESS AND INSTRUMENTATION DIAGRAM
HIGH RATE CLARIFICATION
CLARIFIER ROOM VENTILATION

CITY DRAWING NUMBER: 1-0102-PPID-K607
SHEET: 001
REV: 01
SIZE: A1