

FORM A: BID
(See B8)

1. Contract Title

SUPPLY AND DELIVERY OF CARGO VANS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

GST Registration Number (if applicable)

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Signatures The Bidder or the Bidder's authorized official or officials have signed this _____ day of _____, 20_____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
(See B9)
SUPPLY AND DELIVERY OF CARGO VANS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	Low Roof Cargo Van 9500lbs. GVWR	17027	Each	1	
2.	Low Roof Cargo Van 9000lbs. GVWR	17041	Each	1	

Name of Bidder

FORM N: DETAILED SPECIFICATIONS 17027

LOW ROOF CARGO VAN 9500LBS. GVWR

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a Cargo Van and other equipment and features as specified herein.
- 1.2 The Cargo Van shall be a new 2017 model year or newer.
- 1.3 The Cargo Van and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

- 2.2 The Cargo Van shall comply with the applicable regulations:

National Safety Mark, NSM = <http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Act, Parts 12, 22 =
<http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = <http://www.sae.org/>

City of Winnipeg Lighting Visibility
Standard=<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

- 3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 MAKE & MODEL

4.1 **State** year, make and model being bid- _____

5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

6.0 FUEL

6.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions).

7.0 SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
7.1 GVWR: 9500 lbs.	_____
7.2 Wheelbase: approximately 148", state .	_____
7.3 High roof: approximately 84", state	_____
7.4 Interior height: approximately 76", state .	_____
7.5 Engine: V6, gasoline 270-275 HP.	_____
7.6 Transmission: 6-speed automatic Heavy Duty Transmission.	_____
7.7 External transmission oil cooler.	_____
7.8 Rear Wheel Drive.	_____
7.9 Differential: heavy duty locking or limited slip.	_____
7.10 Heavy duty alternator approx. 220 amp: state amperage .	_____
7.11 Block heater: with cord through grille.	_____
7.12 Coolant: antifreeze to -35°C.	_____
7.13 Dual Batteries: heavy duty battery approx. 70 amp/hour each, state .	_____
7.14 Steering: tilt and power.	_____
7.15 Brakes: power with ABS.	_____
7.16 Rims: 16 inch steel road wheels.	_____
7.17 Tires: wheels with All-terrain Winter Rates Tires or All-weather Winter Rated Tires (tire must have the mountain snow flake symbol and meets specific snow traction performance requirements set by the Rubber	_____

- Association of Canada) , **state** size.
- 7.18 Full-size spare wheel & tire with carrier. _____
 - 7.19 Mud-flaps: front and rear. _____
 - 7.20 Traction Control. _____
 - 7.21 Mirrors: Interior rear view and heated dual power exterior with turn signals. _____
 - 7.22 Windshield wipers: Intermittent. _____
 - 7.23 Wiper blades: winter blades with heavy duty rubber boot. _____
 - 7.24 Two (2) remote keyless entry – key fobs and Three (3) sets of Ignition keys or if the keys and key fobs are one unit, supply 3 key fobs. _____
 - 7.25 Remote start. _____
 - 7.26 Air conditioning. _____
 - 7.27 Cruise control: with message center. _____
 - 7.28 Door locks: power. _____
 - 7.29 Seats: two (2) bucket seats, cloth or cloth and vinyl with seatback storage pockets (each seat). _____
 - 7.30 Power driver seat: 6 way adjustable _____
 - 7.31 Passenger side sliding door cargo door with no window. _____
 - 7.32 Rear cargo door: 50/50 hinged rear no windows. _____
 - 7.33 Interior lights: dome with door switches on front, side and rear doors. _____
 - 7.34 Map lights: front and rear. _____
 - 7.35 Radio: AM-FM with Bluetooth® technology, for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit (6 Speakers) _____
 - 7.36 Cup holders: front. _____
 - 7.37 Front door side pockets. _____
 - 7.38 Air bags: front driver’s and passenger. _____
 - 7.39 12-Volt power point. _____
 - 7.40 Bumper: standard front and heavy duty rear step bumper _____
 - 7.41 Colour Interior: black or grey, cloth. _____
 - 7.42 Colour exterior: white. _____
 - 7.43 Windows: tinted glass. _____
 - 7.44 Backup alarm. _____
 - 7.45 Rear view camera _____
 - 7.46 Rear park assist w/audible warning _____
 - 7.47 Perimeter anti-theft alarm. _____

7.48 Auxiliary rear heater: factory installed with insulated hoses. _____

7.49 Towing: towing package with 7-pin trailer wiring provision (sealed), trailer brake controller for 5000 lbs. trailer capacity or greater. _____

7.50 Fuel tank: Fully fuelled upon delivery. _____

8.0 **WARRANTY**

8.1 Basic vehicle: Three (3) years or 60,000 km "bumper to bumper" _____

8.2 Powertrain coverage: Five (5) years or 100,000 km _____

8.3 Corrosion rust-through - 60 months/100,000 km _____

8.4 Roadside assistance - 60 months/100,000 km Roadside assistance coverage with courtesy transportation included. _____

8.5 Warranty- (all warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. _____

9.0 **DELIVERY**

9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. _____

9.2 **Delivery Time: twenty to twenty-six (20-26) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. _____

9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. _____

9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. _____

10.0 **MANUALS**

10.1 Manuals supplied under this contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available. _____

10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: _____

FORM N: DETAILED SPECIFICATIONS 17041
LOW ROOF CARGO VAN 9000LBS. GVWR

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe a **Cargo Van** and other equipment and features as specified herein.
- 1.2 The **Cargo Van** shall be a new 2017 model year or newer.
- 1.3 The **Cargo Van** and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

- 2.2 The **Cargo Van** shall comply with the applicable regulations:

National Safety Mark, NSM = <http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Act, Parts 12, 22 =
<http://web2.gov.mb.ca/laws/statutes/ccsm/w210e.php> and <http://www.gov.mb.ca/labour/safety/>

Canadian Standards Association, CSA = <http://www.csa.ca/about/Default.asp?language=english>

Under Writers of Canada, U/L = <http://www.ulc.ca/>

Society of Automotive Engineers, SAE = <http://www.sae.org/>

City of Winnipeg Lighting Visibility
Standard=<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>.

- 2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

- 3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 MAKE & MODEL

4.1 **State** year, make and model being bid- _____

5.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

5.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

5.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

5.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

6.0 FUEL

6.1 Where applicable, all equipment must be fully fuelled upon delivery (no exceptions).

7.0 SPECIFICATION	BIDDER TO STATE "YES" OR STATE DEVIATION
--------------------------	---

7.1	GVWR: 9000 lbs.	_____
7.2	Wheelbase: approximately 130-140", state .	_____
7.3	Low roof: Approximately 84", state	_____
7.4	Engine: V6, gasoline 270-275 HP.	_____
7.5	Transmission: 6-speed automatic Heavy Duty Transmission.	_____
7.6	External transmission oil cooler.	_____
7.7	Rear Wheel Drive.	_____
7.8	Differential: heavy duty locking or limited slip.	_____
7.9	Heavy duty alternator approx. 220 amp: state amperage .	_____
7.10	Block heater: with cord through grille.	_____
7.11	Coolant: antifreeze to -35°C.	_____
7.12	Dual Batteries: heavy duty battery approx. 70 amp/hour each, state .	_____
7.13	Steering: tilt and power.	_____
7.14	Brakes: power with ABS.	_____
7.15	Rims: 16 inch steel road wheels.	_____
7.16	Tires: wheels with All-terrain Winter Rates Tires or All-weather Winter Rated Tires (tire must have the mountain snow flake symbol and meets specific snow traction performance requirements set by the Rubber Association of Canada) , state size.	_____

- 7.17 Full-size spare wheel & tire with carrier. _____
- 7.18 Mud-flaps: front and rear. _____
- 7.19 Traction Control. _____
- 7.20 Mirrors: Interior rear view and heated dual power exterior with turn signals. _____
- 7.21 Windshield wipers: Intermittent. _____
- 7.22 Wiper blades: winter blades with heavy duty rubber boot. _____
- 7.23 Two (2) remote keyless entry – key fobs and Three (3) sets of Ignition keys or if the keys and key fobs are one unit, supply 3 key fobs. _____
- 7.24 Air conditioning. _____
- 7.25 Cruise control: with message center. _____
- 7.26 Door locks: power. _____
- 7.27 Seats: two (2) bucket seats, cloth or cloth and vinyl with seatback storage pockets (each seat). _____
- 7.28 Passenger side sliding door cargo door with tinted (privacy glass) window. _____
- 7.29 Rear cargo door: 50/50 hinged rear with tinted (privacy glass) windows. _____
- 7.30 Interior lights: dome with door switches on front, side and rear doors. _____
- 7.31 Map lights: front and rear. _____
- 7.32 Radio: AM-FM with Bluetooth® technology, for use with cellular phones, “hands-free” capable, voice command activated through vehicle’s radio circuit (6 Speakers) _____
- 7.33 Cup holders: front. _____
- 7.34 Front door side pockets. _____
- 7.35 Air bags: front driver’s and passenger. _____
- 7.36 12-Volt power point. _____
- 7.37 Bumper: standard front and heavy duty rear step bumper _____
- 7.38 Colour Interior: black, cloth. _____
- 7.39 Colour exterior: white. _____
- 7.40 Windows: tinted glass. _____
- 7.41 Backup alarm. _____
- 7.42 Rear view camera _____
- 7.43 Rear park assist w/audible warning _____
- 7.44 Perimeter anti-theft alarm. _____
- 7.45 Auxiliary rear heater: factory installed with insulated hoses. _____
- 7.46 Fuel tank: Fully fuelled upon delivery. _____

8.0 **WARRANTY**

- 8.1 Basic vehicle: Three (3) years or 60,000 km “bumper to bumper” _____
- 8.2 Powertrain coverage: Five (5) years or 100,000 km _____
- 8.3 Corrosion rust-through - 60 months/100,000 km _____
- 8.4 Roadside assistance - 60 months/100,000 km Roadside assistance coverage with courtesy transportation included. _____
- 8.5 Warranty- (all warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment. Bidder shall state all warranty information. _____

9.0 **DELIVERY**

- 9.1 Delivery Point: The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.I.V.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB. _____
- 9.2 **Delivery Time: twenty to twenty-six (20-26) calendar weeks** from the date of award. Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days. _____
- 9.3 **Delivery Contact:** The Contractor shall contact the Contract Administrator prior to delivery of the equipment. _____
- 9.4 **P.D.I:** A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list. _____

10.0 **MANUALS**

- 10.1 Manuals supplied under this contract. The manuals shall cover the complete equipment including all components thereof, CD is preferred where available. _____
- 10.2 Operator's manual: One (1) per unit shall be supplied with the units when delivered: _____