

21-2017 ADDENDUM 4

DAKOTA COMMUNITY CENTRE BUILDING ENVELOPE UPGRADES 1188 DAKOTA STREET

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: April 4, 2017
BY: Chris Richter
TELEPHONE NO. 204 943-7501

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20160708

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART E – SPECIFICATIONS

SECTION 01 52 00 Construction Facilities

Add: 1.6.2 Construction Site trailer can be provided on building Site. The location of the trailer is to be determined by Contract Administrator and City of Winnipeg Project Manager.

SECTION 02 41 99 Demolition for Minor Works

Add: 3.3.3 Remove and replace all existing acoustical ceiling panels with new that have discoloration, stains, water damage, cracks or damage sustained during construction. Acoustical panels shall match existing Armstrong BP 769A CORTEGA square lay-in tiles (610mm x 1219mm x 16mm).

SECTION 07 21 29.03 Sprayed Insulation – Polyurethane Foam

Add: 2.1.5.4 1 CYNENE MD-C-200-v2 by Gunnlaugson Spray-on (2010) Ltd. is an approved alternate to specified Product Flame Seal-TB-C, in accordance with B7.

DRAWINGS

Replace: 21-2017_Drawing_M1-R0 with 21-2017_Addendum_4-Drawing_M1-R1

21-2017_Drawing_S0.1-R0 with 21-2017_Addendum_4-Drawing_S0.1-R1

21-2017_Drawing_S2.1-R0 with 21-2017_Addendum_4-Drawing_S2.1-R1

21-2017_Drawing_S3.1-R0 with 21-2017_Addendum_4-Drawing_S3.1-R1

21-2017_Drawing_S4.1-R0 with 21-2017_Addendum_4-Drawing_S4.1-R1

21-2017_Drawing_S4.2-R0 with 21-2017_Addendum_4-Drawing_S4.2-R1

21-2017_Drawing_S4.3-R0 with 21-2017_Addendum_4-Drawing_S4.3-R1