FORM A: BID (See B9)

1.	Contract Title	FERRY ROAD AND RIVERB CONTRACT 5 EAST STAGE	END COMBINED SEWER RE 2	:LIEF
2.	Bidder			
		Name of Bidder		
		Usual Business Name of Bidder as it	appears on Invoice (if different from a	above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if applica	ble)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under th	ne above name.	
3.	Contact Person	The Bidder hereby authorize the Bidder for purposes of the	s the following contact persor e Bid.	1 to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used	in the Contract shall have t	the meanings

ascribed to them in the General Conditions.

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
		a bid bond (Form G1: Bid Bond and Agreement to Bond)
	(Choose one)	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

				APPROX.	UNIT				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT			
Α	A <u>Assiniboine Avenue - Bourkevale Drive to Parkside Drive</u>								
A.1	Sewers	CW 2130							
a)	250mm PVC SDR35 (WWS)	SP E10							
i) b)	, ,		m	90					
i) c)	In a trench, Class B Type 3 bedding, 450mm PVC SDR-35		m	20					
i)	bedding, Class 3 backfill		m	75					
d) i) e)	525mm RCP C-76 CL IV trenchless installation, Class A bedding, Class 3 backfill 750mm RCP C-76 CL IV		m	85					
i)			m	90					
A.2	Manholes	CW 2130							
a)	SD-010								
i)	1500mm Diam (S572)		vt.m	3.6					
ii)	1800mm Diam (S563)		vt.m	5.2					
iii)	1800mm Diam (S560)		vt.m	4					
iv)	1200mm Diam (S561)		vt.m	3.5					
v)	1200mm Diam (D560A)		vt.m	2.9					
vi)	1200mm Diam (D561A)		vt.m	2.6					
A.3 a)	Connection to Existing Sewer 375mm	CW 2130	each	1					
A.4 a)	Remove and Replace Existing Catch Basin / Catch Pit SD-023 (AP-011 Frame and AP-012 Cover)	CW 2130 SP E21	each	1					
A.5 a)	Catch Basins SD-024 (AP-011 Frame and AP-012 Cover)(1800 Deep)	CW 2130 SP E21	each	2					

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
A.6	Sewer Services	CW 2130 SP E22				
a)	trenchless installation, Class B Type 3 bedding, Class 5 backfill	SP EZZ	m	90		
A.7	Connect Existing Sewer Service to New Sewer	CW 2130 SP E22				
a)	150mm		each	9		
A.8	Abandon Existing Manholes, Catch Basins and Catch Pits	CW 2130 SP E21				
a)	Manhole		each	1		
b)	Catch Basin		each	2		
A.9	Removal Existing Manholes, Catch Basins and Catch Pits	CW 2130				
a)	Manhole		each	1		
b) c)	Catch Basin Catch Pit		each each	1		
			000	·		
A.10 a) i)	Catch Basin Lead 250mm SDR 35 trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	35		
	-					
A.11 a)	Catch Basin Lead Riser SD-015	CW 2130				
i)	250mm		vt.m	3		
A.12	Connection to Existing Manholes, Catch Basin/Catch Pit	CW 2130 SP E21				
a)	250mm CB Lead (to catch basin)		each	3		
b)	250mm WWS (to manhole)		each	1		
A.13	Abandon Existing Sewers with Cement- Stabilized Flowable Fill	CW 2130				
a)	600mm Combined Sewer		m³	25		
b)	375mm Combined Sewer		m³	0.5		
A.14	Abandon Existing Catch Basin Lead Under Pavement	CW 2130	each	6		
A.15	Catch Basin / Catch Pit Cleaning	SP E18	each	2		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	DESCRIPTION Source Classing and Inspection		UNIT	QUANTITI	TRIOL	AMOUNT
A.16	Sewer Cleaning and Inspection	CW 2140 SP E20				
a)	375mm Combined Sewer	SF L20	m	85		
A.17	Sewer Inspection	CW 2145				
- >	050	SP E19, E20		00		
a)	250mm		m	90		
a)	450mm		m	80		
b)	525mm		m	85		
c)	750mm		m	90		
A.18	Repeat Sewer Inspection (PVC pipe)	CW 2145 SP E19, E20				
a)	250mm	OI L19, L20	m	90		
a)	450mm		m	75		
Α	A Assiniboine Avenue - Bourkevale Drive to Parkside Drive SUBTOTAL					

В	Bourkevale Drive - Assiniboine Avenue to Portage Avenue							
B.1	Sewers	CW 2130 SP E10						
i)	375mm PVC SDR-35 trenchless installation, Class B Type 3 bedding, Class 3 backfill 450mm PVC SDR-35		m	78				
,	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	218				
B.2	Manholes	CW 2130						
a) i)	SD-010 1200mm Diam (S573)		vt.m	3.8				
ii)	1200mm Diam (S574)		vt.m	3.7				
iii)	1200mm Diam (S575)		vt.m	3.6				
iv)	1200mm Diam (S576)		vt.m	3.6				
B.3 a)	Connection to Existing Sewer (Unknown Pipe Type/Diam (250 or Smaller)	CW 2130	each	1				

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
B.4 a)	Remove and Replace Existing Catch Basin / Catch Pit SD-023 (AP-015 Frame and AP-016 Cover)	CW 2130 SP E21	each	1		
B.5 a)	Catch Basins SD-024 (AP-015 Frame and AP-016 Cover) (1200 Deep)	CW 2130 SP E21	each	1		
B.6 a)	Abandon Existing Manholes, Catch Basins and Catch Pits Catch Basin	CW 2130 SP E21	each	2		
B.7 a)	Removal Existing Manholes, Catch Basins and Catch Pits Catch Pit	CW 2130 SP E21	each	1		
B.8 a) i)	Catch Basin Lead 250mm SDR 35 trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	65		
B.9 a)	Connection to Existing Catch Basin / Catch Pit 250mm SDR35	CW 2130 SP E21	each	6		
B.10	Abandon Existing Catch Basin Lead Under Pavement	CW 2130	each	9		
B.11	Catch Basin / Catch Pit Cleaning	SP E18	each	13		
B.12	Sewer Cleaning and Inspection	CW 2140 SP E20				
a)	300mm Combined Sewer	-	m	110		
b)	375mm Combined Sewer		m	90		
B.13	Sewer Inspection	CW 2145 SP E19, E20				
a)	375mm		m	78		
b)	450mm		m	218		

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
B.14	Repeat Sewer Inspection (PVC pipe)	CW 2145				
		SP E19, E20				
a)	375mm		m	78		
b)	450mm		m	218		
В	B Bourkevale Drive - Assiniboine Avenue to Portage Avenue SUBTOTAL					

С	Cavell Drive - Assiniboine Avenue to Portage Avenue							
C.1	Sewers	CW 2130 SP E10						
a) i) b)	375mm PVC SDR-35 trenchless installation, Class B Type 3 bedding, Class 3 backfill 450mm PVC SDR 35		m	145				
i)	trenchless installation, Class B Type 3 bedding, Class 3 backfill		m	206				
c) i)	525mm RCP C-76 CL IV trenchless installation, Class A bedding, Class 3 backfill		m	12				
C.2 a)	Manholes SD-010	CW 2130						
i)			vt.m	4.6				
ii)	1200mm Diam (S565)		vt.m	4.5				
iii)	1200mm Diam (S566)		vt.m	4.8				
iv)	1200mm Diam (S567)		vt.m	4.6				
v)	1200mm Diam (S568)		vt.m	4.1				
vi)	1200mm Diam (S569)		vt.m	4.0				
C.3 a)	Connection to Existing Sewer (Unknown Pipe Type/Diam (250 or Smaller)	CW 2130	each	2				
C.4 a)	Remove and Replace Existing Catch Basin / Catch Pit SD-023 (AP-015 Frame and AP-016 Cover)	CW 2130 SP E21	each	2				
C.5	Abandon Existing Catch Basin / Catch Pit	CW 2130 SP E21	each	2				

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
C.6 a) i)	Catch Basin Lead 250mm SDR 35 trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	60		
C.7	Connection to Existing Catch Basin / Catch Pit 250mm	CW 2130	each	6		
C.8	Abandon Existing Catch Basin Lead Under Pavement	CW 2130	each	10		
C.9	Catch Basin / Catch Pit Cleaning	SP E17	each	7		
C.10	Sewer Cleaning and Inspection	CW 2140 SP E19				
a)	375mm Combined Sewer	01 210	m	110		
C.11	Sewer Inspection	CW 2145 SP E18, E19				
a)	300mm	0. 2.0, 2.0	m	145		
b)	450mm		m	206		
c)	525mm		m	12		
C.12	Repeat Sewer Inspection (PVC pipe)	CW 2145 SP E18, E19				
a)	300mm	, -	m	145		
b)	450mm		m	206		
С	Cavell Drive - Assiniboine Avenue to Po	rtage Avenue		SUBT	TOTAL	

D	Winston Road - Assiniboine Avenue to P	Parkside Drive			
D.1	Sewers	CW 2130			
		SP E10			
a)	750mm RCP C-76 CL IV				
i)	trenchless installation, Class A bedding,		m	85	
ii)	Class 3 backfill In a trench, Class B Sand bedding,		m	100	
"/	Class 3 backfill			.50	

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
	Manholes	CW 2130				
a)	SD-010 1500mm Diam (S558)		vt.m	6.5		
i)	1300Hill Dialii (3336)		V (.111			
ii)	1500mm Diam (S559)		vt.m	4.8		
D.3 a)	Remove and Replace Existing Catch Basin / Catch Pit SD-024 (AP-011 Frame and AP-012 Cover) (1800 Deep)	CW 2130 SP E21	each	1		
D.4 a) i)	Catch Basin Lead 250mm SDR 35 trenchless installation, Class B sand bedding, Class 3 backfill	CW 2130	m	11		
D.5	Connection to Existing Catch Basin	CW 2130 SP E21				
a)	250mm		each	1		
D.6	Abandon Existing Catch Basin Lead Under Pavement	CW 2130	each	2		
D.7	Catch Basin / Catch Pit Cleaning	SP E18	each	2		
D.8	Sewer Cleaning and Inspection	CW 2140 SP E20				
a)	375mm Combined Sewer		m	125		
D.9 d)	Sewer Inspection 750mm	CW 2145	m	185		
D.10	Full Slab Replacement (Open cut areas)	CW 3230 SP E14				
a)	150mm Reinforced Concrete Pavement	J. 2.1	m²	400		
D.11	Concrete Curb Installation (Open cut areas)	CW 3240 SP E14				
a)	Barrier Curb (SD-204)	- · - · ·	m	110		
D.12	Topsoil and Sodding	CW 3510 SP E17	m²	500		
_						
D	Winston Road - Assiniboine Avenue to F	arkside Drive		SUBT	OTAL	

ITEN#	DESCRIPTION	SPEC. REF.	LINIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	Provisional Items	OF LO. REF.	UNIT	20/111111	THOL	AIVIOUNI
	FTOVISIONAL ITEMS					
E.1	Trenchless Obstructions	SP E13	Allow ance	\$50,000.00		\$50,000.00
E.2 a)	Replacing Existing Risers 900mm Diam on New C/B	CW 2130	vt.m	2		
b)	900mm Diam on Existing C/B		vt.m	2		
c)	1200mm Diam on Existing Manholes		vt.m	2		
E.3 a)	Remove and Replace Existing Catch Basin / Catch Pit (AP 011 Frame and AP 012 Cover) SD-023	CW 2130 SP E21				
			each	2		
b)	SD-024		each	2		
E.4	Remove and Replace Existing Catch Basin / Catch Pit (AP 015 Frame and AP 016 Cover)	CW 2130 SP E21				
a)	SD-023		each	2		
b)	SD-024		each	2		
E.5 a)	Remove and Replace Existing Catch Basin / Catch Pit (AP 006 Frame and AP 008 Cover) SD-025	CW 2130 SP E21	each	2		
E.6	Connecting Existing Sewer Service To	CW 2130				
a)	New Sewer Catch Basin Lead	SP E21	each	3		
E.7	Abandoning Existing Sewers With Cement Stabilized Flowable Fill	CW 2130	2	40		
a)	300mm and larger		m³	10		
E.8	Regrading of Existing Sewer Service	CW 2110 SP E22				
a) i)	100 or 150 mm Up to 1.5 m long		each	8		
ii)	Longer than 1.5 m		m	50		

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
E.9	Misc. Sewer Inspection	CW 2130	0.411	<u> </u>		7
	(Existing Sewers)					
a)	300mm		m	40		
E.10	Catch Basin / Catch Pit Cleaning	SP E18	each	5		
E.11	Water Service Replacement	CW 2110 SP E22				
a) i)	bedding, Class 3 backfill		m	5		
b) i)	25mm trenchless installation, Class B sand bedding, Class 3 backfill		m	3		
E.12	Corporation Stops	CW 2110 SP E22				
a)	19mm		each	5		
b)	25mm		each	3		
E.13	Curb Stops	CW 2110 SP E22				
a)	19mm		each	5		
b)	25mm		each	3		
E.14	Curb Stop Boxes	CW 2110 SP E22				
a)	19mm		each	5		
b)	25mm		each	3		
E.15	10.9 Kilogram Zinc Anodes	CW 2110 SP E22				
a)	On water service	OI LZZ	each	10		
E.16	Board Insulation	CW 2110 SP E23	m²	20		
E.17 a)	Manhole Lifter Rings (AP-007) 38mm	CW 3210	each	3		
b)	51mm		each	3		

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
E.18	Replacing Standard Frames and Covers	CW 2130				• • • • •
,		SP E21				
a)	AP-004 Frame		each	2		
b)	AP-005 Solid Cover		each	2		
c)	AP-011 Mountable Curb Frame & Cover		each	2		
E.19	Replacing Existing Manhole or Catch Basin Rungs	CW 2130 SP E21	each	10		
E.20	Replacing Existing Catch Basin Hoods	CW 2130 SP E21	each	2		
E.21	Patching Existing Manhole or Catch Basin	CW 2130 SP E21	each	2		
E.22	Install Manholes on Existing Catch Basin Lead	CW 2130				
a) i)	SD-010 1200mm Diam		vt.m	5		
E.23	Foundation, Bedding and Backfill	CW 2030 SP E11				
a)	Cement Stabilzed Backfill Material	G. 211	m³	30		
E.24	150mm Sacrificial Concrete Pavement	SP E15	m²	100		
E.25 a)	Partial Slab Patches 150mm Reinforced Concrete Pavement	CW 3230	m²	100		
E.26 a)	Concrete Curb Installation Barrier Curb (SD-204)	CW 3240	m	30		
b)	Mountable Curb (SD-201)		m	30		
E.27 a)	Detectable Warning Surface Tiles 610mm x 1210mm tile	CW 3326	each	2		
E.28	Construction of Asphaltic Concrete Overlay					
a)	Tie-ins and Approaches Type 1A	CW 3410	tonne	30		
E.29	Supplying and Placing Base Course Material Limestone	CW 3110	m³	30		
a)	Limestone		m³	3U		

				APPROX.	UNIT	
ITEM	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	PRICE	AMOUNT
E.30	Replacement of Existing Private	CW 3330				
	Sidewalks	SP E16				
a)	Interlocking Paving Stone		m²	20		
b)	Sidewalk Blocks		m²	20		
c)	Cast In Place Concrete		m²	20		
E.31	Topsoil and Sodding	CW 3510	m²	200		
E.32	Tree Removal	SP E6				
a)	0 to 10cm		each	2		
b)	10 to 30cm		each	2		
c)	over 30cm		each	6		
E.33	Boulevard and Yard Trees	SP E24				
a)	Manitoba Maple - 60-70mm cal		each	4		
b)	Delta Hackberry - 50-60mm cal		each	4		
c)	Littleleaf Linden - 60-70mm cal		each	4		
d)	Discovery Elm - 60-70mm cal		each	8		
e)	Black Hills Spruce - 1.5m		each	2		
E	Provisional Items			SUBT	OTAL	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I I EIVI	Summary	OFEU. NEF.	OINIT	Q0/111111	THOL	AWOUNT
	Cummary					
	Part A - Assiniboine Avenue - Bourkevale Drive					
	Part B - Bourkevale Drive - Assiniboine Avenue	_				
	Part C - Cavell Drive - Assiniboine Avenu	ue to Portage A	venue	_		
	Part D - Winston Road - Assiniboine Ave	nue to Parksid	e Drive	_		
	Part E - Provisional Items			-		
				-		
	TOTAL BID PRICE (GST extra) (in figures	s)				
			Name	of Bidder		

(Seal)

Template Version: C120150806- C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

	BID BOND	
KNOW ALL MEN BY THESE PRESENTS	ГНАТ	
(hereinafter called the "Principal") and		
the "Obligee") in the sum of ten percent (10	nd firmly bound unto THE CITY OF WINNIPEG (her %) of the Total Bid Price set out in the Bid hereina and Surety bind themselves, their heirs, executors, ally, firmly by these presents.	fter described
WHEREAS the Principal has submitted a B	id to the Obligee for	
BID OPPORTUNITY NO. 269-2017 Addeno	dum 1	
FERRY ROAD AND RIVERBEND COMBIN	NED SEWER RELIEF CONTRACT 5 EAST STAG	E 2
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is no accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of: (Witness as to Principal if no seal)	(Name of Principal) Per: Per:	

(Name of Surety)

(Attorney-in-Fact)

By:

(Seal) (Attorney-in-Fact)

Template Version: C120150806- C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 269-2017 Addendum 1 FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT 5 EAST STAGE 2 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20_____. (Name of Surety)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Division ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 269-2017 Addendum 1
	FERRY ROAD AND RIVERBEND COMBINED SEWER RELIEF CONTRACT 5 EAST STAGE 2
Pursua	ant to the request of and for the account of our customer,
(Name	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
for pay for the inquiri	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written demand ment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit payment of monies only and we hereby agree that we shall honour your demand for payment without ng whether you have a right as between yourself and our customer to make such demand and without nizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby Letter dit will be duly honoured if presented to us at:
(Addres	s)
and w	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 11, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)				
Per:				
	(Authorized Signing Officer)			
Per:				
	(Authorized Signing Officer)			