



THICKNESS SHOWN MINIMUM, SUPPLIER TO CONFIRM & PROVIDE ENGINEERED SHOP DRAWINGS FOR REVIEW

1 ROOF FRAMING PLAN
3/16" = 1'-0"

2 ROOF PANEL SECTION DETAIL
1" = 1'-0"

DESIGN LOADS:

DEAD LOAD: SELF WEIGHT
SNOW LOAD: SEE DRIFTING LOADS
WIND: 30 PSF HORIZ. + UPLIFT

NOTE:
PROVIDE SEPARATE PRICE WITH STRUCTURAL MEMBERS INCLUDING ROOF PANELS COMPOSED OF A606-4 WEATHERING STEEL OF EQUIVALENT THICKNESS PLATE MEMBERS, STITCH FILLET WELDING MATCHING EACH SIDE OF WEB AS REQUIRED BY SUPPLIER, TYP.



WOLFROM ENGINEERING LTD CONSULTING ENGINEERS 345 WARDLAW AVENUE WINNIPEG, CANADA R3L 0L5 (204)452-0041 FAX: 284-8680 E-Mail: info@wolfromeng.com	DATE 11/28/16
	SCALE As indicated
JOB TITLE 1919 Monument Winnipeg, Manitoba	FILE NO. W16124
	DRAWING NO. S-4

0 ISSUED FOR CONSTRUCTION 2016.11.28 JCR

