#### FORM A: BID (See B9)

1.	Contract Title	2017 Local Streets Renewal Program – Silverstone Avenue, Kingsway, Roslyn Road and Various Other Locations
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
	(Change and)	The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation carrying on business under the above name.
		carrying on business under the above hame.
3.	Contact Person	The Bidder hereby authorizes the following contact person to representhe Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meaning ascribed to them in the General Conditions and D2.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

12.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, day of, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

UNIT PRICES DESCRIPTION SPEC. UNIT PRICE AMOUNT UNIT APPROX. ITEM REF QUANTITY PART 1 CITY FUNDED WORK SILVERSTONE AVE REHABILITATION - CORNELL DRIVE TO KING'S DRIVE EARTH AND BASE WORKS A.1 Supplying and Placing Base Course Material CW 3110-R19 m³ 20 A.2 CW 3110-R19 400 Grading of Boulevards m² ROADWORKS - RENEWALS Slab Replacement A 3 CW 3230-R8 150 mm Concrete Pavement (Reinforced) 80 i) m² Partial Slab Patches CW 3230-R8 i) 150 mm Concrete Pavement (Type A) m² 60 ii) 150 mm Concrete Pavement (Type B) 155 iii) 150 mm Concrete Pavement (Type C) m² iv) 150 mm Concrete Pavement (Type D) 185 CW 3230-R8 A.5 Slab Replacement - Early Opening (72 hour) i) 150 mm Concrete Pavement (Reinforced) m² 25 4.6 Partial Slab Patches - Early Opening (72 hour) CW 3230-R8 i) 150 mm Concrete Pavement (Type A) m² ii) 150 mm Concrete Pavement (Type B) 30 m² iii) 150 mm Concrete Pavement (Type C) m² 25 150 mm Concrete Pavement (Type D) m² iv) Partial Depth Planing of Existing Joints E12 m² 160 Asphalt Patching of Partial Depth Joints 160 4.8 m² A.9 Drilled Dowels CW 3230-R8 19.1 mm Diameter i) each 200 A.10 Drilled Tie Bars CW 3230-R8 i) 20 M Deformed Tie Bar each 350 A.11 Miscellaneous Concrete Slab Renewal CW 3235-R9 100 mm Sidewalk SD-228A 70 Less than 5 sq.m. m² b) 5 sq.m. to 20 sq.m. m² 100 Greater than 20 sq.m. m² 180 A.12 Adjustment of Precast Sidewalk Blocks CW 3235-R9 m² 15 A.13 Concrete Curb Renewal CW 3240-R10 i) Barrier (150 mm reveal ht, Dowelled) SD-205. SD-206A Less than 3 m 40 3 m to 30 m m 225 Greater than 30 m 180 m ii) Modified Barrier (150 mm reveal ht, Dowelled) SD-203B 110 iii) Curb Ramp (8-12 mm reveal ht, Integral) SD-229C.D m 70 Regrading Existing Interlocking Paving Stones CW 3330-R5

JNIT PF							
ITEM		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
A.15		Construction of Asphaltic Concrete Overlay	REF. CW 3410-R11		QUANTITY	Ī	
			CW 3410-R11				
i)		Main Line Paving			4750		
	a)			tonne	1750		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	75		
A.16		Planing of Pavement	CW 3450-R6				
i)		50 - 100 mm Depth (Asphalt)		m²	8500		
A.17		Pavement Repair Fabric	E11	m²	50		
A.18		Detectable Warning Surface Tiles	CW 3326-R3	each	22		
		JOINT AND CRACK SEALING					
A.19		Reflective Crack Maintenance	CW 3250-R7	m	2400		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.20		Catch Pit	CW 2130-R12				
i)		SD-023		each	10		
A.21		Remove and Replace Existing Catch Basin	CW 2130-R12				
i)		SD-024		each	1		
A.22		Drainage Connection Pipe	CW 2130-R12	m	45		
A.23		Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)		250 mm					
	a)	Class 3 Backfill		each	2		
A.24	ĺ	Frames & Covers	CW3210-R8				
i)		AP-006 - Standard Frame for Manhole and Catch Basin		each	5		
ii)		AP-007 - Standard Solid Cover for Standard Frame		each	4		
iii)		AP-008 - Standard Grated Cover for Standard Frame		each	1		
iv)		AP-011 - Barrier Curb and Gutter Frame		each	4		
v)		AP-012 - Barrier Curb and Gutter Cover		each	4		
vi)		AP-018 - Modified Barrier Curb and Gutter Frame		each	1		
vii)		AP-019 - Modified Barrier Curb and Gutter Cover		each	1		
4.25		Connecting to Existing Manhole	CW 2130-R12	22.0			
i)		250 mm Catch Basin Lead	2 2.00 1012	each	1		
ار 4.26			CW 2130-R12	Cuon	']		
		Connecting to Existing Catch Basin	OVV 2130-R12	oach	6		
i)		250 mm Drainage Connection Pipe	CW 2420 B40	each	6		
A.27		Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12		_		
i)		250 mm		each	3		
A.28		Removal of Existing Catch Pit	CW 2130-R12	each	2		
A.29		Abandoning Existing Drainage Inlets	CW 2130-R12	each	8		
A.30		Catch Basin Cleaning	CW 2140-R3	each	18		

JNIT PRI	ICES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
A.31	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	6		
A.32	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2.0		
ii)	Brick Risers		vert. m	2.0		
A.33	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	6		
iii)	76 mm		each	1		
A.34	Adjustment of Valve Boxes	CW 3210-R8	each	2		
A.35	Valve Box Extensions	CW 3210-R8	each	1		
A.36	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
A.37	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	5		
	LANDSCAPING					
A.38	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	400		
A.39	Seeding	CW 3520-R7	m²	50		
Α	SILVERSTONE AVE REHABILITATION - CORNELL DRIVE	E TO KING'S DRIVI	<u> </u>		Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	VIVO WAY DE MARINE TO THE CONTROL OF	REF.		QUANTITY	1	
В	KINGSWAY REHABILITATION - OAK STREET TO CAI	<u>WBRIDGE STREET</u>				
	EARTH AND BASE WORKS					
3.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	20		
.2	Grading of Boulevards	CW 3110-R19	m²	1000		
	ROADWORKS - RENEWALS					
3.3	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	130		
3.4	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	20		
ii)	150 mm Concrete Pavement (Type B)		m²	110		
iii)	150 mm Concrete Pavement (Type C)		m²	15		
iv)	150 mm Concrete Pavement (Type D)		m²	140		
3.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	25		
3.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	30		
iii)	150 mm Concrete Pavement (Type C)		m²	5		
iv)	150 mm Concrete Pavement (Type D)		m²	20		
3.7	Partial Depth Planing of Existing Joints	E12	m²	90		
3.8	Asphalt Patching of Partial Depth Joints	E12	m²	90		
3.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	125		
3.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	300		
3.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	100		
b	5 sq.m. to 20 sq.m.		m²	170		
c)	Greater than 20 sq.m.		m²	250		
ii)	150 mm Reinforced Sidewalk					
a)	5 sq.m. to 20 sq.m.		m²	10		
3.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
3.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	3D-200A	m	15		
b	3 m to 30 m		m	110		
c	Greater than 30 m		m	295		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	145		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	135		
3.14	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10		

JNIT PRIC		00-0		* DDE 2:/		
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
3.15	Construction of Asphaltic Concrete Overlay	REF.		QUANTITY	Ī	
i)	Main Line Paving					
			tonne	900		
a) 			torine	900		
ii)	Tie-ins and Approaches					
a)			tonne	75		
3.16	Planing of Pavement	CW 3450-R6				
i)	50 - 100 mm Depth (Asphalt)		m²	4900		
3.17	Pavement Repair Fabric	E11	m²	50		
3.18	Detectable Warning Surface Tiles	CW 3326-R3	each	46		
	JOINT AND CRACK SEALING					
3.19	Reflective Crack Maintenance	CW 3250-R7	m	1325		
	ACCOUNTED DRAINAGE AND UNDERCOUND WORKS					
3.20	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS  Catch Pit	CW 2130-R12				
		CW 2130-R12	b	2		
i)	SD-023	OW 0400 D40	each	2		
3.21	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	3		
3.22	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 3 Bedding, Class 2 Backfill		m	3		
3.23	Drainage Connection Pipe	CW 2130-R12	m	6		
3.24	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	1		
3.25	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		m	1		
3.26	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	1		
v)	AP-012 - Barrier Curb and Gutter Cover		each	1		
3.27	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
3.28	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	4		
3.29	Abandoning Existing Drainage Inlets	CW 2130-R12	each	5		
3.30	Catch Basin Cleaning	CW 2140-R3	each	12		

UNIT PRI		0050		100001	LINUT DD/ CT	****
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
B.31	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
B.32	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
ii)	Brick Risers		vert. m	1.0		
B.33	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	4		
iii)	76 mm		each	1		
B.34	Adjustment of Valve Boxes	CW 3210-R8	each	2		
	LANDSCAPING					
B.35	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	1000		
B.36	Seeding	CW 3520-R7	m²	50		
В	KINGSWAY REHABILITATION - OAK STREET TO CAMBRID	GE STREET			Subtotal:	

NIT PRIC		CDEC	LINUT	ADDDOV	LINIT DDICE	AMOUNT
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.  QUANTITY	UNIT PRICE	AMOUNT
С	ROSLYN ROAD REHABILITATION - OSBORNE STREET	•	I	QUANTITI		
	EARTH AND BASE WORKS					
.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	10		
.2	Grading of Boulevards	CW 3110-R19	m²	1100		
.2	Grading of Bodievards	OW 3110-1013		1100		
	ROADWORKS - RENEWALS					
.3	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	135		
.4	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	25		
ii)	150 mm Concrete Pavement (Type B)		m²	50		
iii)	150 mm Concrete Pavement (Type C)		m²	10		
iv)	150 mm Concrete Pavement (Type D)		m²	40		
.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	25		
.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	10		
ii)	150 mm Concrete Pavement (Type B)		m²	20		
iii)	150 mm Concrete Pavement (Type C)		m²	5		
iv)	150 mm Concrete Pavement (Type D)		m²	25		
.7	Partial Depth Planing of Existing Joints	E12	m²	55		
.8	Asphalt Patching of Partial Depth Joints	E12	m²	55		
.9	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	200		
.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
, a)			m²	10		
b)	•		m²	180		
c)			m²	165		
.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
., a)		SD-206A	m	50		
b)			m	550		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-203B SD-229C,D	m	40		
•						
.13	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
2.14	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Main Line Paving					
a	Type IA		tonne	800		
ii)	Tie-ins and Approaches					
a	a) Type IA		tonne	40		
C.15	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	900		
	JOINT AND CRACK SEALING					
C.16	Reflective Crack Maintenance	CW 3250-R7	m	1000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.17	Catch Pit	CW 2130-R12				
i)	SD-023		each	5		
C.18	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-024		each	1		
C.19	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a	n) In a Trench, Class B Type 3 Bedding, Class 2 Backfill		m	4		
0.20	Drainage Connection Pipe	CW 2130-R12	m	12		
0.21	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	6		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	4		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	1		
v)	AP-012 - Barrier Curb and Gutter Cover		each	1		
2.22	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	3		
2.23	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	3		
0.24	Abandoning Existing Drainage Inlets	CW 2130-R12	each	5		
0.25	Catch Basin Cleaning	CW 2140-R3	each	7		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
C.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	6		
C.27	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
ii)	Brick Risers		vert. m	1.0		
C.28	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	5		
ii)	76 mm		each	3		
C.29	Adjustment of Valve Boxes	CW 3210-R8	each	8		
C.30	Valve Box Extensions	CW 3210-R8	each	3		
C.31	Adjustment of Curb Stop Boxes	CW 3210-R8	each	4		
C.32	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	1		
	LANDSCAPING					
C.33	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	1100		
C.34	Seeding	CW 3520-R7	m²	50		
С	ROSLYN ROAD REHABILITATION - OSBORNE STREET TO	EAST END	<u> </u>		Subtotal:	

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT				
		REF.		QUANTITY						
D	BRYCE STREET REHABILITATION - RIVER AVENUE TO ROSLYN ROAD									
	EARTH AND BASE WORKS									
D.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	10						
0.2	Grading of Boulevards	CW 3110-R19	m²	250						
	ROADWORKS - RENEWALS									
0.3	Slab Replacement	CW 3230-R8								
i)	150 mm Concrete Pavement (Reinforced)		m²	100						
0.4	Partial Slab Patches	CW 3230-R8								
i)	150 mm Concrete Pavement (Type A)		m²	10						
ii)	150 mm Concrete Pavement (Type B)		m²	10						
iii)	150 mm Concrete Pavement (Type D)		m²	30						
0.5	Partial Depth Planing of Existing Joints	E12	m²	10						
0.6	Asphalt Patching of Partial Depth Joints	E12	m²	10						
0.7	Drilled Dowels	CW 3230-R8								
i)	19.1 mm Diameter		each	55						
0.8	Drilled Tie Bars	CW 3230-R8								
i)	20 M Deformed Tie Bar		each	100						
0.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9								
i)	100 mm Sidewalk	SD-228A								
а	) 5 sq.m. to 20 sq.m.		m²	45						
b	) Greater than 20 sq.m.		m²	110						
D.10	Concrete Curb Renewal	CW 3240-R10								
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,								
а	) 3 m to 30 m	SD-206A	m	27						
b	) Greater than 30 m		m	106						
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	30						
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	20						

UNIT PRIC						
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
D.11	Construction of Asphaltic Concrete Overlay	REF. CW 3410-R11		QUANTITY		
	,	OW 5410-1011				
i)	Main Line Paving			200		
a)			tonne	220		
ii)	Tie-ins and Approaches					
a)			tonne	10		
D.12	Pavement Repair Fabric	E11	m²	185		
D.13	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	JOINT AND CRACK SEALING					
D.14	Reflective Crack Maintenance	CW 3250-R7	m	200		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.15	Catch Pit	CW 2130-R12				
i)	SD-023		each	3		
D.16	Drainage Connection Pipe	CW 2130-R12	m	5		
D.17	Frames & Covers	CW 3210-R8				
i)	AP-011 - Barrier Curb and Gutter Frame		each	1		
ii)	AP-012 - Barrier Curb and Gutter Cover		each	1		
D.18	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
D.19	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	1		
D.20	Abandoning Existing Drainage Inlets	CW 2130-R12	each	3		
D.21	Catch Basin Cleaning	CW 2140-R3	each	4		
	ADJUSTMENTS					
D.22	Adjustment of Valve Boxes	CW 3210-R8	each	4		
D.23	Valve Box Extensions	CW 3210-R8	each	1		
D.24	Adjustment of Curb Stop Boxes	CW 3210-R8	each			
D.24 D.25	Adjustment of Curb and Gutter Frames	CW 3210-R8	each			
0.23	registricity of Outband Outlet Frames	G## 3210-R0	Cacii	'		
	LANDSCAPING					
D.26	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	250		
D.27	Seeding	CW 3520-R7	m²	10		
D	BRYCE STREET REHABILITATION - RIVER AVENUE TO RO	SLYN ROAD		-	Subtotal:	

ITEM		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	_		REF.		QUANTITY		
E	4	HECTOR AVENUE RECONSTRUCTION - WILTON STREET 1	O STAFFORD S	TREET	,		
	ļ	EARTH AND BASE WORKS					
1	l	Excavation	CW 3110-R19	m³	2500		
2		Sub-Grade Compaction	CW 3110-R19	m²	4300		
3		Crushed Sub-base Material	CW 3110-R19				
i)		50 mm		tonne	1600		
ii)		100 mm		tonne	3200		
4		Supplying and Placing Base Course Material	CW 3110-R19	m³	350		
5		Grading of Boulevards	CW 3110-R19	m²	4000		
6	;	Separation / Reinforcement Geotextile Fabric	CW 3130-R4	m²	4300		
7	;	Supply and Install Geogrid	CW 3135-R1	m²	200		
	ı	ROADWORKS - RENEWALS					
8	ļ	Pavement Removal	CW 3110-R19				
i)		Concrete Pavement		m²	3800		
9	ļ	Drilled Dowels	CW 3230-R8				
i)		19.1 mm Diameter		each	110		
10	ļ	Drilled Tie Bars	CW 3230-R8				
i)		20 M Deformed Tie Bar		each	60		
11	ļ	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
á	a)	Less than 5 sq.m.		m²	25		
t	b)	5 sq.m. to 20 sq.m.		m²	150		
(	c)	Greater than 20 sq.m.		m²	480		
12	,	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
13	-	Concrete Curb Renewal	CW 3240-R10				
i)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	32		
ii)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	15		
14	ŀ	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10		
15	ļ	Detectable Warning Surface Tiles	CW 3326-R3	each	12		

		ES DESCRIPTION	CDEC	LINIT	ADDDOV	LINIT DDICE	AMOUNT
ITEM		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		DOADWORKS NEW CONSTRUCTION	REF.		QUANTITY		
.16		ROADWORKS - NEW CONSTRUCTION  Concrete Pavements, Median Slabs, Bull-noses, and Safety	CW 3310-R17				
		Medians	CW 3310-R17	2	2250		
i) 		Construction of 150 mm Concrete Pavement (Reinforced) - Slip Form Paving		m²	3350		
ii)		Construction of 150 mm Concrete Pavement (Reinforced)	OW 0040 D47	m²	400		
.17		Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)		Construction of Barrier (180 mm ht, Integral) - Slip Form Paving	SD-204	m	890		
ii)		Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	40		
iii)		Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	46		
.18		Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)		Main Line Paving					
	a)	Type IA		tonne	90		
ii)		Tie-ins and Approaches					
	a)	Type IA		tonne	10		
		JOINT AND CRACK SEALING					
.19		Joint Sealing	CW 3250-R7	m	1300		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
.20		Catch Basin	CW 2130-R12				
i)		SD-024, 1800 mm deep		each	12		
.21		Sewer Service	CW 2130-R12				
i)		250 mm, PVC					
	a)	In a Trench, Class B Type 3 Bedding, Class 2 Backfill		m	75		
.22		Frames & Covers	CW 3210-R8				
i)		AP-006 - Standard Frame for Manhole and Catch Basin		each	4		
ii)		AP-007 - Standard Solid Cover for Standard Frame		each	4		
.23		Connecting to Existing Sewer	CW 2130-R12				
i)		250 mm (PVC) Connecting Pipe					
	a)	Connecting to 300 mm (Clay) Sewer		each	4		
	b)	Connecting to 375 mm (Clay) Sewer		each	8		
.24		Removal of Existing Catch Basins	CW 2130-R12	each	12		
.25		Catch Basin Cleaning	CW 2140-R3	each	12		
.26		Installation of Subdrains	CW 3120-R4	m	144		
.27		Watermain and Water Service Insulation	E13				
		The state of the s					

CES				-	
DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	REF.		QUANTITY		
ADJUSTMENTS					
Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
Replacing Existing Risers	CW 2130-R12				
Pre-cast Concrete Risers		vert. m	2.0		
Brick Risers		vert. m	1.0		
Lifter Rings (AP-010)	CW 3210-R8				
51 mm		each	4		
Adjustment of Valve Boxes	CW 3210-R8	each	5		
Valve Box Extensions	CW 3210-R8	each	1		
Adjustment of Curb Stop Boxes	CW 3210-R8	each	5		
Curb Stop Extensions	CW 3210-R8	each	1		
LANDSCAPING					
Sodding	CW 3510-R9				
width > or = 600 mm		m²	4000		
Seeding	CW 3520-R7	m²	50		
MISCELLANEOUS					
Soft Excavation to Expose Underground Utilities	E14	hr	6		
HECTOR AVENUE RECONSTRUCTION - WILTON STREET T	I O STAFFORD S	TREET		Subtotal:	
	ADJUSTMENTS  Adjustment of Manholes/Catch Basins Frames  Replacing Existing Risers  Pre-cast Concrete Risers  Brick Risers  Lifter Rings (AP-010)  51 mm  Adjustment of Valve Boxes  Valve Box Extensions  Adjustment of Curb Stop Boxes  Curb Stop Extensions  LANDSCAPING  Sodding  width > or = 600 mm  Seeding  MISCELLANEOUS  Soft Excavation to Expose Underground Utilities	DESCRIPTION SPEC. REF.  ADJUSTMENTS  Adjustment of Manholes/Catch Basins Frames CW 3210-R8 Replacing Existing Risers Pre-cast Concrete Risers Brick Risers  Lifter Rings (AP-010) S1 mm  Adjustment of Valve Boxes Valve Box Extensions CW 3210-R8 Curb Stop Extensions Curb Stop Extensions CW 3210-R8  LANDSCAPING Sodding width > or = 600 mm Seeding  MISCELLANEOUS Soft Excavation to Expose Underground Utilities  E14	DESCRIPTION  SPEC. REF.  ADJUSTMENTS  Adjustment of Manholes/Catch Basins Frames  Replacing Existing Risers  Pre-cast Concrete Risers  Brick Risers  Lifter Rings (AP-010)  51 mm  CW 3210-R8  each  each  Adjustment of Valve Boxes  Valve Box Extensions  Adjustment of Curb Stop Boxes  Curb Stop Extensions  CW 3210-R8  each  each  CW 3210-R8  each  cach  CW 3210-R8  each  cach  CW 3210-R8  each  CW 3210-R8  E	DESCRIPTION	DESCRIPTION

ITEM		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
			REF.		QUANTITY		
F		BYNG PLACE RECONSTRUCTION - PEMBINA HIGHWAY TO	O RIVERSIDE DE	RIVE	,		
		EARTH AND BASE WORKS					
.1		Excavation	CW 3110-R19	m³	1500		
.2		Sub-Grade Compaction	CW 3110-R19	m²	3200		
.3		Crushed Sub-base Material	CW 3110-R19				
i)		50 mm		tonne	2400		
.4		Supplying and Placing Base Course Material	CW 3110-R19	m³	260		
.5		Grading of Boulevards	CW 3110-R19	m²	3000		
.6		Separation / Reinforcement Geotextile Fabric	CW 3130-R4	m²	3200		
.7		Supply and Install Geogrid	CW 3135-R1	m²	3200		
		ROADWORKS - RENEWALS					
.8		Pavement Removal	CW 3110-R19				
i)		Concrete Pavement		m²	350		
ii)		Asphalt Pavement		m²	2500		
.9		Drilled Dowels	CW 3230-R8				
i)		19.1 mm Diameter		each	32		
.10		Drilled Tie Bars	CW 3230-R8				
i)		20 M Deformed Tie Bar		each	160		
.11		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)		100 mm Sidewalk	SD-228A				
á	a)	Less than 5 sq.m.		m²	15		
ŀ	b)	5 sq.m. to 20 sq.m.		m²	80		
(	c)	Greater than 20 sq.m.		m²	200		
ii)		150 mm Reinforced Sidewalk					
á	a)	5 sq.m. to 20 sq.m.		m²	105		
.12		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
.13		Concrete Curb Removal	CW 3240-R10				
i)		Curb and Gutter		m	735		
.14		Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	25		
.15		Detectable Warning Surface Tiles	CW 3326-R3	each	8		

JNIT PRIC		0556		ADDDC	1007 55:2-1	****
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ROADWORKS - NEW CONSTRUCTION					
	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	385		
ii)	Construction of Concrete Median Slabs	SD-227A	m²	20		
.17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (150 mm ht, Integral)	SD-203B	m	40		
ii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement) - Slip Form Paving	SD-200	m	600		
iii)	Construction of Curb and Gutter (180 mm ht, Modified Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-203B	m	35		
iv)	Construction of Curb and Gutter (40 mm ht, Lip Curb, Integral, 600 mm width, 150 mm Plain Concrete Pavement) - Slip Form Paving	SD-200 SD-202B	m	70		
v)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	25		
vi)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	15		
.18	100 mm Concrete Sidewalk	CW 3325-R5	m²	5		
.19	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Main Line Paving					
a)	Туре ІА		tonne	550		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	35		
	JOINT AND CRACK SEALING					
	Reflective Crack Maintenance	CW 3250-R7	m	300		
.20	renesave order mantenance	011 0200 117		000		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
.21	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	6		
ii)	SD-025, 1800 mm deep		each	1		
.22	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 3 Bedding, Class 2 Backfill		m	40		
.23	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
24	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (PVC) Connecting Pipe					
a)	Connecting to 300 mm Sewer		each	2		
b)	Connecting to 375 mm Sewer		each	5		
.25	Removal of Existing Catch Basins	CW 2130-R12	each	6		
.26	Catch Basin Cleaning	CW 2140-R3	each	7		
	Installation of Subdrains	CW 3120-R4	m	72		
:.27	Installation of Subdrains					
	Watermain and Water Service Insulation	E13				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
.29	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	7		
.30	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2.0		
ii)	Brick Risers		vert. m	1.0		
.31	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	7		
.32	Adjustment of Valve Boxes	CW 3210-R8	each	1		
33	Valve Box Extensions	CW 3210-R8	each	1		
34	Adjustment of Curb Stop Boxes	CW 3210-R8	each	5		
F.35	Curb Stop Extensions	CW 3210-R8	each	1		
	LANDSCAPING					
.36	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m²	3000		
37	Seeding	CW 3520-R7	m²	50		
	MISCELLANEOUS					
F	BYNG PLACE RECONSTRUCTION - PEMBINA HIGHWA	Y TO RIVERSIDE DE	RIVE		Subtotal:	
G	SEWER REPAIRS					
	SILVERSTONE AVENUE (MA60015637)					
G.1	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		each	1		
G.2	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		m	4		
9.3	Sewer Inspection ( following repair)	CW 2145-R3				
i)	300 mm, Concrete LDS		m	70		
,						

NIT PR		SPEC.	LINIT	APPROX.	LINIT DDICE	AMOUNT
ITEM	DESCRIPTION		UNIT		UNIT PRICE	AMOUNT
ΔRT		REF.		QUANTITY		
Н	HECTOR AVENUE NEW STREET LIGHT INSTALLATION - WI STREET	LTON STREE	T TO STAF	FORD		
	NEW STREET LIGHT INSTALLATION					
l.1	Removal of 25' to 35' street light pole and precast, poured in	E15	each	8		
	place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.					
1.2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E15	m	479		
1.3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E15	each	11		
1.4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E15	each	2		
1.5	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E15	each	11		
1.6	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E15	per span	11		
1.7	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E15	per span	11		
1.8	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E15	each	2		
н	HECTOR AVENUE NEW STREET LIGHT INSTALLATION - WI STREET	LTON STREE	T TO STAF	FFORD .	Subtotal:	
I	BYNG PLACE NEW STREET LIGHT INSTALLATION - PEMBI	NA HIGHWAY	TO RIVER	SIDE DRIVE		
	NEW STREET LIGHT INSTALLATION					
1	Removal of 25' to 35' street light pole and precast, poured in place concrete, steel power installed base or direct buried including davit arm, luminaire and appurtenances.	E15	each	7		
2	Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).	E15	m	400		
3	Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.	E15	each	7		
4	Installation of one (1) 10' ground rod at end of street light circuit. Trench #4 ground wire up to 1 m from rod location to new street light and connect (hammerlock) to top of the ground rod.	E15	each	2		
5	Terminate 2/C #12 copper conductor to street light cables per Standard CD310-4, CD310-9 or CD310-10.	E15	each	7		
6	Installation of overhead span of #4 duplex between new or existing streetlight poles and connect luminaire to provide temporary feed.	E15	per span	7		
7	Removal of overhead span of #4 duplex between new or existing streetlight poles to remove temporary feed.	E15	per span	7		
8	Install / lower 3 m of Cable Guard, ground lug, cable up pole, and first 3 m section of ground rod per Standard CD 315-5.	E15	each	2		

UNIT PRICE	S						
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT	
		REF.		QUANTITY			
	\$	SUMMARY					
PART 1	CITY FUNDED WORK						

		REF.		QUANTITY		
	SUMMA	ARY				
PART 1	CITY FUNDED WORK					
Α	SILVERSTONE AVE REHABILITATION - CORNELL DRIVE TO	KING'S DRIVE			Subtotal:	
В	KINGSWAY REHABILITATION - OAK STREET TO CAMBRIDG	GE STREET			Subtotal:	
С	ROSLYN ROAD REHABILITATION - OSBORNE STREET TO I	EAST END			Subtotal:	
D	BRYCE STREET REHABILITATION - RIVER AVENUE TO RO	SLYN ROAD			Subtotal:	
E	HECTOR AVENUE RECONSTRUCTION - WILTON STREET TO	O STAFFORD S	<u>TREET</u>		Subtotal:	
F	BYNG PLACE RECONSTRUCTION - PEMBINA HIGHWAY TO	RIVERSIDE DR	<u>IVE</u>		Subtotal:	
G	SEWER REPAIRS				Subtotal:	
				(tota	Il price) PART 1	
PART 2	MANITOBA HYDRO FUNDED WORK					
Н	HECTOR AVENUE NEW STREET LIGHT INSTALLATION - WI	LTON STREET	TO STAF	FORD STREET	Subtotal:	
ı	BYNG PLACE NEW STREET LIGHT INSTALLATION - PEMBI	NA HIGHWAY T	O RIVER	SIDE DRIVE	Subtotal:	
				(tota	ıl price) PART 2	
TOTAL BIE	D PRICE (GST extra)	(in figures)				

(Seal)

Template Version: C420170317 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per described, for the payment of which sum t	and firmly bound unto <b>THE CITY OF WINNIPEG</b> (Freent (10%) of the Total Bid Price set out in the Bid has the Principal and Surety bind themselves, their heirs, exintly and severally, firmly by these presents.	nereinafte
WHEREAS the Principal has submitted a E	Bid to the Obligee for	
BID OPPORTUNITY NO. 321-2017		
2017 Local Streets Renewal Program – Sil Locations	verstone Avenue, Kingsway, Roslyn Road and Various	Other
as more fully set out in the Bid Opportunity	•	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	bligation is such that if the Bid of the Principal is not ac accordance with the terms of the Bid, enters into a Cord performance security for guaranteeing the faithful ped, but otherwise shall remain in full force and effect.	ntract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	(Cool)
(Witness as to Principal if no seal)	Per:	(Seal)

(Name of Surety)

(Attorney-in-Fact)

By:

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for BID OPPORTUNITY NO. 321-2017 2017 Local Streets Renewal Program – Silverstone Avenue, Kingsway, Roslyn Road and Various Other Locations in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) (Seal) (Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1	
RE: BID SECURITY – BID OPPORTUNITY NO. 321-2017	
2017 Local Streets Renewal Program – Silverstone Avenue, Kingsway, Roslyn Other Locations	Road and Various
Pursuant to the request of and for the account of our customer,	
(Name of Bidder)	,
(Address of Bidder)  WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a in the aggregate	sum not exceeding
	_ Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to demand for payment made upon us by you. It is understood that we are obligated Letter of Credit for the payment of monies only and we hereby agree that we shall hone payment without inquiring whether you have a right as between yourself and our customend and without recognizing any claim of our customer or objection by the customer	under this Standby our your demand for tomer to make such
The amount of this Standby Letter of Credit may be reduced from time to time only by a it by you or by formal notice in writing given to us by you if you desire such reduction or made.	
Partial drawings are permitted.	
We engage with you that all demands for payment made within the terms and curre Letter of Credit will be duly honoured if presented to us at:	ency of this Standby
(Address)	

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 16, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)	
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)