

**FORM A: BID**  
(See B8)

1. Contract Title 2017 NEW LOCAL SIDEWALKS, LOCAL SIDEWALK RENEWALS,  
AND ASSOCIATED WORKS

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

(Choose one)

The Bidder is:

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent  
the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings  
ascribed to them in the General Conditions and D2.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the  
Contract for the Total Bid Price, in Canadian funds, set out on Form B:  
Prices, appended hereto.

6. Bid Security

In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract

The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work

The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract

The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda

The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time

This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>SIDEWALK RENEWAL - FERNWOOD AVENUE FROM ST. DAVID ROAD TO ST. ANDREWS ROAD (BOTH SIDES)</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Excavation	CW 3110-R19	m <sup>3</sup>	45		
A.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	255		
A.3	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	37		
A.4	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	1,465		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
A.5	Drilled Tie Bars	CW 3230-R8				
	i) 15 M Deformed Tie Bar		each	80		
A.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
	i) 100 mm Sidewalk		m <sup>2</sup>	510		
A.7	Miscellaneous Concrete Slab Installation	CW 3235-R9				
	i) 100 mm Sidewalk	SD-228A	m <sup>2</sup>	638		
A.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
	i) 100 mm Sidewalk	SD-228A				
	a) Less than 5 sq.m.		m <sup>2</sup>	5		
	b) 5 sq.m. to 20 sq.m.		m <sup>2</sup>	10		
	c) Greater than 20 sq.m.		m <sup>2</sup>	590		
	ii) 150 mm Reinforced Sidewalk					
	a) 5 sq.m. to 20 sq.m.		m <sup>2</sup>	6		
A.9	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	10		
A.10	Supply of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	5		
A.11	Removal of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	5		
A.12	Concrete Curb Renewal	CW 3240-R10				
	i) Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a) Less than 3 m		m	7		
	b) 3 m to 30 m		m	5		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	48		
A.13	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	5		
A.14	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	18		
<b>ADJUSTMENTS</b>						
A.15	Adjustment of Valve Boxes	CW 3210-R8	each	4		
A.16	Valve Box Extensions	CW 3210-R8	each	2		
A.17	Adjustment of Curb Stop Boxes	CW 3210-R8	each	24		
A.18	Curb Stop Extensions	CW 3210-R8	each	12		
<b>LANDSCAPING</b>						
A.19	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	490		
ii)	width > or = 600 mm		m <sup>2</sup>	975		
A	<b><u>SIDEWALK RENEWAL - FERNWOOD AVENUE FROM ST. DAVID ROAD TO ST. ANDREWS ROAD (BOTH SIDES)</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B</b>	<b><u>SIDEWALK RENEWAL - GREENDELL AVENUE FROM MINNETONKA STREET TO ST. MARY'S ROAD (S. SIDE)</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	27		
B.2	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	1,055		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
B.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	50		
B.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	10		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	10		
c)	Greater than 20 sq.m.		m <sup>2</sup>	860		
ii)	150 mm Reinforced Sidewalk					
a)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	25		
B.5	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	15		
b)	3 m to 30 m		m	10		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
B.6	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	3		
B.7	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	10		
	<b>ADJUSTMENTS</b>					
B.8	Adjustment of Valve Boxes	CW 3210-R8	each	2		
B.9	Valve Box Extensions	CW 3210-R8	each	1		
B.10	Adjustment of Curb Stop Boxes	CW 3210-R8	each	13		
B.11	Curb Stop Extensions	CW 3210-R8	each	6		
	<b>LANDSCAPING</b>					

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.12	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	355		
ii)	width > or = 600 mm		m <sup>2</sup>	700		
<b>B</b>	<b><u>SIDEWALK RENEWAL - GREENDELL AVENUE FROM MINNETONKA STREET TO ST. MARY'S ROAD (S. SIDE)</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>C</b>	<b><u>NEW LOCAL SIDEWALK - CORNELL DRIVE FROM LINACRE ROAD TO BACKLANE NORTH OF FORDHAM BAY (EAST SIDE)</u></b>					
	<b>EARTH AND BASE WORKS</b>					
C.1	Excavation	CW 3110-R19	m <sup>3</sup>	52		
C.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	300		
C.3	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	8		
C.4	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	180		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
C.5	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	40		
C.6	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	70		
ii)	Modified Barrier (Integral)		m	26		
iii)	Lip Curb	SD-202C	m	65		
C.7	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	10		
	<b>ROADWORK - NEW CONSTRUCTION</b>					
C.8	Construction of Monolithic Curb and Sidewalk	SD-228B	m <sup>2</sup>	230		
C.9	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	23		
C.10	100 mm Concrete Sidewalk	CW 3325-R5	m <sup>2</sup>	50		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
C.11	Frames & Covers	CW 3210-R8				
i)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
	<b>ADJUSTMENTS</b>					
C.12	Adjustment of Valve Boxes	CW 3210-R8	each	1		
C.13	Valve Box Extensions	CW 3210-R8	each	1		
	<b>LANDSCAPING</b>					
C.14	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	60		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	width > or = 600 mm		m <sup>2</sup>	120		
<b>C</b>	<b><u>NEW LOCAL SIDEWALK - CORNELL DRIVE FROM LINACRE ROAD TO BACKLANE NORTH OF FORDHAM BAY (EAST SIDE)</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>D</b>	<b><u>NEW LOCAL SIDEWALK - HAZELWOOD CRESCENT FROM WYOMING ST TO DR. D.R. PENNER SCHOOL (NORTH SIDE)</u></b>					
	<b>EARTH AND BASE WORKS</b>					
D.1	Excavation	CW 3110-R19	m³	71		
D.2	Sub-Grade Compaction	CW 3110-R19	m²	400		
D.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	10		
D.4	Grading of Boulevards	CW 3110-R19	m²	210		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
D.5	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	25		
D.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	10		
D.7	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	6		
D.8	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	4		
D.9	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	6		
D.10	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	180		
ii)	Modified Barrier (Integral)		m	5		
iii)	Curb Ramp		m	4		
D.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	1		
	<b>ROADWORK - NEW CONSTRUCTION</b>					
D.12	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	370		
D.13	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	15		
D.14	100 mm Concrete Sidewalk	CW 3325-R5	m²	30		
	<b>ADJUSTMENTS</b>					
D.15	Adjustment of Curb Stop Boxes	CW 3210-R8	each	5		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.16	Curb Stop Extensions	CW 3210-R8	each	3		
	<b>LANDSCAPING</b>					
D.17	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	70		
ii)	width > or = 600 mm		m <sup>2</sup>	140		
	<b>MISCELLANEOUS</b>					
D.18	Tree Removal	E9	each	1		
<b>D</b>	<b><u>NEW LOCAL SIDEWALK - HAZELWOOD CRESCENT FROM WYOMING ST TO DR. D.R. PENNER SCHOOL (NORTH SIDE)</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>E</b>	<b><u>NEW LOCAL SIDEWALK - WEATHERSTONE PLACE FROM PEBBLE BEACH ROAD TO LAKEWOOD BOULEVARD (SOUTH SIDE)</u></b>					
	<b>EARTH AND BASE WORKS</b>					
E.1	Excavation	CW 3110-R19	m <sup>3</sup>	91		
E.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	515		
E.3	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	14		
E.4	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	280		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
E.5	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	24		
E.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	26		
E.7	Supply of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	8		
E.8	Removal of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	28		
E.9	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	205		
ii)	Modified Barrier (Integral)		m	2		
iii)	Curb Ramp		m	4		
E.10	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m <sup>2</sup>	3		
E.11	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	32		
	<b>ROADWORK - NEW CONSTRUCTION</b>					
E.12	Construction of Monolithic Curb and Sidewalk	SD-228B	m <sup>2</sup>	410		
E.13	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	14		
E.14	100 mm Concrete Sidewalk	CW 3325-R5	m <sup>2</sup>	100		
	<b>ADJUSTMENTS</b>					
E.15	Adjustment of Valve Boxes	CW 3210-R8	each	2		
E.16	Valve Box Extensions	CW 3210-R8	each	1		
	<b>LANDSCAPING</b>					

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.17	Sodding	CW 3510-R9				
	i) width < 600 mm		m <sup>2</sup>	100		
	ii) width > or = 600 mm		m <sup>2</sup>	200		
	<b>MISCELLANEOUS</b>					
E.18	Tree Removal	E9	each	1		
<b>E</b>	<b><u>NEW LOCAL SIDEWALK - WEATHERSTONE PLACE FROM PEBBLE BEACH ROAD TO LAKEWOOD BOULEVARD (SOUTH SIDE)</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>F</b>	<b><u>NEW LOCAL SIDEWALK - VERMILLION ROAD FROM LAKEWOOD BOULEVARD TO GROVER HILLS LANE (NORTH SIDE)</u></b>					
	<b>EARTH AND BASE WORKS</b>					
F.1	Excavation	CW 3110-R19	m <sup>3</sup>	297		
F.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	1,960		
F.3	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	45		
F.4	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	2,150		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
F.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	4		
ii)	150 mm Concrete Pavement (Type B)		m <sup>2</sup>	10		
F.6	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	105		
ii)	20 M Deformed Tie Bar		each	35		
F.7	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m <sup>2</sup>	22		
F.8	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m <sup>2</sup>	2		
ii)	Monolithic Curb and Sidewalk	SD-228B	m <sup>2</sup>	90		
F.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	5		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	12		
c)	Greater than 20 sq.m.		m <sup>2</sup>	60		
F.10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	5		
F.11	Supply of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	5		
F.12	Removal of Precast Sidewalk Blocks	CW 3235-R9	m <sup>2</sup>	25		
F.13	Concrete Curb Removal	CW 3240-R10				

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Barrier Integral		m	75		
ii)	Modified Barrier (Integral)		m	32		
iii)	Curb Ramp		m	7		
F.14	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	5		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	7		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	40		
F.15	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	10		
b)	3 m to 30 m		m	10		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	10		
F.16	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	39		
F.17	Detectable Warning Surface Tiles	CW 3326-R3	each	14		
<b>ROADWORK - NEW CONSTRUCTION</b>						
F.18	Construction of Monolithic Curb and Sidewalk	SD-228B	m <sup>2</sup>	22		
F.19	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	21		
F.20	100 mm Concrete Sidewalk	CW 3325-R5	m <sup>2</sup>	1,492		
<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>						
F.21	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	6		
<b>ADJUSTMENTS</b>						
F.22	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	3		
ii)	51 mm		each	3		
F.23	Adjustment of Valve Boxes	CW 3210-R8	each	1		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.24	Valve Box Extensions	CW 3210-R8	each	1		
	<b>LANDSCAPING</b>					
F.25	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	595		
ii)	width > or = 600 mm		m <sup>2</sup>	1,555		
	<b>MISCELLANEOUS</b>					
F.26	Tree Removal	E9	each	3		
<b>F</b>	<b><u>NEW LOCAL SIDEWALK - VERMILLION ROAD FROM LAKEWOOD BOULEVARD TO GROVER HILLS LANE (NORTH SIDE)</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>G</b>	<b><u>DETECTABLE WARNING SURFACE TILE INSTALLATION - VERMILLION ROAD AT BEAVERHILL BOULEVARD</u></b>					
	<b>EARTH AND BASE WORKS</b>					
G.1	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	2		
G.2	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	40		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
G.3	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m <sup>2</sup>	40		
G.4	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	40		
G.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	35		
G.6	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	5		
G.7	Concrete Curb Installation	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	5		
G.8	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	19		
G.9	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	4		
G.10	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	<b>LANDSCAPING</b>					
G.11	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	15		
ii)	width > or = 600 mm		m <sup>2</sup>	25		
<b>G</b>	<b><u>DETECTABLE WARNING SURFACE TILE INSTALLATION - VERMILLION ROAD AT BEAVERHILL BOULEVARD</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>H</b>	<b><u>DETECTABLE WARNING SURFACE TILE INSTALLATION - KINGS DRIVE AT AVILA AVENUE &amp; KINGS DRIVE AT PATRICIA AVENUE</u></b>					
	<b>EARTH AND BASE WORKS</b>					
H.1	Supplying and Placing Base Course Material	CW 3110-R19	m <sup>3</sup>	9		
H.2	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	46		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
H.3	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m <sup>2</sup>	84		
H.4	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A	m <sup>2</sup>	7		
H.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	3		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	21		
H.6	Concrete Curb Removal	CW 3240-R10				
i)	Curb and Gutter		m	20		
H.7	Concrete Curb Installation	CW 3240-R10				
i)	Curb and Gutter (8-12 mm reveal ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	20		
H.8	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	15		
H.9	Construction of Asphalt Patches	CW 3410-R11	m <sup>2</sup>	6		
H.10	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	<b>LANDSCAPING</b>					
H.11	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	15		
ii)	width > or = 600 mm		m <sup>2</sup>	31		
<b>H</b>	<b><u>DETECTABLE WARNING SURFACE TILE INSTALLATION - KINGS DRIVE AT AVILA AVENUE &amp; KINGS DRIVE AT PATRICIA AVENUE</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>SUMMARY</b>						
A	<u>SIDEWALK RENEWAL - FERNWOOD AVENUE FROM ST. DAVID ROAD TO ST. ANDREWS ROAD (BOTH SIDES)</u>				Subtotal:	
B	<u>SIDEWALK RENEWAL - GREENDELL AVENUE FROM MINNETONKA STREET TO ST. MARY'S ROAD (S. SIDE)</u>				Subtotal:	
C	<u>NEW LOCAL SIDEWALK - CORNELL DRIVE FROM LINACRE ROAD TO BACKLANE NORTH OF FORDHAM BAY (EAST SIDE)</u>				Subtotal:	
D	<u>NEW LOCAL SIDEWALK - HAZELWOOD CRESCENT FROM WYOMING ST TO DR. D.R. PENNER SCHOOL (NORTH SIDE)</u>				Subtotal:	
E	<u>NEW LOCAL SIDEWALK - WEATHERSTONE PLACE FROM PEBBLE BEACH ROAD TO LAKEWOOD BOULEVARD (SOUTH SIDE)</u>				Subtotal:	
F	<u>NEW LOCAL SIDEWALK - VERMILLION ROAD FROM LAKEWOOD BOULEVARD TO GROVER HILLS LANE (NORTH SIDE)</u>				Subtotal:	
G	<u>DETECTABLE WARNING SURFACE TILE INSTALLATION - VERMILLION ROAD AT BEAVERHILL BOULEVARD</u>				Subtotal:	
H	<u>DETECTABLE WARNING SURFACE TILE INSTALLATION - KINGS DRIVE AT AVILA AVENUE &amp; KINGS DRIVE AT PATRICIA AVENUE</u>				Subtotal:	
TOTAL BID PRICE (GST extra)				(in figures)	_____	

\_\_\_\_\_  
 Name of Bidder

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B12)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_ (hereinafter called the "Principal") and

\_\_\_\_\_ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 338-2017

2017 NEW LOCAL SIDEWALKS, LOCAL SIDEWALK RENEWALS, AND ASSOCIATED WORKS

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_  
(Witness as to Principal if no seal)

\_\_\_\_\_  
(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B12)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

**BID OPPORTUNITY NO. 338-2017**

**2017 NEW LOCAL SIDEWALKS, LOCAL SIDEWALK RENEWALS, AND ASSOCIATED WORKS**

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B12)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 338-2017

2017 NEW LOCAL SIDEWALKS, LOCAL SIDEWALK RENEWALS, AND ASSOCIATED WORKS

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 4, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)