



confirm final locations of scuppers with Contract Administrator

 6"-0" x 12' back slope



Approx. Area  
sq.m.315

A1 Existing Construction  
tongue and groove lumber  
kraft paper vapor barrier  
2" Roofmate  
1/2" fiberboard  
1/2" fiberboard  
4 ply

A1 Construction (2017)










lumber deck  
1/2" DensDeck  
Siplast Paradiene 20 SA vapor barrier  
2% slope Type 2 EPS (Min 1")  
1.5" polyisocyanate  
polyisocyanurate drain sumps  
1" rock wool insulation  
Siplast Paradiene 20 EGTG  
Siplast Parafor 50 TG

Notes:

- .01 Contractor is responsible for the site verification of all dimensions
- .02 Drawings are not to be scaled for estimating purposes
- .03 All areas given are approximate
- .04 Contractor is responsible for site verification of existing roof constructions

Stated scale is when in 11x17 format

**GRAPHIC LEGEND**

- Parapet 
- Gravel stop 
- Gas line 
- Control joint 
- Expansion joint 
- New insulated drain pipe 
- Photo vantage point 
- Area Label  A1  
area—  
no. of stories—
-  = attic vent    X = leak

**KEYNOTE LEGEND**

- 1 core sample
- 2 chimney
- 3 AC unit
- 4 vent hood
- 5 ventilator
- 6 vent pipe
- 7 roof drain
- 8 skylight
- 9 eavestrough
- 10 firewall
- 11 antenna
- 12 ladder
- 13 stub column
- 14 roof hatch
- 15 scupper
- 16 pitch box
- 17 HVAC unit
- 18 capped curb
- 19 flag pole
- 20 electrical mast
- 21 cooling tower
- 22 splash pad
- 23 splash pan
- 24 downspout/rainwater leader
- 25 back slope
- 26 cant
- 27 increase slope to drain
- 28 cricket
- 29 parapet/wide flashing
- 30 life line anchor



Agassiz Consulting Group Ltd.

Box 41, Warren, Manitoba R0C 3E0  
Office Phone: (204) 383-5538

Project: Forum Art Gallery  
120 Eugenie  
Winnipeg, MB

Date: February 22, 2017

Drawing No. R-1

File no: 4831-17    Scale: 1:100