



381-2017 ADDENDUM 1

PAINTING OF POOL TANK CONCRETE SURFACES & RELATED WORKS AT WESTDALE OUTDOOR POOL -550 DALE BOULEVARD

URGENT

**PLEASE FORWARD THIS DOCUMENT TO
WHOEVER IS IN POSSESSION OF THE BID
OPPORTUNITY**

ISSUED: April 26, 2017
BY: Lou Chubenko
TELEPHONE NO. 204 986-2727

**THIS ADDENDUM SHALL BE INCORPORATED
INTO THE BID OPPORTUNITY AND SHALL
FORM A PART OF THE CONTRACT
DOCUMENTS**

Template Version: A20160708

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 8 of Form A: Bid may render your Bid non-responsive.

PART B – BIDDING PROCEDURES

- Revise: B4.2 to read: Further to C3.1, the Contract Administrator or an authorized representative will be available at the Site at 10:00 a.m. on May 2, 2017, to provide Bidders access to the Site.
- Delete: B12.3(d) upon request of the Contract Administrator, provide the Security Clearances in accordance with PART F – SECURITY CLEARANCE.

PART D – SUPPLEMENTAL CONDITIONS

- Revise: D2.2(d) to read: Repair all exposed concrete substrate surfaces that are uneven, damaged and rough with polymer-modified thin coat mortar/binder with migrating corrosion inhibitor so that finished floor and walls surfaces are flat and smooth to accept new paint finishes.

PART E – SPECIFICATIONS

- Add: E4.8 Trowel SIKA TOP 121 PLUS polymer-modified cementitious, two-component thin coat mortar for concrete patched, skin coats, filling bug holes and feather edging. Follow all manufacturers recommendations and written instructions for proper preparation, mixing, application, curing times and cleanup for SIKA TOP 121 PLUS.

PART F – SECURITY CLEARANCE

- Delete: F1. SECURITY CLEARANCE