

**FORM A: BID**  
(See B8)

1. Contract Title 2017 Regional Street Renewal Program – Ellice Avenue Pavement Rehabilitation and Reconstruction

2. Bidder

\_\_\_\_\_  
Name of Bidder

\_\_\_\_\_  
Usual Business Name of Bidder as it appears on Invoice (if different from above)

\_\_\_\_\_  
Street

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

\_\_\_\_\_  
Email Address of Bidder

\_\_\_\_\_  
Facsimile Number

(Mailing address if different)

\_\_\_\_\_  
Street or P.O. Box

\_\_\_\_\_  
City

\_\_\_\_\_  
Province

\_\_\_\_\_  
Postal Code

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

\_\_\_\_\_  
Contact Person

\_\_\_\_\_  
Title

\_\_\_\_\_  
Telephone Number

\_\_\_\_\_  
Facsimile Number

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer

The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security
- (Choose one)
- In accordance with B12.1, the Bidder encloses bid security in the form of:
- a bid bond (Form G1: Bid Bond and Agreement to Bond)
  - an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
  - a certified cheque or draft
- and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract
- The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work
- The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract
- The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda
- The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
- | No.   |  | Dated |  |
|-------|--|-------|--|
| _____ |  | _____ |  |
| _____ |  | _____ |  |
| _____ |  | _____ |  |
11. Time
- This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

Signature of Bidder or  
Bidder's Authorized Official or Officials

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

\_\_\_\_\_

(Print here name and official capacity of individual whose signature appears above)

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>A</b>	<b><u>ELLICE AVE. - ARLINGTON TO DOMINION RECONSTRUCTION</u></b>					
	<b>EARTH AND BASE WORKS</b>					
A.1	Excavation	CW 3110-R19	m <sup>3</sup>	7690		
A.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	11900		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	4360		
ii)	150 mm - Limestone		tonne	12720		
A.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m <sup>3</sup>	930		
A.5	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	550		
A.6	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	1		
A.7	Separation Geotextile Fabric	CW 3130-R4	m <sup>2</sup>	11780		
A.8	Supply and Install Geogrid	CW 3135-R1	m <sup>2</sup>	5750		
A.9	Temporary Support of Existing Hydro Poles	E14	hrs	75		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
A.10	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m <sup>2</sup>	10970		
ii)	Asphalt Pavement		m <sup>2</sup>	220		
A.11	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	170		
A.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	860		
ii)	25 M Deformed Tie Bar		each	30		
A.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m <sup>2</sup>	2940		
A.14	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m <sup>2</sup>	220		
A.15	Detectable Warning Surface Tiles	CW 3326-R3	each	64		
	<b>ROADWORK - NEW CONSTRUCTION</b>					
A.16	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled) Slip Form Paving		m <sup>2</sup>	4840		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m <sup>2</sup>	2420		
iii)	Construction of 150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	670		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.17	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m <sup>2</sup>	485		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled) Slip Form Paving		m <sup>2</sup>	1450		
iii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m <sup>2</sup>	485		
iv)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m <sup>2</sup>	670		
A.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Separate)	SD-203A	m	110		
ii)	Construction of Barrier (180 mm ht, Separate)	SD-203A	m	890		
iii)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	335		
iv)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	305		
v)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	225		
A.19	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	2980		
A.20	100 mm Concrete Sidewalk	CW 3325-R5	m <sup>2</sup>	2880		
A.21	Interlocking Paving Stones	CW 3335-R1	m <sup>2</sup>	200		
A.22	Lean Concrete Base	CW 3335-R1	m <sup>2</sup>	200		
A.23	Construction of Asphaltic Concrete Pavements	CW 3410-R11				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	140		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
A.24	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	4		
ii)	SD-024, 1800 mm deep		each	12		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.25	Sewer Service	CW 2130-R12				
	i) 300 mm, PVC SDR 35					
	a) In a Trench, Class B Type Sand Bedding, Class 3 Backfill		m	6		
	b) Trenchless Installation, Class B, Sand Bedding, Class 3 Backfill		m	121		
A.26	Sewer Service Risers	CW 2130-R12				
	i) 300 mm					
	a) SD-014		vert. m	35.0		
A.27	Frames & Covers	CW3210-R8				
	i) AP-006 - Standard Frame for Manhole and Catch Basin		each	20		
	ii) AP-007 - Standard Solid Cover for Standard Frame		each	20		
A.28	Connecting to Existing Manhole	CW 2130-R12				
	i) 300 mm Catch Basin Lead		each	2		
A.29	Connecting to Existing Sewer	CW 2130-R12				
	i) 300 mm (Type PVC SDR 35) Connecting Pipe					
	a) Connecting to 300 mm Sewer		each	3		
	b) Connecting to 375 mm Sewer		each	2		
	c) Connecting to 600 mm Sewer		each	3		
	d) Connecting to 750 mm Sewer		each	4		
	e) Connecting to 900 mm Sewer		each	2		
A.30	Removal of Existing Catch Basins	CW 2130-R12	each	14		
A.31	Abandoning Existing Drainage Inlets	CW 2130-R12	each	8		
A.32	Installation of Subdrains	CW 3120-R4	m	192		
A.33	Watermain and Water Service Insulation					
	i) Pipe Under Roadway Excavation (SD-018)	E15	m <sup>2</sup>	1675		
A.34	Bench and Channel Existing Manhole Floor	E17	each	1		
A.35	Hydro Excavation	E10	hr	13		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.36	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	12		
	<b>ADJUSTMENTS</b>					
A.37	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
A.38	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.6		
A.39	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	20		
A.40	Adjustment of Valve Boxes	CW 3210-R8	each	32		
A.41	Adjustment of Curb Stop Boxes	CW 3210-R8	each	8		
	<b>LANDSCAPING</b>					
A.42	Sodding	CW 3510-R9				
i)	width < 600 mm		m <sup>2</sup>	275		
ii)	width > or = 600 mm		m <sup>2</sup>	275		
<b>A</b>	<b><u>ELLICE AVE. - ARLINGTON TO DOMINION RECONSTRUCTION</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>B</b>	<b><u>ELLICE AVE - DOMINION TO ERIN REHABILITATION</u></b>					
	<b>EARTH AND BASE WORKS</b>					
B.1	Excavation	CW 3110-R19	m <sup>3</sup>	20		
B.2	Sub-Grade Compaction	CW 3110-R19	m <sup>2</sup>	45		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	20		
B.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m <sup>3</sup>	6		
B.5	Grading of Boulevards	CW 3110-R19	m <sup>2</sup>	70		
B.6	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	1		
	<b>ROADWORK - REMOVALS/RENEWALS</b>					
B.7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m <sup>2</sup>	40		
ii)	Asphalt Pavement		m <sup>2</sup>	210		
B.8	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	275		
B.9	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m <sup>2</sup>	5		
ii)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	90		
iii)	200 mm Concrete Pavement (Type C)		m <sup>2</sup>	5		
iv)	200 mm Concrete Pavement (Type D)		m <sup>2</sup>	18		
B.10	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	650		
ii)	150 mm Concrete Pavement (Reinforced)		m <sup>2</sup>	65		



**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.11	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m <sup>2</sup>	5		
ii)	200 mm Concrete Pavement (Type B)		m <sup>2</sup>	215		
iii)	200 mm Concrete Pavement (Type C)		m <sup>2</sup>	65		
iv)	200 mm Concrete Pavement (Type D)		m <sup>2</sup>	80		
B.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	525		
B.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	845		
B.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m <sup>2</sup>	10		
b)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	220		
c)	Greater than 20 sq.m.		m <sup>2</sup>	1290		
ii)	150 mm Reinforced Sidewalk					
a)	5 sq.m. to 20 sq.m.		m <sup>2</sup>	30		
B.15	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	90		
B.16	Concrete Curb Installation	CW 3240-R10				
iv)	Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	90		
B.17	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	12		
b)	3 m to 30 m		m	200		
c)	Greater than 30 m		m	375		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ii) Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	225		
B.18	Construction of Asphaltic Concrete Overlay	CW 3410-R11				
	i) Main Line Paving					
	a) Type IA		tonne	1460		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	135		
B.19	Planing of Pavement	CW 3450-R6				
	i) 1 - 50 mm Depth (Asphalt)		m <sup>2</sup>	1650		
	ii) 50 - 100 mm Depth (Asphalt)		m <sup>2</sup>	5620		
B.20	Asphalt Levelling Over Full Depth Concrete Repairs					
	i) Type IA	E11	tonne	220		
B.21	Pavement Repair Fabric	E9	m <sup>2</sup>	1320		
B.22	Detectable Warning Surface Tiles	CW 3326-R3	each	40		
	<b>JOINT AND CRACK SEALING</b>					
B.23	Reflective Crack Maintenance	CW 3250-R7	m	1500		
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
B.24	Catch Basin	CW 2130-R12				
	i) SD-024, 1800 mm deep		each	4		
B.25	Catch Pit	CW 2130-R12				
	i) SD-023		each	6		
B.26	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC SDR 35					
	a) In a Trench, Class B, Sand Bedding, Class 3 Backfill		m	11		
	b) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	34		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	300 mm, PVC SDR 35					
a)	In a Trench, Class B Sand Bedding, Class 3 Backfill		m	16		
b)	Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	54		
B.27	Drainage Connection Pipe	CW 2130-R12	m	13		
B.28	Sewer Service Risers	CW 2130-R12				
i)	250 mm					
a)	SD-014		vert. m	2.0		
ii)	300 mm					
a)	SD-014		vert. m	12.0		
B.29	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	3		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	3		
v)	AP-012 - Barrier Curb and Gutter Cover		each	3		
B.30	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
ii)	300 mm Drainage Connection Pipe		each	5		
B.31	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (Type PVC SDR 35) Connecting Pipe					
a)	Connecting to 400 mm Sewer		each	2		
ii)	300 mm (Type PVC SDR 35) Connecting Pipe					
a)	Connecting to 300 mm Sewer		each	2		
b)	Connecting to 375 mm Sewer		each	2		

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
c)	Connecting to 450 mm Sewer		each	2		
d)	Connecting to 600 mm Sewer		each	2		
B.32	Removal of Existing Catch Basins	CW 2130-R12	each	3		
B.33	Relocation of Existing Catch Basins	CW 2130-R12	each	2		
B.34	Abandoning Existing Drainage Inlets	CW 2130-R12	each	11		
B.35	Catch Basin Cleaning	CW 2140-R3	each	1		
B.36	Plugging Existing Sewers and Sewer Services Smaller Than 300mm	CW 2130-R12	each	6		
B.37	Hydro Excavation	E10	hr	13		
B.38	Replacing Existing Manhole or Catch Basin Rungs	CW 2130-R12	each	20		
B.39	Replacing Existing Catch Basin Hoods, Pins or Wall Hooks	CW 2130-R12	each	9		
<b>ADJUSTMENTS</b>						
B.40	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	5		
B.41	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.6		
B.42	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
B.43	Adjustment of Valve Boxes	CW 3210-R8	each	12		
B.44	Valve Box Extensions	CW 3210-R8	each	4		
B.45	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R8	each	1		
<b>LANDSCAPING</b>						
B.46	Sodding	CW 3510-R9				

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	width > or = 600 mm		m <sup>2</sup>	360		
<b>B</b>	<b><u>ELLICE AVE - DOMINION TO ERIN REHABILITATION</u></b>				Subtotal:	
<b>C</b>	<b><u>ELLICE AVE - ARLINGTON TO ERIN MAJOR UNDERGROUND WORKS</u></b>					
	<b>ASSOCIATED DRAINAGE AND UNDERGROUND WORKS</b>					
C.1	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	1		
ii)	300 mm					
a)	Class 3 Backfill		each	1		
iii)	375mm					
a)	Class 3 Backfill		each	4		
iv)	450 mm					
a)	Class 3 Backfill		each	1		
C.2	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		m	12		
ii)	375 mm					
a)	Class 3 Backfill		m	2		
iii)	450 mm					
a)	Class 3 Backfill		m	1		
C.3	Sewer Inspection ( following repair)	CW2145-R3				
i)	250 mm		m	14		
ii)	300 mm		m	3		
iii)	375 mm		m	14		
iv)	450 mm		m	4		
C.4	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Catch Basin Lead		each	1		
ii)	375 mm Catch Basin Lead		each	1		
iii)	450 mm Catch Basin Lead		each	1		
C.5	Connecting Existing Sewer Service to New Sewer	CW 2130-R12				
i)	150 mm Sewer Service		each	2		
ii)	250 mm Catch Basin Lead		each	1		
<b>C</b>	<b><u>ELLICE AVE - ARLINGTON TO ERIN MAJOR UNDERGROUND WORKS</u></b>				Subtotal:	

**FORM B: PRICES**  
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
	<b>SUMMARY</b>						
<b>A</b>	<b>ELLICE AVE. - ARLINGTON TO DOMINION RECONSTRUCTION</b>					Subtotal:	
<b>B</b>	<b>ELLICE AVE - DOMINION TO ERIN REHABILITATION</b>					Subtotal:	
<b>C</b>	<b>ELLICE AVE - ARLINGTON TO ERIN MAJOR UNDERGROUND WORKS</b>					Subtotal:	
TOTAL BID PRICE (GST extra) (in figures) _____							

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 1 of 2)  
(See B12)

**BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

\_\_\_\_\_

(hereinafter called the "Principal") and

\_\_\_\_\_

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 460-2017

2017 Regional Street Renewal Program – Ellice Avenue Pavement Rehabilitation and Reconstruction

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

\_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_.

SIGNED AND SEALED  
in the presence of:

\_\_\_\_\_

(Witness as to Principal if no seal)

\_\_\_\_\_

(Name of Principal)

Per: \_\_\_\_\_ (Seal)

Per: \_\_\_\_\_

\_\_\_\_\_

(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)

**FORM G1: BID BOND AND AGREEMENT TO BOND**

(Page 2 of 2)  
(See B12)

**AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

\_\_\_\_\_ of  
(Name of Bidder)

\_\_\_\_\_  
(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 460-2017

2017 Regional Street Renewal Program – Ellice Avenue Pavement Rehabilitation and Reconstruction

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_ day of \_\_\_\_\_, 20\_\_\_\_\_ .

\_\_\_\_\_  
(Name of Surety)

By: \_\_\_\_\_ (Seal)  
(Attorney-in-Fact)



**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 1 of 2)  
(See B12)**

\_\_\_\_\_  
(Date)

The City of Winnipeg  
Corporate Finance Department  
Materials Management Division  
185 King Street, Main Floor  
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 460-2017

2017 Regional Street Renewal Program – Ellice Avenue Pavement Rehabilitation and  
Reconstruction

Pursuant to the request of and for the account of our customer,

\_\_\_\_\_  
(Name of Bidder)

\_\_\_\_\_  
(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding  
in the aggregate

\_\_\_\_\_  
Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

\_\_\_\_\_  
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING  
(BID SECURITY) (Page 2 of 2)  
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on August 22, 2017

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

\_\_\_\_\_  
(Name of bank or financial institution)

Per: \_\_\_\_\_  
(Authorized Signing Officer)

Per: \_\_\_\_\_  
(Authorized Signing Officer)