


DE BAETS STREET - PROFILE



DE BAETS STREET - PLAN

NOTES:

1. ALL MEASUREMENTS TO BACK OF CURB.
2. ALL EXISTING TREES TO BE PROTECTED AND MAINTAINED THROUGHOUT CONSTRUCTION.
3. ALL BUS STOPS WITHIN LIMITS OF CONSTRUCTION TO BE TEMPORARILY RELOCATED BY OTHERS DURING WORKS.
4. HAND OR SOFT DIG METHODS REQUIRED OVER ALL UTILITIES AT INTERVALS DETERMINED BY THE ENGINEER TO DETERMINE DEPTH OF COVER.
5. NO WORKS, INCLUDING CONCRETE CUTTING OR BREAKING, TO BE UNDERTAKEN NEAR GAS LINES UNTIL DEPTH OF COVER IS DETERMINED AND A MB HYDRO SAFETY WATCH IS ON SITE.
6. ANY GAS MAINS OR SERVICES EXPOSED IN THE EXCAVATION AREA TO BE ROCK WRAPPED IN ACCORDANCE WITH MB HYDRO STANDARDS PRIOR TO WORK PROCEEDING ON SITE.
7. NO VIBRATORY COMPACTION PERMITTED WITHIN 1M OF GAS MAINS.
8. CONSTRUCT NEW MONOLITHIC CURB RAMP (10mm HEIGHT INTEGRAL).
9. REPLACE EXISTING SD-24 CATCHBASIN INSTALL BARRIER CURB AND GUTTER INLET FRAME (AP-008) AND INLET COVER (AP-008) AND REPLACE 250 LEAD @ 2% MINIMUM GRADE.
10. TRANSVERSE JOINTS SPACED AT 5.0 INTERVALS UNLESS OTHERWISE NOTED.

PROPERTY LIMITS DELINEATION


DELINEATION OF PROPERTY LIMITS AS SHOWN ON THIS DWG DOES NOT REPRESENT A "LEGAL SURVEY". KGS GROUP MAKES NO REPRESENTATION OR WARRANTY AS TO THE ACCURACY OF PROPERTY LIMITS DELINEATED ON THIS DWG, NOR ON THE DIMENSIONAL ACCURACY OF DWG FEATURES RELATIVE TO THOSE PROPERTY LIMITS.

WARNING

NOTIFY THE GAS COMPANY OF THE PROPOSED LOCATION OF EXCAVATION. TAKE PRECAUTION TO AVOID DAMAGE TO GAS COMPANY INSTALLATIONS. SEE PROVINCIAL REGULATION 210/72 FOR DETAILS.

METRIC

WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES



PRELIMINARY
NOT TO BE USED FOR CONSTRUCTION

300 LBS	LAND DRAINAGE SEWER	300 LBS							
250 WWS	WASTE WATER SEWER	250 WWS		TEST HOLE					
	GAS			GUY WIRE					
	HYDRO			LIGHT STANDARD					
	M.T.S.			BACK OF CURB					
150 WM	WATERMAIN	150 WM		CONCRETE					
	HYDRANT			ASPHALT					
	VALVE			SIDEWALK					
	MANHOLE			PROPERTY LINE					
	CATCH BASIN			SURVEY BAR					
	CURB INLET			GEODETIC BENCHMARK					
	POLES			ELEVATION					
EXISTING	LEGEND-PLAN	PROPOSED	EXISTING	LEGEND-PLAN	PROPOSED	EXISTING	LEGEND-PROFILE	PROPOSED	

LOCATION APPROVED UNDERGROUND STRUCTURES

NOTE: LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

B.M. KGS_BASE	ELEV. 249.213	COORDINATE SYSTEM: CGVD28
NO.	REVISIONS	DATE BY
B	ISSUED FOR TENDER	17/06/20
A	ISSUED FOR REVIEW	17/06/12

KGS GROUP CONSULTING ENGINEERS		ENGINEER'S SEAL
DESIGNED BY	AKW	CHECKED BY
DRAWN BY	AKW	APPROVED BY
HOR. SCALE:	1:250	RELEASED FOR CONSTRUCTION:
VERTICAL:	1:10	DATE
DATE	17/04/18	DATE

CONSULTANT DRAWING NO.
C105

THE CITY OF WINNIPEG PUBLIC WORKS DEPARTMENT ENGINEERING DIVISION

PROJECT TITLE
2017 INDUSTRIAL STREETS PACKAGE

SHEET OF
05 26

COMPUTER FILE NAME
ST BONIFACE_DESIGN.DWG

CITY DRAWING NUMBER
-

DE BAETS STREET PLAN/PROFILE STA 2+25 TO STA 3+50