Template Version: C420171218 - RW

FORM A: BID (See B8)

1.	Contract Title	2018 Regional Street Renewal Project – McPhillips Street Reconstruction and Underpass Structural Improvements – Logan Avenue to Jarvis Avenue
2.	Bidder	Name of Bidder
		Name of bluder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represen the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

Template Version: C420171218 - RW

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:					
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)					
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)					
		a certified cheque or draft					
		and agrees that it shall be held by the City in accordance with the Contract.					
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.					
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.					
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.					
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:					
		No Dated					
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.					
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.					
		YES, 51% or more Indigenous ownership					
		NO, it is not					
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.					

Template Version: C420171218 - RW

13. Signatures The Bidder or the Bidder's authorized office	al c	or	off
---	------	----	-----

	day of	, 20
	of Bidder or uthorized Official or Officials	
(Print here n	ame and official capacity of individu	al whose signature appears above
(Print here n	ame and official canacity of individu	al whose signature appears above

FORM B: PRICES (SEE B9)

DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
McPhillips Street Reconstruction - Logan	Avenue to Jarvi	s Avenu	<u>'e</u>		
EARTH AND BASE WORKS					
Excavation	CW 3110-R19	m³	6450		\$0.00
Sub-Grade Compaction	CW 3110-R19	m²	10000		\$0.00
Crushed Sub-base Material	CW 3110-R19				
50 mm - Limestone		tonne	4100		\$0.00
100 mm - Limestone		tonne	5500		\$0.00
Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	1000		\$0.00
Grading of Boulevards	CW 3110-R19	m²	1000		\$0.00
Boulevard Excavation	CW 3110-R19	m³	30		\$0.00
Removal of Existing Concrete Bases	CW 3110-R19				
600 mm Diameter or Less		each	6		\$0.00
Separation Geotextile Fabric	CW 3130-R4	m²	10000		\$0.00
Supply and Install Geogrid	CW 3135-R1	m²	10000		\$0.00
Fill Material	CW 3170-R3				
Supplying and Placing Imported Material		m³	150		\$0.00
ROADWORK - REMOVALS/RENEWALS					
Pavement Removal	CW 3110-R19				
Concrete Pavement		m²	9300		\$0.00
Drilled Dowels	CW 3230-R8				
28.6 mm Diameter		each	345		\$0.00
38 mm Diameter		each	110		\$0.00
	EARTH AND BASE WORKS Excavation Sub-Grade Compaction Crushed Sub-base Material 50 mm - Limestone 100 mm - Limestone Supplying and Placing Limestone Base Course Material Grading of Boulevards Boulevard Excavation Removal of Existing Concrete Bases 600 mm Diameter or Less Separation Geotextile Fabric Supply and Install Geogrid Fill Material Supplying and Placing Imported Material ROADWORK - REMOVALS/RENEWALS Pavement Removal Concrete Pavement Drilled Dowels 28.6 mm Diameter	EARTH AND BASE WORKS Excavation CW 3110-R19 Sub-Grade Compaction CW 3110-R19 Crushed Sub-base Material CW 3110-R19 50 mm - Limestone 100 mm - Limestone Supplying and Placing Limestone Base CW 3110-R19 Grading of Boulevards CW 3110-R19 Boulevard Excavation CW 3110-R19 Removal of Existing Concrete Bases CW 3110-R19 600 mm Diameter or Less Separation Geotextile Fabric CW 3130-R4 Supply and Install Geogrid CW 3135-R1 Fill Material CW 3170-R3 Supplying and Placing Imported Material ROADWORK - REMOVALS/RENEWALS Pavement Removal CW 3230-R8 28.6 mm Diameter CW 3230-R8 28.6 mm Diameter	EARTH AND BASE WORKS Excavation	McPhillips Street Reconstruction - Logan Avenue to Jarvis Avenue EARTH AND BASE WORKS CW 3110-R19 m³ 6450 Sub-Grade Compaction CW 3110-R19 m² 10000 Crushed Sub-base Material CW 3110-R19 m² 10000 Crushed Sub-base Material CW 3110-R19 m³ 1000 50 mm - Limestone tonne 4100 4100 100 mm - Limestone tonne 5500 5500 Supplying and Placing Limestone Base CW 3110-R19 m³ 1000 Course Material CW 3110-R19 m² 1000 Boulevard Excavation CW 3110-R19 m² 1000 Removal of Existing Concrete Bases CW 3110-R19 m² 10000 Reparation Geotextile Fabric CW 3130-R4 m² 10000 Supply and Install Geogrid CW 3135-R1 m² 10000 Fill Material CW 3170-R3 m³ 150 ROADWORK - REMOVALS/RENEWALS CW 3110-R19 m² 9300 ROADWORK - Removal CW 3230-R8 each 345 <td> REF. QUANTITY </td>	REF. QUANTITY

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.13	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	3000		\$0.00
ii)	20 M Deformed Tie Bar		each	1500		\$0.00
A.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m²	130		\$0.00
ii)	Monolithic Median Slab		m²	190		\$0.00
iii)	Safety Median		m²	240		\$0.00
iv)	100 mm Sidewalk		m²	400		\$0.00
v)	Bullnose		m²	10		\$0.00
vi)	Monolithic Curb and Sidewalk		m²	395		\$0.00
A.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	250		\$0.00
A.16	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	1000		\$0.00
ii)	50 - 100 mm Depth (Asphalt)		m²	200		\$0.00
	ROADWORK - NEW CONSTRUCTION					
A.17	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 300 mm Concrete Pavement (Plain-Dowelled)		m²	2300		\$0.00
ii)	Construction of 250 mm Concrete Pavement (Plain-Dowelled)		m²	6400		\$0.00
iii)	Construction of Concrete Median Slabs	SD-227A	m²	190		\$0.00
iv)	Construction of Concrete Safety Medians	SD-226B	m²	290		\$0.00
v)	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	100		\$0.00
vi)	Construction of Monolithic Curb and Sidewalk with Paving Stone Blockout	SD-228B E14	m²	250		\$0.00
vii)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	15		\$0.00

FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.18	Concrete Pavements for Early Opening	CW 3310-R17		·		
	Construction of 250 mm Concrete Pavement for Early Opening 72 hour (Plain-Dowelled)		m²	650		\$0.00
A.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	360		\$0.00
ii)	Construction of Barrier (100 mm ht, Integral)	SD-204	m	90		\$0.00
	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	600		\$0.00
iv)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	24		\$0.00
	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	28		\$0.00
vi)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	165		\$0.00
A.20	Supply and Installation of Dowel Assemblies	CW 3310-R17				
i)	28.6 mm Diameter		m	1500		\$0.00
ii)	38 mm Diameter		m	400		\$0.00
A.21	100 mm Concrete Sidewalk	CW 3325-R5	m²	390		\$0.00
A.22	100 mm Concrete Sidewalk with Paving Stone Blockout	CW 3325-R5 E14	m²	65		\$0.00
A.23	Interlocking Paving Stones	CW 3330-R5 E15				
i)	Charcoal Holland Paver 60x210x210		m²	25		\$0.00
A.24	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	275		\$0.00
A.25	Construction of Asphalt Patches	CW 3410-R12	m²	60		\$0.00
	JOINT AND CRACK SEALING					
A.26	Reflective Crack Maintenance	CW 3250-R7	m	200		\$0.00

FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ADJUSTMENTS					
A.27	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	11		\$0.00
A.28	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	2		\$0.00
ii)	Brick Risers		vert. m	1		\$0.00
A.29	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	5		\$0.00
ii)	51 mm		each	2		\$0.00
iii)	64 mm		each	3		\$0.00
iv)	76 mm		each	1		\$0.00
A.30	Adjustment of Valve Boxes	CW 3210-R8	each	8		\$0.00
	LANDSCAPING					
A.31	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	700		\$0.00
ii)	width > or = 600 mm		m²	300		\$0.00
A.32	Tree Removal	E19	each	2		\$0.00
	MISCELLANEOUS					
A.33	Detectable Warning Surface Tiles	CW 3326-R3	each	7		\$0.00
A.34	Supply and Place Crash Attenuation Barrels	E20	each	7		\$0.00
A.35	Hydro Excavation	E17	hr	30		\$0.00
A.36	Chain Link Fence	CW 3550-R3				
i)	1.22m Height		m	25		\$0.00
Α	McPhillips Street Reconstruction - Logan	│ <u>Avenue to Ja</u> rvi	is Avenu	<u>e</u>	Subtotal:	\$0.00

ITEM	1	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В		McPhillips Street Underground Works - Lo					
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.1		Catch Basin	CW 2130-R12				
i)		SD-024, 1800 mm deep		each	18		\$0.00
ii)		SD-025, 1800 mm deep		each	5		\$0.00
B.2		Catch Pit	CW 2130-R12				
i)		SD-023		each	5		\$0.00
B.3		Manhole	CW 2130-R12				
i)		SD-010					
	a)	1200mm diameter base		vert. m	9		\$0.00
B.4		Sewer Service	CW 2130-R12				
i)		200 mm, PVC					
	a)	Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	15		\$0.00
ii)		250 mm, PVC					
	a)	Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	120		\$0.00
	b)	In a Trench, Class B Type 3 Bedding, Class 3 Backfill		m	14		\$0.00
iii)		375 mm, PVC					
	a)	Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	43		\$0.00
iv)		450 mm, PVC					
	a)	Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	85		\$0.00
B.5		Drainage Connection Pipe	CW 2130-R12	m	45		\$0.00

FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.6	Sewer Service Risers	CW 2130-R12				
i)	250 mm					
a)	SD-014		vert. m	4.5		\$0.00
b)	SD-015		vert. m	12.5		\$0.00
B.7	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	7		\$0.00
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	5		\$0.00
B.8	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	4		\$0.00
B.9	Connecting to Existing Sewer	CW 2130-R12				
i)	200 mm (Type PVC) Connecting Pipe					
a)	Existing Wall Penetration		each	1		\$0.00
ii)	250 mm (Type PVC) Connecting Pipe					
a)	Connecting to 375 mm (Type Concrete) Sewer		each	1		\$0.00
b)	Connecting to 500 mm (Type AC) Sewer		each	5		\$0.00
c)	Connecting to 1350 mm (Type Concrete) Sewer		each	1		\$0.00
B.10	Abandoning Existing Catch Basins	CW 2130-R12	each	12		\$0.00
B.11	Installation of Subdrains	CW 3120-R4	m	550		\$0.00
B.12	Watermain and Water Service Insulation	CW 2110-R11				
i)	Pipe Under Roadway Excavation (SD-018)		m²	20		\$0.00
В	McPhillips Street Underground Works - Lo	gan Avenue to	Jarvis A	<u>venue</u>	Subtotal:	\$0.00

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	McPhillips Street Structural Works - Logan	Avenue to Jar	vis Aven	<u>ue</u>		
C.1	Mobilization and Demobilization	E21	L.S.	1		\$0.00
C.2	Concrete Removal	E22				
i)	Type 1 - Structural Concrete Sidewalk		m²	315		\$0.00
ii)	Type 2 - Concrete Sidewalk		m²	690		\$0.00
iii)	Type 3 - Sidewalk Retaining Wall (Complete Removal) and Structural Concrete Sidewalk		L.S.	1		\$0.00
iv)	Type 4 - CPR Subway Retaining Wall (Complete Removal at Southwest End)		L.S.	1		\$0.00
v)	Type 5 - CPR Subway Retaining Wall Cap		m	15		\$0.00
vi)	Type 6 - CPR Pedestal Notching		L.S.	1		\$0.00
vii)	Type 7 - Sidewalk Retaining Wall Footing Notching		m	20		\$0.00
C.3	Structural Excavation	E23	L.S.	1		\$0.00
C.4	Structural Backfill - Base Course	CW 3110-R19 E24	m ³	150		\$0.00
C.5	Supply and Place Cellular Concrete	E25	m^3	200		\$0.00
C.6	Remove and Salvage Aluminum Balanced Barrier	E26	m	290		\$0.00
C.7	Installation of Aluminum Balanced Barrier	E27	m	90		\$0.00
C.8	Supply and Install Aluminum Bicycle Rail on Concrete Parapet Wall	E28	m	260		\$0.00
C.9	Aluminum Pedestrian Handrail	E29				
i)	Remove and Salvage Handrail Panels		m	170		\$0.00
ii)	Supply New Handrail Posts		L.S.	1		\$0.00
iii)	Supply New Bicycle Rail		each	130		\$0.00
iv)	Supply New Handrail Panels		each	82		\$0.00
v)	Install Aluminum Pedestrian Handrail		each	215		\$0.00

FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.10	Supply and Place Structural Concrete	E30		<u> </u>		
i)	150 mm Concrete Structural Sidewalk		m ²	320		\$0.00
ii)	Median Slab (Between CPR Pedestals)		L.S.	1		\$0.00
iii)	Median Traffic Barrier (Including Footing)		L.S.	1		\$0.00
iv)	Parapet Walls (Including Structural Sidewalk)		L.S.	1		\$0.00
v)	CPR Subway Retaining Wall Cap		m	15		\$0.00
C.11	Heating and Hoarding	E30	m ³	118		\$0.00
C.12	Partial Depth Sidewalk Retaining Wall Repairs	E31	m ²	40		\$0.00
C.13	Abandon Drainage Inlets in Sidewalk Pedestal	E32	each	2		\$0.00
C.14	Supply and Place Reinforcing Steel	E33				
i)	Supply Low Carbon Chromium Reinforcing Steel		kg	46141		\$0.00
ii)	Place Reinforcing Steel		kg	46141		\$0.00
С	McPhillips Street Structural Works - Logan	ue	Subtotal:	\$0.00		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	McPhillips Street Sewer Repairs - Logan A	venue to Jarvis	Avenue			
D.1	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	300 mm					
a)	Class 3 Backfill		each	1		\$0.00
ii)	375mm					
a)	Class 3 Backfill		each	2		\$0.00
D.2	Remove and Replace Existing Manhole	CW 2130-R12				
i)	SD-010					
a)	1200mm diameter base		vert. m	18		\$0.00
D.3	Sewer Service	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Type 3 Bedding, Class 3 Backfill		m	27		\$0.00
D.4	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Sewer Main		each	2		\$0.00
D.5	Patching Existing Manholes	CW 2130-R12	vert. m	0.5		\$0.00
D.6	Sewer Inspection	CW2145-R3				
i)	300 mm, Unknown material		m	37		\$0.00
D	McPhillips Street Sewer Repairs - Logan A	venue to Jarvis	Avenue	ļ.	Subtotal:	\$0.00
	SUMMARY					
Α	McPhillips Street Reconstruction - Logan A	venue to Jarvi	is Avenu	<u>e</u>	Subtotal:	\$0.00
В	McPhillips Street Underground Works - Logan Avenue to Jarvis Avenue			Subtotal:	\$0.00	
С	McPhillips Street Structural Works - Logan Avenue to Jarvis Avenue			\$0.00		
D	McPhillips Street Sewer Repairs - Logan Avenue to Jarvis Avenue Subtotal: \$0			\$0.00		
TOTAL BII	D PRICE (GST extra)			(in figures)		\$0.00

(Seal)

Template Version: C420171218 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL	MENIRV	THESE	DRESEN	TAHT 2TI
r		111111111111111111111111111111111111111	FDFOFI	VI (2) I I I I I I I I I

KNOW ALL MEN BY THESE PRESENT	5 IHAI
(hereinafter called the "Principal") and	
called the "Obligee") in the sum of ten prodescribed, for the payment of which sun	eld and firmly bound unto THE CITY OF WINNIPEG (hereinafte bercent (10%) of the Total Bid Price set out in the Bid hereinafte in the Principal and Surety bind themselves, their heirs, executors jointly and severally, firmly by these presents.
WHEREAS the Principal has submitted a	a Bid to the Obligee for
BID OPPORTUNITY NO. 775-2017	
2018 Regional Street Renewal Project – Improvements – Logan Avenue to Jarvis	McPhillips Street Reconstruction and Underpass Structural Avenue
as more fully set out in the Bid Opportun	ity.
if said Bid is accepted and the Principal, the said Obligee and furnishes the requi	obligation is such that if the Bid of the Principal is not accepted, of in accordance with the terms of the Bid, enters into a Contract with red performance security for guaranteeing the faithful performance old, but otherwise shall remain in full force and effect.
IN WITNESS WHEREOF the Principal a	nd Surety have signed and sealed this bond the
day of	, 20
SIGNED AND SEALED in the presence of:	(Name of Principal)
(Witness as to Principal if no seal)	Per: (Seal) Per:
	(Name of Surety)

Ву:

(Attorney-in-Fact)

(Seal)

Template Version: C420171218 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for BID OPPORTUNITY NO. 775-2017 2018 Regional Street Renewal Project – McPhillips Street Reconstruction and Underpass Structural Improvements - Logan Avenue to Jarvis Avenue in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
Corpo Mater 185 K	City of Winnipeg prate Finance Department rials Management Division Ging Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 775-2017
	2018 Regional Street Renewal Project – McPhillips Street Reconstruction and Underpass Structural Improvements – Logan Avenue to Jarvis Avenue
Pursu	ant to the request of and for the account of our customer,
(Name	of Bidder)
	IEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
dema Letter paym	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partia	al drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	ss)
and w	ve confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 9, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	(Authorized Signing Officer)
Per:	(Authorized Signing Officer)
1 01.	(Authorized Signing Officer)