

APPENDIX A – SEWER INSPECTIONS

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA70062193	SEWERMAIN	CS	PVC	300	2.08	BANNATYNE	REINSPECT	229.76		2.48
S-MA70025389	SEWERMAIN	CS	PVC	300	66.91	ALEXANDER	REINSPECT	229.351	0	3.19
S-MA70023203	SEWERMAIN	CS	PVC	300	79.19	BANNATYNE	REINSPECT	229.344	0	3.701
S-MA20018031	SEWERMAIN	CS	PVC	300	86.50	BANNATYNE	REINSPECT	229.344	0	2.899
S-MA70062466	SEWERMAIN	CS	*UNKNOWN	450	40.98	ALEXANDER	REINSPECT	229.3	0	3.394
S-MA70062808	SEWERMAIN	CS	PVC	300	1.93	ALEXANDER	REINSPECT	229.196		2.844
S-MA70086275	SEWERMAIN	CS	PVC	375	2.91	BANNATYNE	REINSPECT	229.173		3.733
S-MA70086274	SEWERMAIN	CS	PVC	250	1.78	BANNATYNE	REINSPECT	229.173		3.269
S-MA20016817	SEWERMAIN	CS	POLYCLAY	300	54.51	BANNATYNE	REINSPECT	229.15	0	3.34
S-MA70062491	SEWERMAIN	CS	PVC	400	3.52	BANNATYNE	REINSPECT	229.086		3.52
S-MA70088455	SEWERMAIN	CS	PVC	300	8.28	BANNATYNE	REINSPECT	229.071	0	3.08
S-MA70062427	SEWERMAIN	CS	PVC	300	7.01	BANNATYNE	REINSPECT	228.99		3.425
S-MA70062419	SEWERMAIN	CS	PVC	300	47.17	BANNATYNE	REINSPECT	228.99	0	3.252
S-MA20018945	SEWERMAIN	CS	PVC	300	65.99	BANNATYNE	REINSPECT	228.892	0	3.27
S-MA20018726	SEWERMAIN	CS	*UNKNOWN	375	81.40	ALEXANDER	REINSPECT	228.89	0	3.002
S-MA70069743	SEWERMAIN	CS	PVC	300	2.40	BANNATYNE	REINSPECT	228.788		3.042
S-MA70062548	SEWERMAIN	CS	PVC	300	44.12	ALEXANDER	REINSPECT	228.771	0	3.397
S-MA70061546	SEWERMAIN	CS	CLAY	300	0.32	ALEXANDER	REINSPECT	228.771	228.771	3.229
S-MA70086316	SEWERMAIN	CS	PVC	300	3.92	BANNATYNE	REINSPECT	228.758		3.792
S-MA70086313	SEWERMAIN	CS	*UNKNOWN	300	34.59	BANNATYNE	REINSPECT	228.758	0	2.87
S-MA70023406	SEWERMAIN	CS	*UNKNOWN	300	96.33	BANNATYNE	REINSPECT	228.742	0	4.292
S-MA20019083	SEWERMAIN	CS	PVC	300	65.87	ALEXANDER	REINSPECT	228.706	0	3.293
S-MA70025069	SEWERMAIN	CS	PVC	300	60.97	BANNATYNE	REINSPECT	228.669	0	3.724
S-MA20019087	SEWERMAIN	CS	CLAY	300	73.17	ALEXANDER	REINSPECT	228.623	0	3.221
S-MA20018915	SEWERMAIN	CS	POLYCLAY	294	71.09	ALEXANDER	REINSPECT	228.548	0	3.271
S-MA70095949	SEWERMAIN	CS	PVC	300	74.56	BANNATYNE	REINSPECT	228.527	0	3.369
S-MA70069783	SEWERMAIN	CS	PVC	300	44.63	BANNATYNE	REINSPECT	228.445	0	3.439
S-MA20019292	SEWERMAIN	CS	CONCRETE	300	56.09	ALEXANDER	REINSPECT	228.403	0	3.715
S-MA70030274	SEWERMAIN	CS	PVC	300	46.20	BANNATYNE	REINSPECT	228.35	0	3.569
S-MA20019331	SEWERMAIN	CS	PVC	300	59.88	ALEXANDER	REINSPECT	228.16	0	4.325
S-MA70030110	SEWERMAIN	CS	POLYCLAY	350	64.03	ALEXANDER	REINSPECT	227.972	0	3.635
S-MA70025095	SEWERMAIN	CS	*UNKNOWN	300	67.17	BANNATYNE	REINSPECT	227.954	0	4.748
S-MA20018985	SEWERMAIN	CS	*UNKNOWN	450	38.47	ALEXANDER	REINSPECT	227.86	0	4.212
S-MA70096165	SEWERMAIN	CS	PVC	300	2.66	ALEXANDER	REINSPECT	227.843		0
S-MA20019095	SEWERMAIN	CS	CLAY	450	68.26	ALEXANDER	REINSPECT	227.843	227.396	0
S-MA70000438	SEWERMAIN	CS	POLYCONC	600	10.21	BANNATYNE	REINSPECT	227.84	0	4.82
S-MA70023492	SEWERMAIN	CS	CLAY	375	54.04	BANNATYNE	REINSPECT	227.812	0	4.369
S-MA20019351	SEWERMAIN	CS	CLAY	450	56.05	ALEXANDER	REINSPECT	227.666		4.095
S-MA20019382	SEWERMAIN	CS	CLAY	450	68.03	ALEXANDER	REINSPECT	227.653	0	4.41
S-MA70062841	SEWERMAIN	CS	PVC	450	7.32	ALEXANDER	REINSPECT	227.475		4.73
S-MA70062840	SEWERMAIN	CS	PVC	300	1.89	ALEXANDER	REINSPECT	227.475		4.518
S-MA20019856	SEWERMAIN	CS	*UNKNOWN	1500X1000	80.47	ALEXANDER	REINSPECT	227.445	0	5.505
S-MA20019074	SEWERMAIN	CS	CLAY	450	22.60	ALEXANDER	REINSPECT	227.396	0	4.519
S-MA20019374	SEWERMAIN	CS	CLAY	450	68.10	ALEXANDER	REINSPECT	227.231	0	4.877
S-MA20018517	SEWERMAIN	CS	BRICK	1500	10.07	BANNATYNE	REINSPECT	227.189	0	5.766
S-MA70023455	SEWERMAIN	CS	BRICK	1200X1550	70.23	BANNATYNE	REINSPECT	226.803	0	5.613
S-MA20018999	SEWERMAIN	CS	CLAY	450	64.39	ALEXANDER	REINSPECT	226.8	0	5.013
S-MA70069614	SEWERMAIN	CS	BRICK	600	89.65	ALEXANDER	REINSPECT	226.726		5.412
S-MA70096001	SEWERMAIN	CS	BRICK	1000X1500	7.78	ALEXANDER	REINSPECT	226.577	0	6.427
S-MA70008109	SEWERMAIN	CS	CONCRETE	450	5.60	ASSINIBOINE	REINSPECT	226.42		6.225
S-MA20019307	SEWERMAIN	CS	BRICK	1500	60.51	ALEXANDER	REINSPECT	226.2	0	5.615
S-MA20013289	SEWERMAIN	CS	CONCRETE	1350	123.38	BANNATYNE	REINSPECT	226.123	225.34	5.169
S-MA70062277	SEWERMAIN	CS	CONCRETE	1500	17.31	BANNATYNE	REINSPECT	225.7	0	6.21
S-MA70062265	SEWERMAIN	CS	CONCRETE	1050	2.23	BANNATYNE	REINSPECT	225.7	0	6.646
S-MA70018128	SEWERMAIN	CS	CONCRETE		9.48	BANNATYNE	REINSPECT	225.7		6.884
S-MA70050768	OVERFLOW	CS	CONCRETE	375	5.68	BANNATYNE	REINSPECT	225.63	0	4.23
S-MA20016206	SEWERMAIN	CS	*UNKNOWN	375	5.28	BANNATYNE	REINSPECT	225.63		4.373
S-MA70000930	BENCHING FLOW	CS	CONCRETE	1500	32.47	BANNATYNE	REINSPECT	225.34		1.023
S-MA70018581	SEWERMAIN	CS	BRICK	1500	6.62	BANNATYNE	REINSPECT	225.32		5.928
S-MA20017017	SEWERMAIN	CS	*UNKNOWN	300	20.81	BANNATYNE	REINSPECT	0	0	3.83
S-MA20016997	SEWERMAIN	CS	CLAY	300	59.98	BANNATYNE	REINSPECT	0	0	4.346
S-MA70087971	SEWERMAIN	CS	PVC	300	95.17	ALEXANDER	REINSPECT	0	0	4.16
S-MA70120954	SEWERMAIN	CS	BRICK	1500	3.94	ALEXANDER	REINSPECT	0	0	0
S-MA70120952	SEWERMAIN	CS	BRICK	1500	103.25	ALEXANDER	REINSPECT	0	0	6.687
S-MA20013357	SEWERMAIN	CS	BRICK	1500	76.88	ALEXANDER	REINSPECT	0	0	6.84
S-MA70118934	SEWERMAIN	CS	BRICK	1500	34.28	ALEXANDER	REINSPECT	0	0	6.726
S-MA70124755	SEWERMAIN	CS	PVC	450	7.09	BANNATYNE	REINSPECT	0	0	4.363
S-MA20017613	SEWERMAIN	CS	CONCRETE	300	95.52	BANNATYNE	REINSPECT	0	0	2.439
S-MA70017850	SEWERMAIN	CS	CLAY	300	123.32	ALEXANDER	REINSPECT	0	0	5.264
S-MA20016381	SEWERMAIN	CS	*UNKNOWN	300	94.20	BANNATYNE	REINSPECT	0	0	2.521
S-MA70112361	SEWERMAIN	CS	*UNKNOWN	375	56.55	ASSINIBOINE	REINSPECT	0	0	0
S-MA70013072	SEWERMAIN	CS	*UNKNOWN	300	49.54	BANNATYNE	REINSPECT	0	0	3.303
S-MA20016168	SEWERMAIN	CS	CLAY	300	60.67	BANNATYNE	REINSPECT	0	0	3.775
S-MA70092759	SEWERMAIN	CS	PVC	300	6.00	ALEXANDER	REINSPECT	0	0	0
S-MA20017046	SEWERMAIN	CS	POLYESTE	725	85.75	BANNATYNE	REINSPECT	0	0	5.66
S-MA20017614	SEWERMAIN	CS	PVC	375	5.30	BANNATYNE	REINSPECT	0		2.606
S-MA20019378	SEWERMAIN	CS	CLAY	300	84.99	ALEXANDER	REINSPECT	0	227.653	4.127

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20019379	SEWERMAIN	CS	PVC	375	61.44	ALEXANDER	REINSPECT	0	227.653	4.41
S-MA70017838	SEWERMAIN	CS	PVC	300	101.09	ALEXANDER	REINSPECT	0	227.231	4.637
S-MA70098521	SEWERMAIN	CS	PVC	300	46.20	BANNATYNE	REINSPECT	0	0	3.146
S-MA70096095	SEWERMAIN	CS	PVC	300	14.08	ALEXANDER	REINSPECT	0	227.381	4.234
S-MA20019396	SEWERMAIN	CS	CONCRETE	300	74.12	ALEXANDER	REINSPECT	0	227.666	4.384
S-MA70096515	SEWERMAIN	CS		300	1.99	BANNATYNE	REINSPECT	0		2.994
S-MA20019310	SEWERMAIN	CS	PVC	300	52.87	ALEXANDER	REINSPECT	0	226.2	5.59
S-MA70025435	SEWERMAIN	CS	PVC	450	12.00	ALEXANDER	REINSPECT	0	226.2	5.79
S-MA20019219	SEWERMAIN	CS	*UNKNOWN	300	52.11	ALEXANDER	REINSPECT	0	228.403	3.297
S-MA20019267	SEWERMAIN	CS	PVC	300	88.03	ALEXANDER	REINSPECT	0	228.403	3.357
S-MA20019034	SEWERMAIN	CS	PVC	375	98.55	ALEXANDER	REINSPECT	0	227.843	4.182
S-MA20019260	SEWERMAIN	CS	CLAY	300	66.26	ALEXANDER	REINSPECT	0		3.77
S-MA70062816	SEWERMAIN	CS	PVC	375	62.50	ALEXANDER	REINSPECT	0	0	4.7
S-MA70096015	SEWERMAIN	CS	BRICK	1350	80.90	ALEXANDER	REINSPECT	0	0	6.203
S-MA70087446	SEWERMAIN	CS	PVC	300	34.67	BANNATYNE	REINSPECT	0	0	3.751
S-MA70088457	SEWERMAIN	CS	PVC	300	12.86	BANNATYNE	REINSPECT	0	0	3.55
S-MA70088456	SEWERMAIN	CS	PVC	300	74.40	BANNATYNE	REINSPECT	0	0	3.54
S-MA20016066	SEWERMAIN	CS	PVC	300	79.26	BANNATYNE	REINSPECT	0	229.301	2.96
S-MA70025814	SEWERMAIN	CS	PVC	300	49.71	BANNATYNE	REINSPECT	0	0	3.14
S-MA70118952	SEWERMAIN	CS	*UNKNOWN	1000X1500	73.19	ALEXANDER	REINSPECT	0	0	5.669
S-MA70088032	SEWERMAIN	CS	PVC	150	0.90	ALEXANDER	REINSPECT	0		4.15
S-MA70087891	SEWERMAIN	CS	PVC	300	5.08	ALEXANDER	REINSPECT	0	0	4.16
S-MA20019120	SEWERMAIN	CS	PVC	200	44.46	BANNATYNE	REINSPECT	0	228.35	3.482
S-MA70000637	SEWERMAIN	CS	PVC	300	61.31	BANNATYNE	REINSPECT	0	0	3.29
S-MA20016027	SEWERMAIN	CS	*UNKNOWN	300	83.59	BANNATYNE	REINSPECT	0	0	3.602
S-MA20018593	SEWERMAIN	CS	CONCRETE	300	101.52	BANNATYNE	REINSPECT	0	0	5.798
S-MA20017045	SEWERMAIN	CS	PVC	300	76.89	BANNATYNE	REINSPECT	0	0	2.93
S-MA70086296	SEWERMAIN	CS	PVC	375	2.40	BANNATYNE	REINSPECT	0	0	3.366
S-MA20016941	SEWERMAIN	CS	*UNKNOWN	300	29.71	BANNATYNE	REINSPECT	0	0	2.959
S-MA20016992	SEWERMAIN	CS	*UNKNOWN	300	20.72	BANNATYNE	REINSPECT	0	0	3.226
S-MA70086289	SEWERMAIN	CS	PVC	450	3.19	BANNATYNE	REINSPECT	0	0	3.736
S-MA70086288	SEWERMAIN	CS	PVC	450	23.22	BANNATYNE	REINSPECT	0	0	3.763
S-MA70075626	SEWERMAIN	CS	PVC	300	64.43	ALEXANDER	REINSPECT	0	228.548	2.948
S-MA20018708	SEWERMAIN	CS	*UNKNOWN	300	79.72	ALEXANDER	REINSPECT	0	0	3.178
S-MA20018967	SEWERMAIN	CS	CLAY	300	102.96	ALEXANDER	REINSPECT	0	0	5.659
S-MA20018368	SEWERMAIN	CS	*UNKNOWN	600	101.52	BANNATYNE	REINSPECT	0	0	5.188
S-MA70000564	SEWERMAIN	CS	PVC	300	39.37	BANNATYNE	REINSPECT	0	228.445	3.168
S-MA70068553	SEWERMAIN	WWS	PVC	300	4.30	BANNATYNE	REINSPECT	0	0	1.25
S-MA20018825	SEWERMAIN	CS	BRICK	1000X1500	73.68	ALEXANDER	REINSPECT	0	226.577	6.427
S-MA20018675	SEWERMAIN	CS	CLAY	300	75.99	BANNATYNE	REINSPECT	0	0	2.91
S-MA20017912	SEWERMAIN	CS	*UNKNOWN	300	88.33	BANNATYNE	REINSPECT	0	0	2.462
S-MA70018583	SEWERMAIN	CS	CLAY	1125	69.39	BANNATYNE	REINSPECT	0	0	6.289
S-MA70062266	SEWERMAIN	CS	CONCRETE	1050	56.02	BANNATYNE	REINSPECT	0	0	7.494
S-MA70001476	SEWERMAIN	CS	BRICK	1500	91.82	BANNATYNE	REINSPECT	0	225.32	6.25
S-MA70062264	SEWERMAIN	CS	CONCRETE	1050	11.00	BANNATYNE	REINSPECT	0	225.7	6.54
S-MA70062263	SEWERMAIN	CS	CONCRETE	1050	3.46	BANNATYNE	REINSPECT	0	0	7.494
S-MA70062815	SEWERMAIN	CS	PVC	375	20.45	ALEXANDER	REINSPECT	0	0	3.775
S-MA70062813	SEWERMAIN	CS	PVC	450	119.88	ALEXANDER	REINSPECT	0	0	4.156
S-MA70062814	SEWERMAIN	CS	PVC	450	14.20	ALEXANDER	REINSPECT	0	0	4.49
S-MA20019926	SEWERMAIN	CS	*UNKNOWN	375	85.76	ALEXANDER	REINSPECT	0	0	4.196
S-MA20019815	SEWERMAIN	CS	PVC	300	35.92	ALEXANDER	REINSPECT	0	228.771	3.32
S-MA20019768	SEWERMAIN	CS	*UNKNOWN	300	53.25	ALEXANDER	REINSPECT	0	0	3.747
S-MA70062670	SEWERMAIN	CS	PVC	375	60.69	ALEXANDER	REINSPECT	0	0	4.177
S-MA20019928	SEWERMAIN	CS	*UNKNOWN	300	70.38	ALEXANDER	REINSPECT	0	0	3.479
S-MA20019766	SEWERMAIN	CS	CLAY	300	60.27	ALEXANDER	REINSPECT	0	0	4.209
S-MA20019769	SEWERMAIN	CS	*UNKNOWN	750	80.65	ALEXANDER	REINSPECT	0	0	4.372
S-MA20019760	SEWERMAIN	CS	CLAY	300	54.98	ALEXANDER	REINSPECT	0	0	2.88
S-MA20018501	SEWERMAIN	CS	*UNKNOWN	300	41.85	BANNATYNE	REINSPECT	0	228.99	3.061
S-MA20018544	SEWERMAIN	CS	CLAY	300	111.88	BANNATYNE	REINSPECT	0	0	4.164
S-MA20018994	SEWERMAIN	CS	CLAY	375	88.05	ALEXANDER	REINSPECT	0	226.8	4.716
S-MA20018713	SEWERMAIN	CS	PVC	300	76.21	ALEXANDER	REINSPECT	0	228.89	2.917
S-MA20018217	SEWERMAIN	CS	CLAY	300	93.90	BANNATYNE	REINSPECT	0	228.742	3.099
S-MA20018997	SEWERMAIN	CS	CLAY	375	51.15	ALEXANDER	REINSPECT	0	227.538	4.52
S-MA20018226	SEWERMAIN	CS	*UNKNOWN	300	102.85	BANNATYNE	REINSPECT	0	0	3.557
S-MA20018986	SEWERMAIN	CS	PVC	300	59.41	ALEXANDER	REINSPECT	0	227.972	3.481
S-MA70035767	SEWERMAIN	CS	CONCRETE	525	48.96	BANNATYNE	REINSPECT	0	0	4.35
S-MA20019801	SEWERMAIN	CS	*UNKNOWN	300	117.71	ALEXANDER	REINSPECT	0	0	4.687
S-MA70008824	SEWERMAIN	CS	*UNKNOWN	300	68.68	ALEXANDER	REINSPECT	0	0	3.143
S-MA20019849	SEWERMAIN	CS	*UNKNOWN	300	41.46	ALEXANDER	REINSPECT	0	0	3.98
S-MA20018725	SEWERMAIN	CS	*UNKNOWN	300	100.49	ALEXANDER	REINSPECT	0	0	3.701
S-MA20018767	SEWERMAIN	CS	*UNKNOWN	1000X1500	7.32	ALEXANDER	REINSPECT	0	0	5.632
S-MA20019960	SEWERMAIN	CS	CLAY	300	109.55	ALEXANDER	REINSPECT	0	0	3.43
S-MA70065652	SEWERMAIN	CS	PVC	375	99.84	ALEXANDER	REINSPECT	0	227.396	4.17
S-MA20018998	SEWERMAIN	CS	CLAY	300	72.86	ALEXANDER	REINSPECT	0	228.623	2.861
S-MA70066551	SEWERMAIN	CS		300	2.33	ALEXANDER	REINSPECT	0	0	2.578
S-MA20018952	SEWERMAIN	CS	PVC	375	81.12	BANNATYNE	REINSPECT	0	227.812	4.325
S-MA20018984	SEWERMAIN	CS	POLYCLAY	294	46.55	ALEXANDER	REINSPECT	0	227.86	3.63

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA70065896	SEWERMAIN	CS	CLAY	450	75.14	ALEXANDER	REINSPECT	0	227.86	3.961
S-MA70054240	SEWERMAIN	CS	PVC	300	3.04	BANNATYNE	REINSPECT	0		4.204
S-MA70036325	SEWERMAIN	CS	PVC	300	11.01	BANNATYNE	REINSPECT	0		3.85
S-MA20016275	SEWERMAIN	CS	CONCRETE	1350	81.80	BANNATYNE	REINSPECT	0	0	4.746
S-MA20016292	SEWERMAIN	CS	CLAY	300	41.10	BANNATYNE	REINSPECT	0		5.955
S-MA20016196	SEWERMAIN	CS	CLAY	300	59.71	BANNATYNE	REINSPECT	0	0	2.746
S-MA70050607	SEWERMAIN	WWS	PVC	300	28.31	BANNATYNE	REINSPECT	0	0	3.977
S-MA70020918	SEWERMAIN	CS	POLY	300	26.86	BANNATYNE	REINSPECT	0	0	4.74
S-MA70010584	SEWERMAIN	WWS	PVC	450	83.37	BANNATYNE	REINSPECT	0	0	3.77
S-MA70050597	SEWERMAIN	WWS	CONCRETE	450	117.02	BANNATYNE	REINSPECT	0	0	3.185
S-MA70050596	SEWERMAIN	WWS	CONCRETE	450	71.12	BANNATYNE	REINSPECT	0	0	3.343
S-MA20013373	SEWERMAIN	CS	CLAY	300	32.67	BANNATYNE	REINSPECT	0		2.187
S-MA70031451	SEWERMAIN	CS	CONCRETE	300	30.89	BANNATYNE	REINSPECT	0	0	3.969
S-MA20016252	SEWERMAIN	CS	PVC	300	49.11	BANNATYNE	REINSPECT	0	0	3.94
S-MA70039823	SEWERMAIN	CS	CLAY	300	32.33	ALEXANDER	REINSPECT	0	0	5.52
S-MA20013233	SEWERMAIN	WWS	*UNKNOWN	250	79.73	BANNATYNE	REINSPECT	0	0	2.724
S-MA70040309	SEWERMAIN	CS	*UNKNOWN	375	18.86	AUBREY	REINSPECT	0	0	3.716
S-MA70033141	SEWERMAIN	CS	CLAY	300	80.48	ALEXANDER	REINSPECT	0	0	4.12
S-MA70033463	SEWERMAIN	WWS	CONCRETE	1950	23.67	ALEXANDER	REINSPECT	0		0
S-MA70029509	SEWERMAIN	CS	CLAY	375	81.09	BANNATYNE	REINSPECT	0	0	5.19
S-MA70028380	SEWERMAIN	CS	PVC	300	60.69	BANNATYNE	REINSPECT	0	0	3.748
S-MA70028377	SEWERMAIN	CS	PVC	300	24.99	BANNATYNE	REINSPECT	0	0	3.748
S-MA70030783	SEWERMAIN	CS	BRICK	1500	53.52	ALEXANDER	REINSPECT	0	0	6.818
S-MA70027565	SEWERMAIN	CS	PVC	300	13.32	BANNATYNE	REINSPECT	0	228.527	3.73
S-MA70027543	SEWERMAIN	CS	PVC	300	10.18	BANNATYNE	REINSPECT	0	0	3.53
S-MA70028562	SEWERMAIN	WWS		250	87.72	BANNATYNE	REINSPECT	0	0	4.983
S-MA70028561	SEWERMAIN	WWS		250	25.96	BANNATYNE	REINSPECT	0	0	4.712
S-MA70028560	SEWERMAIN	WWS		250	58.11	BANNATYNE	REINSPECT	0	0	4.347
S-MA70028372	SEWERMAIN	CS	CLAY	375	67.53	BANNATYNE	REINSPECT	0	0	4.21
S-MA70030106	SEWERMAIN	CS	POLYCLAY	441	83.84	ALEXANDER	REINSPECT	0	0	5.687
S-MA70030103	SEWERMAIN	CS	POLYCLAY	441	54.24	ALEXANDER	REINSPECT	0	0	4.515
S-MA70030082	SEWERMAIN	CS	POLYCLAY	294	72.21	ALEXANDER	REINSPECT	0	0	4.61
S-MA70028989	SEWERMAIN	CS	CLAY	375	77.09	BANNATYNE	REINSPECT	0	0	5.008
S-MA70027705	SEWERMAIN	CS	*UNKNOWN	300	49.13	ALEXANDER	REINSPECT	0	0	3.197
S-MA70029813	SEWERMAIN	CS	*UNKNOWN	450	121.20	BANNATYNE	REINSPECT	0	0	5.913
S-MA70029639	SEWERMAIN	CS	PVC	375	51.59	BANNATYNE	REINSPECT	0	0	3.487
S-MA70025409	SEWERMAIN	CS	PVC	300	0.80	ALEXANDER	REINSPECT	0		4.12
S-MA70025397	SEWERMAIN	CS	PVC	300	1.08	ALEXANDER	REINSPECT	0		3.31
S-MA70025400	SEWERMAIN	CS	PVC	300	80.73	ALEXANDER	REINSPECT	0	0	3.131
S-MA70025399	SEWERMAIN	CS	*UNKNOWN	300	80.70	ALEXANDER	REINSPECT	0	0	3.666
S-MA70025104	SEWERMAIN	CS	*UNKNOWN	375	82.31	BANNATYNE	REINSPECT	0	0	3.268
S-MA70025100	SEWERMAIN	CS	*UNKNOWN	300	61.89	BANNATYNE	REINSPECT	0	0	3.735
S-MA70026960	SEWERMAIN	WWS	*UNKNOWN	1950	183.97	BANNATYNE	REINSPECT	0		9.568
S-MA70026959	SEWERMAIN	WWS	CONCRETE	600	4.32	BANNATYNE	REINSPECT	0		8.4
S-MA70026958	SEWERMAIN	WWS	CONCRETE	600	12.40	BANNATYNE	REINSPECT	0	0	8.39
S-MA70026957	SEWERMAIN	WWS	CONCRETE	600	100.15	BANNATYNE	REINSPECT	0	0	7.84
S-MA70024958	SEWERMAIN	CS	*UNKNOWN	300	68.87	BANNATYNE	REINSPECT	0	0	3.33
S-MA70024952	SEWERMAIN	CS	*UNKNOWN	300	92.68	BANNATYNE	REINSPECT	0	0	2.874
S-MA70024947	SEWERMAIN	CS	*UNKNOWN	450	74.25	BANNATYNE	REINSPECT	0	0	3.945
S-MA70024934	SEWERMAIN	CS	POLYFELT	350	61.89	BANNATYNE	REINSPECT	0	0	3.608
S-MA70023402	SEWERMAIN	CS	*UNKNOWN	450	32.99	BANNATYNE	REINSPECT	0	0	3.31
S-MA70025393	SEWERMAIN	CS	CLAY	300	100.60	ALEXANDER	REINSPECT	0	0	3.656
S-MA70023394	SEWERMAIN	CS	CLAY	300	80.13	BANNATYNE	REINSPECT	0	0	2.705
S-MA70023390	SEWERMAIN	CS	CLAY	300	27.44	BANNATYNE	REINSPECT	0	0	5.969
S-MA70025091	SEWERMAIN	CS	*UNKNOWN	300	57.92	BANNATYNE	REINSPECT	0	0	2.768
S-MA70025834	SEWERMAIN	CS	CLAY	300	63.72	BANNATYNE	REINSPECT	0	0	3.223
S-MA70025824	SEWERMAIN	CS	WOOD	600	89.01	BANNATYNE	REINSPECT	0	0	3.1
S-MA70025079	SEWERMAIN	CS	*UNKNOWN	375	97.70	BANNATYNE	REINSPECT	0	0	2.815
S-MA70025071	SEWERMAIN	CS	CLAY	375	63.01	BANNATYNE	REINSPECT	0	0	4.07
S-MA70025055	SEWERMAIN	CS	CLAY	300	60.97	BANNATYNE	REINSPECT	0	228.669	3.446
S-MA70025051	SEWERMAIN	CS	*UNKNOWN	450	101.48	BANNATYNE	REINSPECT	0	0	3.639
S-MA70024902	SEWERMAIN	CS	POLYFELT	300	62.56	BANNATYNE	REINSPECT	0	0	2.987
S-MA70024877	SEWERMAIN	CS	PVC	300	85.62	BANNATYNE	REINSPECT	0	0	2.844
S-MA70026630	SEWERMAIN	CS	CLAY	375	91.97	BANNATYNE	REINSPECT	0		0
S-MA70026588	SEWERMAIN	CS	PVC	450	82.31	ALEXANDER	REINSPECT	0	0	3.991
S-MA70023514	SEWERMAIN	CS	CONCRETE	600	52.22	BANNATYNE	REINSPECT	0	0	4.77
S-MA70023341	SEWERMAIN	CS	CONCRETE	300	77.41	BANNATYNE	REINSPECT	0	0	1.827
S-MA70023335	SEWERMAIN	CS	*UNKNOWN	375	81.96	BANNATYNE	REINSPECT	0	0	5.282
S-MA70026579	SEWERMAIN	CS	*UNKNOWN	300	49.66	ALEXANDER	REINSPECT	0	0	3.35
S-MA70026573	SEWERMAIN	CS	STAINLES	450	92.19	BANNATYNE	REINSPECT	0	227.97	4.49
S-MA70026562	SEWERMAIN	CS	PVC	450	131.03	ALEXANDER	REINSPECT	0	0	4.415
S-MA70025519	SEWERMAIN	WWS	PVC	150	18.72	BANNATYNE	REINSPECT	0	0	2.433
S-MA70025040	SEWERMAIN	CS	CLAY	300	101.07	BANNATYNE	REINSPECT	0	0	3.63
S-MA70025035	SEWERMAIN	CS	CONCRETE	300	58.79	BANNATYNE	REINSPECT	0	0	4.004
S-MA70025024	SEWERMAIN	CS	POLYFELT	291	35.72	BANNATYNE	REINSPECT	0	0	3.199
S-MA70025008	SEWERMAIN	CS	*UNKNOWN	450	85.81	BANNATYNE	REINSPECT	0	0	4.225
S-MA70025477	SEWERMAIN	CS	CONCRETE	450	74.99	ALEXANDER	REINSPECT	0	0	4.63

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA70025468	SEWERMAIN	CS	PVC	375	2.27	ALEXANDER	REINSPECT	0	0	4.08
S-MA70025467	SEWERMAIN	CS	PVC	375	67.76	ALEXANDER	REINSPECT	0	0	3.93
S-MA70025466	SEWERMAIN	CS	PVC	375	2.67	ALEXANDER	REINSPECT	0	0	3.293
S-MA70025003	SEWERMAIN	CS	*UNKNOWN	300	60.36	BANNATYNE	REINSPECT	0	0	3.463
S-MA70024994	SEWERMAIN	CS	*UNKNOWN	450	87.32	BANNATYNE	REINSPECT	0	0	3.644
S-MA70024856	SEWERMAIN	CS	*UNKNOWN	375	72.25	BANNATYNE	REINSPECT	0	0	3.751
S-MA70024843	SEWERMAIN	CS	CLAY	300	41.65	BANNATYNE	REINSPECT	0	0	0
S-MA70024833	SEWERMAIN	CS	CONCRETE	300	18.29	BANNATYNE	REINSPECT	0	0	6.045
S-MA70024830	SEWERMAIN	CS	POLYFELT	294	25.45	BANNATYNE	REINSPECT	0	0	3.506
S-MA70024822	SEWERMAIN	CS	CLAY	300	50.73	BANNATYNE	REINSPECT	0	0	4.429
S-MA70024815	SEWERMAIN	CS	PVC	375	94.20	BANNATYNE	REINSPECT	0	0	2.711
S-MA70026405	SEWERMAIN	CS	STAINLES	300	43.20	BANNATYNE	REINSPECT	0	0	3.262
S-MA70026400	SEWERMAIN	CS	CONCRETE	300	13.75	BANNATYNE	REINSPECT	0	0	5.574
S-MA70026396	SEWERMAIN	CS	STAINLES	300	52.61	BANNATYNE	REINSPECT	0	0	3.552
S-MA70024983	SEWERMAIN	CS	*UNKNOWN	375	81.70	BANNATYNE	REINSPECT	0	0	3.781
S-MA70024980	SEWERMAIN	CS	*UNKNOWN	*UNKNOWN	95.73	AUBREY	REINSPECT	0	0	3.206
S-MA70026389	SEWERMAIN	CS	*UNKNOWN	600	106.16	BANNATYNE	REINSPECT	0	0	4.29
S-MA70026380	SEWERMAIN	CS	*UNKNOWN	300	11.48	BANNATYNE	REINSPECT	0	0	2.996
S-MA70023822	SEWERMAIN	CS	POLYFELT	738X888	43.44	ALEXANDER	REINSPECT	0	0	4.242
S-MA70023467	SEWERMAIN	CS	BRICK	1200X1550	80.92	BANNATYNE	REINSPECT	0	0	5.635
S-MA70026356	SEWERMAIN	CS	STAINLES	300	77.74	BANNATYNE	REINSPECT	0	0	3.16
S-MA70024734	SEWERMAIN	CS	CONCRETE	300	50.32	ALEXANDER	REINSPECT	0	0	4.509
S-MA70024308	SEWERMAIN	CS	*UNKNOWN	300	34.14	BANNATYNE	REINSPECT	0	0	3.18
S-MA70023412	SEWERMAIN	CS	BRICK	1000X1500	101.02	BANNATYNE	REINSPECT	0	0	6.024
S-MA70023410	SEWERMAIN	CS	POLYURET	576	80.54	BANNATYNE	REINSPECT	0	0	4.87
S-MA70023408	SEWERMAIN	CS	*UNKNOWN	300	6.22	BANNATYNE	REINSPECT	0	0	3.03
S-MA70023404	SEWERMAIN	CS	*UNKNOWN	600	78.35	BANNATYNE	REINSPECT	0	0	4.774
S-MA70020894	SEWERMAIN	CS	PVC	300	54.17	BANNATYNE	REINSPECT	0	0	3.17
S-MA70020604	SEWERMAIN	CS	PVC	300	46.50	BANNATYNE	REINSPECT	0	0	2.771
S-MA70020599	SEWERMAIN	CS	CLAY	300	58.53	BANNATYNE	REINSPECT	0	0	2.817
S-MA70020595	SEWERMAIN	CS	*UNKNOWN	300	50.19	BANNATYNE	REINSPECT	0	0	3.18
S-MA70020589	SEWERMAIN	CS	PVC	375	40.73	BANNATYNE	REINSPECT	0	0	4.094
S-MA70020587	SEWERMAIN	CS	*UNKNOWN	375	62.19	BANNATYNE	REINSPECT	0	0	3.834
S-MA70020585	SEWERMAIN	CS	*UNKNOWN	300	72.31	BANNATYNE	REINSPECT	0	0	3.474
S-MA70020581	SEWERMAIN	CS	CLAY	375	53.40	BANNATYNE	REINSPECT	0	0	4.627
S-MA70020157	SEWERMAIN	CS	*UNKNOWN	300	67.27	BANNATYNE	REINSPECT	0	227.954	3.735
S-MA70020145	SEWERMAIN	CS	*UNKNOWN	300	101.09	BANNATYNE	REINSPECT	0	0	5.735
S-MA70020549	SEWERMAIN	CS	CONCRETE	1350	127.34	BANNATYNE	REINSPECT	0	0	5.3
S-MA70020548	SEWERMAIN	CS	PVC	300	2.44	BANNATYNE	REINSPECT	0	0	2.76
S-MA70020513	SEWERMAIN	CS	PVC	300	54.57	BANNATYNE	REINSPECT	0	0	3.55
S-MA70020507	SEWERMAIN	CS	PVC	300	40.01	BANNATYNE	REINSPECT	0	0	5.73
S-MA70021969	SEWERMAIN	CS	CLAY	450	11.40	BANNATYNE	REINSPECT	0	0	4.273
S-MA70021967	SEWERMAIN	CS	CLAY	200	57.41	BANNATYNE	REINSPECT	0	0	3.287
S-MA70021966	SEWERMAIN	CS	CLAY	200	61.11	BANNATYNE	REINSPECT	0	0	3.63
S-MA70020702	SEWERMAIN	CS	*UNKNOWN	450	61.51	BANNATYNE	REINSPECT	0	0	0
S-MA70020690	SEWERMAIN	CS	PVC	450	71.43	BANNATYNE	REINSPECT	0	0	4.714
S-MA70020673	SEWERMAIN	CS	CLAY	300	57.86	BANNATYNE	REINSPECT	0	0	3.238
S-MA70020784	SEWERMAIN	CS	CONCRETE	1050	94.51	BANNATYNE	REINSPECT	0	0	5.139
S-MA70020782	SEWERMAIN	CS	PVC	375	21.72	BANNATYNE	REINSPECT	0	0	4.25
S-MA70020781	SEWERMAIN	CS	PVC	375	70.04	BANNATYNE	REINSPECT	0	0	4.25
S-MA70023023	SEWERMAIN	CS	CLAY	375	4.54	BANNATYNE	REINSPECT	0	0	3.95
S-MA70023022	SEWERMAIN	CS	CLAY	375	48.79	BANNATYNE	REINSPECT	0	0	3.848
S-MA70021435	SEWERMAIN	CS	POLYCONC	600	68.50	BANNATYNE	REINSPECT	0	0	4.29
S-MA70021404	SEWERMAIN	CS	PVC	375	73.78	BANNATYNE	REINSPECT	0	0	3.834
S-MA70020651	SEWERMAIN	CS	CLAY	300	36.93	BANNATYNE	REINSPECT	0	0	2.84
S-MA70020649	SEWERMAIN	CS	PVC	300	57.89	BANNATYNE	REINSPECT	0	0	2.797
S-MA70023207	SEWERMAIN	CS	PVC	300	7.96	BANNATYNE	REINSPECT	0	0	4.022
S-MA70023206	SEWERMAIN	CS	PVC	300	60.01	BANNATYNE	REINSPECT	0	0	3.37
S-MA70023199	SEWERMAIN	CS	PVC	375	91.99	BANNATYNE	REINSPECT	0	0	4.364
S-MA70020632	SEWERMAIN	CS	PVC	300	95.72	BANNATYNE	REINSPECT	0	0	2.81
S-MA70020627	SEWERMAIN	CS	PVC	250	35.45	BANNATYNE	REINSPECT	0	228.527	2.934
S-MA70020623	SEWERMAIN	CS	PVC	200	16.45	BANNATYNE	REINSPECT	0	0	3
S-MA20019119	SEWERMAIN	CS	PVC	200	26.98	BANNATYNE	REINSPECT	0	228.35	3.15
S-MA70020619	SEWERMAIN	CS	POLYFELT	300	83.23	BANNATYNE	REINSPECT	0	0	3.164
S-MA70020611	SEWERMAIN	CS	*UNKNOWN	300	57.87	BANNATYNE	REINSPECT	0	0	4.508
S-MA70023192	SEWERMAIN	CS	*UNKNOWN	300	58.98	BANNATYNE	REINSPECT	0	0	3.96
S-MA70019740	SEWERMAIN	CS	PVC	375	81.84	BANNATYNE	REINSPECT	0	0	4.955
S-MA70019739	SEWERMAIN	CS	CONCRETE	450	101.04	BANNATYNE	REINSPECT	0	0	5.295
S-MA70021213	SEWERMAIN	CS	*UNKNOWN		6.95	ALEXANDER	REINSPECT	0	0	0
S-MA70020898	SEWERMAIN	CS	PVC	300	71.64	BANNATYNE	REINSPECT	0	0	4.42
S-MA70019716	SEWERMAIN	CS	POLYCONC	600	111.56	BANNATYNE	REINSPECT	0	0	4.243
S-MA70022854	SEWERMAIN	CS	CONCRETE	300	48.53	AUBREY	REINSPECT	0	0	3.027
S-MA70017855	SEWERMAIN	CS	*UNKNOWN	450	7.80	ALEXANDER	REINSPECT	0	0	3.365
S-MA70017854	SEWERMAIN	CS	*UNKNOWN	300	65.11	ALEXANDER	REINSPECT	0	0	4.002
S-MA70017853	SEWERMAIN	CS	*UNKNOWN	300	15.60	ALEXANDER	REINSPECT	0	0	3.292
S-MA70017852	SEWERMAIN	CS	*UNKNOWN	600	46.41	ALEXANDER	REINSPECT	0	0	4.324
S-MA70017851	SEWERMAIN	CS	*UNKNOWN	600	4.50	ALEXANDER	REINSPECT	0	0	4.048

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA70017839	SEWERMAIN	CS	CLAY	450	5.29	ALEXANDER	REINSPECT	0	0	4.33
S-MA20019371	SEWERMAIN	CS	CLAY	300	89.07	ALEXANDER	REINSPECT	0	227.653	4.34
S-MA70017837	SEWERMAIN	CS	CLAY	300	4.03	ALEXANDER	REINSPECT	0	0	3.989
S-MA20019377	SEWERMAIN	CS	CLAY	300	106.94	ALEXANDER	REINSPECT	0	227.231	4.8
S-MA70018927	SEWERMAIN	CS	*UNKNOWN	600	85.05	BANNATYNE	REINSPECT	0	0	4.346
S-MA70017858	SEWERMAIN	CS	*UNKNOWN	450	19.59	ALEXANDER	REINSPECT	0	0	3.365
S-MA70018855	SEWERMAIN	CS	CONCRETE	450	17.62	BANNATYNE	REINSPECT	0	0	6.08
S-MA70018854	SEWERMAIN	CS	CONCRETE	450	91.82	BANNATYNE	REINSPECT	0	0	5.491
S-MA70018853	SEWERMAIN	CS	CONCRETE	450	15.17	BANNATYNE	REINSPECT	0	0	5.158
S-MA70018842	SEWERMAIN	CS	CONCRETE	600	13.12	BANNATYNE	REINSPECT	0	0	4.2
S-MA70018841	SEWERMAIN	CS	CONCRETE	600	74.74	BANNATYNE	REINSPECT	0	0	4.19
S-MA70018840	SEWERMAIN	CS	CONCRETE	450	7.27	BANNATYNE	REINSPECT	0	0	4.06
S-MA70018830	SEWERMAIN	CS	*UNKNOWN	450	89.02	BANNATYNE	REINSPECT	0	0	3.183
S-MA70013726	SEWERMAIN	CS	CONCRETE	375	53.01	BANNATYNE	REINSPECT	0	0	4.192
S-MA70013725	SEWERMAIN	CS	CONCRETE	375	76.23	BANNATYNE	REINSPECT	0	0	3.638
S-MA70000991	BENCHING FLOW	CS	*UNKNOWN	*UNKNOWN	37.85	BANNATYNE	REINSPECT	0	0	0.965
S-MA70013394	SEWERMAIN	WWS	CONCRETE	750	102.25	BANNATYNE	REINSPECT	0	0	5.9
S-MA70013386	SEWERMAIN	WWS	CONCRETE	250	53.56	BANNATYNE	REINSPECT	0	0	3.2
S-MA70013383	SEWERMAIN	WWS	CONCRETE	250	98.65	BANNATYNE	REINSPECT	0	0	4.092
S-MA70013382	SEWERMAIN	WWS	CONCRETE	250	89.10	BANNATYNE	REINSPECT	0	0	2.8
S-MA70013280	SEWERMAIN	CS	CONCRETE	300	67.72	BANNATYNE	REINSPECT	0	0	3.913
S-MA70013091	SEWERMAIN	CS	CONCRETE	450	11.83	BANNATYNE	REINSPECT	0	0	4.429
S-MA70013090	SEWERMAIN	CS	CONCRETE	450	48.18	BANNATYNE	REINSPECT	0	0	4.21
S-MA70013088	SEWERMAIN	CS	CONCRETE	1050	64.56	BANNATYNE	REINSPECT	0	0	4.858
S-MA70013085	SEWERMAIN	CS	BRICK	1500	42.86	BANNATYNE	REINSPECT	0	0	6.649
S-MA70013848	SEWERMAIN	CS	*UNKNOWN	375	4.72	ALEXANDER	REINSPECT	0	0	2.927
S-MA70013632	SEWERMAIN	CS	*UNKNOWN	300	108.25	BANNATYNE	REINSPECT	0	0	5.445
S-MA70013240	SEWERMAIN	CS	CONCRETE	750	35.91	BANNATYNE	REINSPECT	0	0	4.589
S-MA70013239	SEWERMAIN	CS	CONCRETE	750	9.82	BANNATYNE	REINSPECT	0	0	4.537
S-MA70013237	SEWERMAIN	CS	CLAY	300	35.71	BANNATYNE	REINSPECT	0	0	3.288
S-MA70013234	SEWERMAIN	CS	BRICK	1350	80.63	BANNATYNE	REINSPECT	0	0	6.15
S-MA70013228	SEWERMAIN	CS	*UNKNOWN	450	11.30	BANNATYNE	REINSPECT	0	0	4.508
S-MA70013227	SEWERMAIN	CS	*UNKNOWN	450	95.40	BANNATYNE	REINSPECT	0	0	4.428
S-MA70013226	SEWERMAIN	CS	*UNKNOWN	450	43.08	BANNATYNE	REINSPECT	0	0	4.443
S-MA70013225	SEWERMAIN	CS	*UNKNOWN	450	56.58	BANNATYNE	REINSPECT	0	0	4.418
S-MA70013222	SEWERMAIN	CS	*UNKNOWN	300	67.23	BANNATYNE	REINSPECT	0	0	2.963
S-MA70013221	SEWERMAIN	CS	*UNKNOWN	300	27.58	BANNATYNE	REINSPECT	0	0	2.963
S-MA70011037	SEWERMAIN	CS	POLYBRIC	441	12.75	BANNATYNE	REINSPECT	0	0	4.669
S-MA70015062	SEWERMAIN	CS	CONCRETE	1350	10.10	BANNATYNE	REINSPECT	0	0	5.57
S-MA70015057	SEWERMAIN	CS	CONCRETE	1350	39.91	BANNATYNE	REINSPECT	0	0	5.558
S-MA70013196	SEWERMAIN	CS	POLYCLAY	450	97.71	BANNATYNE	REINSPECT	0	0	4.68
S-MA70013195	SEWERMAIN	CS	POLYCLAY	450	3.41	BANNATYNE	REINSPECT	0	0	4.68
S-MA70013193	SEWERMAIN	CS	BRICK	1000X1500	101.09	BANNATYNE	REINSPECT	0	0	5.59
S-MA70013189	SEWERMAIN	CS	*UNKNOWN	300	19.31	BANNATYNE	REINSPECT	0	0	3.3
S-MA70013188	SEWERMAIN	CS	*UNKNOWN	300	54.47	BANNATYNE	REINSPECT	0	0	3.305
S-MA70013187	SEWERMAIN	CS	*UNKNOWN	300	40.21	BANNATYNE	REINSPECT	0	0	5.033
S-MA70013183	SEWERMAIN	CS	*UNKNOWN	375	88.89	BANNATYNE	REINSPECT	0	0	3.646
S-MA70013172	SEWERMAIN	CS	*UNKNOWN	600	15.03	BANNATYNE	REINSPECT	0	0	3.831
S-MA70015941	SEWERMAIN	CS	PVC	375	58.49	BANNATYNE	REINSPECT	0	0	4.15
S-MA70013170	SEWERMAIN	CS	*UNKNOWN	300	46.25	BANNATYNE	REINSPECT	0	0	3.06
S-MA70013299	SEWERMAIN	CS	BRICK	1500	14.02	BANNATYNE	REINSPECT	0	0	5.515
S-MA70013295	SEWERMAIN	CS	BRICK	900	118.75	BANNATYNE	REINSPECT	0	0	5.541
S-MA70013294	SEWERMAIN	CS	POLYBRIC	600	84.10	BANNATYNE	REINSPECT	0	0	5.43
S-MA70020569	SEWERMAIN	CS			123.54	BANNATYNE	REINSPECT	0	0	5.286
S-MA70013287	SEWERMAIN	CS	*UNKNOWN	600	94.30	BANNATYNE	REINSPECT	0	0	4.338
S-MA70014637	SEWERMAIN	CS	CLAY	450	88.02	BANNATYNE	REINSPECT	0	0	4.31
S-MA70014619	SEWERMAIN	CS	*UNKNOWN	300	99.23	BANNATYNE	REINSPECT	0	0	4.25
S-MA70013779	SEWERMAIN	CS	*UNKNOWN	450	125.93	BANNATYNE	REINSPECT	0	0	4.82
S-MA70013000	SEWERMAIN	CS	CONCRETE	600	49.63	BANNATYNE	REINSPECT	0	0	4.217
S-MA70009675	SEWERMAIN	CS	*UNKNOWN	*UNKNOWN	13.08	ALEXANDER	REINSPECT	0	0	2.64
S-MA70009674	SEWERMAIN	CS	*UNKNOWN	*UNKNOWN	5.83	ALEXANDER	REINSPECT	0	0	2.59
S-MA70009669	SEWERMAIN	CS	*UNKNOWN		18.60	ALEXANDER	REINSPECT	0	0	0
S-MA70009644	SEWERMAIN	CS	*UNKNOWN	450	52.05	ALEXANDER	REINSPECT	0	0	4.56
S-MA70009640	SEWERMAIN	CS	CONCRETE	450	54.07	ALEXANDER	REINSPECT	0	0	4.58
S-MA70011161	SEWERMAIN	CS	POLYBRIC	576	48.16	BANNATYNE	REINSPECT	0	0	5.44
S-MA70011159	SEWERMAIN	CS	POLYBRIC	588	18.98	BANNATYNE	REINSPECT	0	0	5.44
S-MA70012103	SEWERMAIN	CS	POLYFELT	576	54.31	ALEXANDER	REINSPECT	0	0	5.252
S-MA70010580	SEWERMAIN	WWS	PVC	450	71.87	BANNATYNE	REINSPECT	0	0	5.08
S-MA70010579	SEWERMAIN	WWS	CONCRETE	600	99.98	BANNATYNE	REINSPECT	0	0	5.17
S-MA70010578	SEWERMAIN	WWS	PVC	375	19.29	BANNATYNE	REINSPECT	0	0	5.13
S-MA20016231	SEWERMAIN	CS	CONCRETE	1050	113.02	BANNATYNE	REINSPECT	0	0	5.141
S-MA70013074	SEWERMAIN	CS	CLAY	375	21.58	BANNATYNE	REINSPECT	0	0	3.936
S-MA70013073	SEWERMAIN	CS	CLAY	375	43.05	BANNATYNE	REINSPECT	0	0	3.958
S-MA70013068	SEWERMAIN	CS	*UNKNOWN	300	9.43	BANNATYNE	REINSPECT	0	0	3.346
S-MA70013067	SEWERMAIN	CS	*UNKNOWN	300	70.14	BANNATYNE	REINSPECT	0	0	3.346
S-MA70011971	SEWERMAIN	CS	*UNKNOWN		4.74	BANNATYNE	REINSPECT	0	0	5.349
S-MA70013029	SEWERMAIN	CS	POLYCONC	600	9.78	BANNATYNE	REINSPECT	0	0	4.18

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA70001479	SEWERMAIN	WWS	*UNKNOWN	200	51.22	ALEXANDER	REINSPECT	0	0	0
S-MA70001478	SEWERMAIN	WWS	*UNKNOWN	200	17.53	ALEXANDER	REINSPECT	0	0	0
S-MA70001463	SECONDARY	WWS	*UNKNOWN	750	20.46	BANNATYNE	REINSPECT	0		9.16
S-MA70008114	SEWERMAIN	CS	CONCRETE	1350	13.59	ASSINIBOINE	REINSPECT	0	226.42	6.415
S-MA70008110	SECONDARY	WWS	*UNKNOWN	1120	8.74	BANNATYNE	REINSPECT	0		8.559
S-MA70008074	SEWERMAIN	CS	*UNKNOWN	600	31.76	BANNATYNE	REINSPECT	0	0	0
S-MA70009393	SEWERMAIN	CS	CONCRETE	450	9.87	ALEXANDER	REINSPECT	0	0	4.923
S-MA70009392	SEWERMAIN	CS	CONCRETE	450	71.89	ALEXANDER	REINSPECT	0	0	4.88
S-MA70009391	SEWERMAIN	CS	PVC	375	53.89	ALEXANDER	REINSPECT	0	0	3.98
S-MA70009390	SEWERMAIN	CS	PVC	300	8.77	ALEXANDER	REINSPECT	0	0	3.844
S-MA70001533	SEWERMAIN	CS	CONCRETE	750	50.41	BANNATYNE	REINSPECT	0	0	4.35
S-MA70001530	SEWERMAIN	CS	*UNKNOWN	300	37.31	BANNATYNE	REINSPECT	0	0	3.043
S-MA70001528	SEWERMAIN	CS	PVC	450	20.03	BANNATYNE	REINSPECT	0	0	4.25
S-MA70001527	SEWERMAIN	CS	CLAY	300	38.50	BANNATYNE	REINSPECT	0	0	3.364
S-MA70001520	SEWERMAIN	CS	PVC	450	50.88	BANNATYNE	REINSPECT	0	0	2.9
S-MA70001510	SEWERMAIN	CS	PVC	450	72.41	BANNATYNE	REINSPECT	0	0	2.771
S-MA70004400	SEWERMAIN	WWS	CONCRETE	750	2.03	BANNATYNE	REINSPECT	0		8.32
S-MA70004399	SEWERMAIN	WWS	CONCRETE	750	22.36	BANNATYNE	REINSPECT	0		5.074
S-MA70003125	SEWERMAIN	CS	*UNKNOWN	250	2.46	BANNATYNE	REINSPECT	0	0	3.673
S-MA20013509	SEWERMAIN	CS	*UNKNOWN	300	86.27	ALEXANDER	REINSPECT	0	0	4.159
S-MA70000646	SEWERMAIN	CS	PVC	300	111.12	BANNATYNE	REINSPECT	0	0	4.18
S-MA70000641	SEWERMAIN	CS	PVC	450	15.68	BANNATYNE	REINSPECT	0	0	5
S-MA70000640	SEWERMAIN	CS	PVC	375	87.02	BANNATYNE	REINSPECT	0	0	4.18
S-MA70000636	SEWERMAIN	CS	PVC	300	67.11	BANNATYNE	REINSPECT	0	0	3.27
S-MA70000631	SEWERMAIN	CS	PVC	300	62.09	BANNATYNE	REINSPECT	0	0	3.63
S-MA70000611	SEWERMAIN	CS	PVC	375	17.91	BANNATYNE	REINSPECT	0	0	5.33
S-MA70000610	SEWERMAIN	CS	PVC	375	104.61	BANNATYNE	REINSPECT	0	0	5.111
S-MA70000599	SEWERMAIN	CS	CONCRETE	600	13.50	BANNATYNE	REINSPECT	0	0	5.49
S-MA70000598	SEWERMAIN	CS	CONCRETE	600	82.42	BANNATYNE	REINSPECT	0	0	5.42
S-MA70000597	SEWERMAIN	CS	CONCRETE	600	6.61	BANNATYNE	REINSPECT	0	0	4.726
S-MA70000580	SEWERMAIN	CS	PVC	375	7.08	BANNATYNE	REINSPECT	0	0	4.714
S-MA70000579	SEWERMAIN	CS	PVC	375	73.79	BANNATYNE	REINSPECT	0	0	4.67
S-MA70000578	SEWERMAIN	CS	CONCRETE	450	79.20	BANNATYNE	REINSPECT	0	0	4.79
S-MA70000577	SEWERMAIN	CS	PVC	375	70.09	BANNATYNE	REINSPECT	0	0	4.75
S-MA70000576	SEWERMAIN	CS	PVC	375	7.63	BANNATYNE	REINSPECT	0	0	4.64
S-MA70000556	SEWERMAIN	CS	*UNKNOWN	300	74.27	BANNATYNE	REINSPECT	0	0	3.955
S-MA70000555	SEWERMAIN	CS	*UNKNOWN	300	6.75	BANNATYNE	REINSPECT	0	0	3.7
S-MA70000538	SEWERMAIN	CS	PVC	300	57.76	BANNATYNE	REINSPECT	0	0	3.322
S-MA70000437	SEWERMAIN	CS	POLYCONC	600	32.77	BANNATYNE	REINSPECT	0	227.84	4.83
S-MA70000418	SEWERMAIN	CS	*UNKNOWN	600	13.03	BANNATYNE	REINSPECT	0	0	5.13
S-MA70000414	SEWERMAIN	CS	CLAY	900	67.01	BANNATYNE	REINSPECT	0	0	5.132
S-MA70000407	SEWERMAIN	CS	CONCRETE	1350	24.49	BANNATYNE	REINSPECT	0	0	5.3
S-MA70036324	SEWERMAIN	CS	PVC	300	60.96	BANNATYNE	REINSPECT	0	0	3.85
S-MA70035705	SEWERMAIN	CS	*UNKNOWN	380	21.19	BANNATYNE	REINSPECT	0		4.098
S-MA70035703	SECONDARY	WWS	CONCRETE	450	13.20	BANNATYNE	REINSPECT	0		3.763
S-MA70035701	SEWERMAIN	CS	CONCRETE	750	35.61	BANNATYNE	REINSPECT	0	0	4.06
S-MA70036369	SEWERMAIN	CS	PVC	150	11.98	BANNATYNE	REINSPECT	0		0
S-MA70036368	SEWERMAIN	CS	PVC	300	2.46	BANNATYNE	REINSPECT	0		0
S-MA70036374	SEWERMAIN	CS	PVC	300	10.44	BANNATYNE	REINSPECT	0	0	3.33
S-MA70036366	SEWERMAIN	CS	CONCRETE	900	100.25	BANNATYNE	REINSPECT	0	0	4.972
S-MA70036343	SEWERMAIN	CS	PVC	300	3.05	BANNATYNE	REINSPECT	0		3.86
S-MA70036341	SEWERMAIN	CS	CONCRETE	900	108.52	BANNATYNE	REINSPECT	0	0	4.746
S-MA70035769	SEWERMAIN	CS	CLAY	300	33.53	BANNATYNE	REINSPECT	0	0	4.892
S-MA70035762	SEWERMAIN	CS	PVC	300	36.57	BANNATYNE	REINSPECT	0	0	3.386
S-MA70035765	SEWERMAIN	CS	CLAY	300	69.56	BANNATYNE	REINSPECT	0	0	4.537
S-MA20019966	SEWERMAIN	WWS	CONCRETE	1950	244.85	BANNATYNE	REINSPECT	0		0
S-MA20019952	SEWERMAIN	CS	*UNKNOWN	300	63.71	SELKIRK	REINSPECT	0		3.313
S-MA20019950	SEWERMAIN	CS	*UNKNOWN	300	95.11	ALEXANDER	REINSPECT	0	0	3.422
S-MA20019949	SEWERMAIN	CS	*UNKNOWN	250	36.89	ALEXANDER	REINSPECT	0	0	3.409
S-MA20019927	SEWERMAIN	CS	*UNKNOWN	300	68.39	ALEXANDER	REINSPECT	0	0	3.765
S-MA20019414	SEWERMAIN	CS	CONCRETE	225	25.32	ALEXANDER	REINSPECT	0	0	0
S-MA20019413	SEWERMAIN	CS	CONCRETE	225	12.89	ALEXANDER	REINSPECT	0	0	0
S-MA20019412	SEWERMAIN	CS	CONCRETE	225	7.60	ALEXANDER	REINSPECT	0	0	0
S-MA20019633	SEWERMAIN	CS	*UNKNOWN	375	18.44	AUBREY	REINSPECT	0		6.472
S-MA20019631	SEWERMAIN	CS	*UNKNOWN	375	4.16	AUBREY	REINSPECT	0	0	3.978
S-MA20019917	SEWERMAIN	CS	*UNKNOWN	450	74.71	ALEXANDER	REINSPECT	0	0	5.018
S-MA20019912	SEWERMAIN	CS	*UNKNOWN	375	65.90	ALEXANDER	REINSPECT	0	0	3.872
S-MA20019905	SEWERMAIN	CS	*UNKNOWN	300	52.07	ALEXANDER	REINSPECT	0	0	3.444
S-MA20019904	SEWERMAIN	CS	*UNKNOWN	375	67.07	ALEXANDER	REINSPECT	0	0	4.632
S-MA20019902	SEWERMAIN	CS	*UNKNOWN	750X1125	80.72	ALEXANDER	REINSPECT	0	0	4.833
S-MA20019889	SEWERMAIN	CS	*UNKNOWN	750X1125	80.72	ALEXANDER	REINSPECT	0	0	4.959
S-MA20019886	SEWERMAIN	CS	*UNKNOWN	300	95.79	ALEXANDER	REINSPECT	0	0	3.375
S-MA20019883	SEWERMAIN	CS	*UNKNOWN	300	69.10	ALEXANDER	REINSPECT	0	0	3.047
S-MA20019882	SEWERMAIN	CS	*UNKNOWN	750X1125	80.66	ALEXANDER	REINSPECT	0	0	4.372
S-MA20019876	SEWERMAIN	CS	*UNKNOWN	600X900	120.89	ALEXANDER	REINSPECT	0	0	4.242
S-MA20019410	SEWERMAIN	CS	CLAY	225	56.07	ALEXANDER	REINSPECT	0	0	0
S-MA20019409	SEWERMAIN	CS	CONCRETE	225	18.60	ALEXANDER	REINSPECT	0	0	0

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20019408	SEWERMAIN	CS	CONCRETE	225	11.74	ALEXANDER	REINSPECT	0	0	0
S-MA20019407	SEWERMAIN	CS	CONCRETE	225	10.06	ALEXANDER	REINSPECT	0	0	0
S-MA20019406	SEWERMAIN	CS	CONCRETE	225	46.34	ALEXANDER	REINSPECT	0	0	0
S-MA20019400	SEWERMAIN	CS	CONCRETE	300	3.05	ALEXANDER	REINSPECT	0	0	0
S-MA20019399	SEWERMAIN	CS	CONCRETE	300	18.77	ALEXANDER	REINSPECT	0	0	0
S-MA20019388	SEWERMAIN	CS	CONCRETE	300	19.21	ALEXANDER	REINSPECT	0	0	3.044
S-MA20019387	SEWERMAIN	CS	CONCRETE	300	8.82	ALEXANDER	REINSPECT	0	0	3.951
S-MA20019386	SEWERMAIN	CS	CONCRETE	450	89.29	ALEXANDER	REINSPECT	0	0	4.402
S-MA20019385	SEWERMAIN	CS	CONCRETE	300	17.95	ALEXANDER	REINSPECT	0	0	3.887
S-MA20019361	SEWERMAIN	CS	CLAY	375	60.36	ALEXANDER	REINSPECT	0	0	6.156
S-MA20019863	SEWERMAIN	CS	*UNKNOWN	300	86.97	ALEXANDER	REINSPECT	0	0	4.409
S-MA20020042	SEWERMAIN	CS	*UNKNOWN	450	57.01	ALEXANDER	REINSPECT	0	0	3.694
S-MA20019854	SEWERMAIN	CS	*UNKNOWN	300	121.94	ALEXANDER	REINSPECT	0	0	5.03
S-MA20019853	SEWERMAIN	CS	BRICK	1200X800	80.91	ALEXANDER	REINSPECT	0	227.445	5.087
S-MA20019851	SEWERMAIN	CS	*UNKNOWN	300	86.88	ALEXANDER	REINSPECT	0	0	3.213
S-MA20019850	SEWERMAIN	CS	*UNKNOWN	300	92.98	ALEXANDER	REINSPECT	0	0	3.556
S-MA20019846	SEWERMAIN	CS	*UNKNOWN	450	61.32	ALEXANDER	REINSPECT	0	0	3.88
S-MA20019845	SEWERMAIN	CS	*UNKNOWN	450	47.60	ALEXANDER	REINSPECT	0	0	3.9
S-MA20019836	SEWERMAIN	CS	CLAY	375	117.70	ALEXANDER	REINSPECT	0	0	5.03
S-MA20019830	SEWERMAIN	CS	BRICK	750X1125	80.70	ALEXANDER	REINSPECT	0	0	4.96
S-MA20019828	SEWERMAIN	CS	BRICK	750X1125	80.69	ALEXANDER	REINSPECT	0	0	5.03
S-MA20019827	SEWERMAIN	CS	*UNKNOWN	300	117.70	ALEXANDER	REINSPECT	0	0	4.697
S-MA20019810	SEWERMAIN	CS	*UNKNOWN	300	117.72	ALEXANDER	REINSPECT	0	0	4.469
S-MA20019809	SEWERMAIN	CS	*UNKNOWN	375	80.68	ALEXANDER	REINSPECT	0	0	4.05
S-MA20018344	SEWERMAIN	CS	*UNKNOWN	300	31.85	BANNATYNE	REINSPECT	0	0	3.227
S-MA20019350	SEWERMAIN	CS	CONCRETE	375	87.80	ALEXANDER	REINSPECT	0	0	4.288
S-MA20019556	SEWERMAIN	CS	*UNKNOWN	600X900	79.70	ALEXANDER	REINSPECT	0	0	3.955
S-MA20019544	SEWERMAIN	CS	BRICK	600X900	80.95	ALEXANDER	REINSPECT	0	0	4.066
S-MA20019533	SEWERMAIN	CS	*UNKNOWN	600X900	71.34	ALEXANDER	REINSPECT	0	0	3.625
S-MA20019531	SEWERMAIN	CS	*UNKNOWN	300	61.58	ALEXANDER	REINSPECT	0	0	0
S-MA20019349	SEWERMAIN	CS	CONCRETE	450	49.08	ALEXANDER	REINSPECT	0	0	4.651
S-MA20019348	SEWERMAIN	CS	CONCRETE	600	49.08	ALEXANDER	REINSPECT	0	0	4.991
S-MA20019347	SEWERMAIN	CS	CONCRETE	375	96.99	ALEXANDER	REINSPECT	0	0	4.263
S-MA20019346	SEWERMAIN	CS	*UNKNOWN	450	59.45	ALEXANDER	REINSPECT	0	0	4.623
S-MA20019340	SEWERMAIN	CS	*UNKNOWN	450	62.19	ALEXANDER	REINSPECT	0	0	4.496
S-MA20019336	SEWERMAIN	CS	POLYFELT	576	21.57	ALEXANDER	REINSPECT	0	0	5.488
S-MA20019333	SEWERMAIN	CS	*UNKNOWN	450	16.43	ALEXANDER	REINSPECT	0	0	4.8
S-MA20019332	SEWERMAIN	CS	POLYCLAY	441	59.14	ALEXANDER	REINSPECT	0	0	4.95
S-MA20019324	SEWERMAIN	CS	PVC	300	70.19	ALEXANDER	REINSPECT	0	0	3.772
S-MA20019318	SEWERMAIN	CS	BRICK	1500	115.42	ALEXANDER	REINSPECT	0	0	6.17
S-MA20019316	SEWERMAIN	CS	CLAY	300	58.53	ALEXANDER	REINSPECT	0	0	5.813
S-MA20019782	SEWERMAIN	CS	POLYFELT	738	81.01	ALEXANDER	REINSPECT	0	0	4.33
S-MA20019781	SEWERMAIN	CS	*UNKNOWN	750	80.35	ALEXANDER	REINSPECT	0	0	4.029
S-MA20019303	SEWERMAIN	CS	BRICK	1500	86.44	ALEXANDER	REINSPECT	0	226.2	6.128
S-MA20019500	SEWERMAIN	CS	CONCRETE	300	74.56	BANNATYNE	REINSPECT	0	0	3.026
S-MA20019491	SEWERMAIN	CS	*UNKNOWN	300	82.18	AUBREY	REINSPECT	0	0	2.708
S-MA20019302	SEWERMAIN	CS	CONCRETE	600	63.47	ALEXANDER	REINSPECT	0	0	5.116
S-MA20019299	SEWERMAIN	CS	BRICK	1500	38.28	ALEXANDER	REINSPECT	0	0	5.861
S-MA20019297	SEWERMAIN	CS	CONCRETE	450	134.64	ALEXANDER	REINSPECT	0	0	4.288
S-MA20019293	SEWERMAIN	CS	CONCRETE	450	124.03	ALEXANDER	REINSPECT	0	0	6.488
S-MA20019291	SEWERMAIN	CS	*UNKNOWN	300	53.35	ALEXANDER	REINSPECT	0	0	4.058
S-MA20019288	SEWERMAIN	CS	CONCRETE	600	61.14	ALEXANDER	REINSPECT	0	0	5.165
S-MA20019284	SEWERMAIN	CS	BRICK	1500	103.79	ALEXANDER	REINSPECT	0	0	6.457
S-MA20019283	SEWERMAIN	CS	*UNKNOWN	300	53.96	ALEXANDER	REINSPECT	0	0	6.4
S-MA20019281	SEWERMAIN	CS	CLAY	300	47.86	ALEXANDER	REINSPECT	0	0	3.805
S-MA20019277	SEWERMAIN	CS	POLYFELT	576	52.74	ALEXANDER	REINSPECT	0	0	5.488
S-MA20019276	SEWERMAIN	CS	POLYFELT	576	51.52	ALEXANDER	REINSPECT	0	0	5.252
S-MA20019268	SEWERMAIN	CS	CONCRETE	375	43.11	ALEXANDER	REINSPECT	0	0	4.901
S-MA20018977	SEWERMAIN	CS	*UNKNOWN	375	60.36	SELKIRK	REINSPECT	0	0	3.633
S-MA20018969	SEWERMAIN	CS	BRICK	1350	80.50	ALEXANDER	REINSPECT	0	0	5.767
S-MA20018965	SEWERMAIN	CS	CLAY	375	73.20	ALEXANDER	REINSPECT	0	0	3.233
S-MA20018961	SEWERMAIN	CS	CLAY	300	75.91	ALEXANDER	REINSPECT	0	0	4.2
S-MA20019035	SEWERMAIN	CS	CONCRETE	450	95.12	BANNATYNE	REINSPECT	0	0	4.219
S-MA20018951	SEWERMAIN	CS	POLYCLAY	300	64.93	BANNATYNE	REINSPECT	0	0	3.37
S-MA20018856	SEWERMAIN	CS	BRICK	1500	63.81	BANNATYNE	REINSPECT	0	0	6.36
S-MA20018851	SEWERMAIN	CS	POLYCLAY	300	53.35	BANNATYNE	REINSPECT	0	0	5.6
S-MA20018849	SEWERMAIN	CS	POLYBRIC	576	46.28	BANNATYNE	REINSPECT	0	0	4.977
S-MA20018848	SEWERMAIN	CS	PVC	375	99.22	BANNATYNE	REINSPECT	0	0	5.79
S-MA20018845	SEWERMAIN	CS	*UNKNOWN	600	96.77	BANNATYNE	REINSPECT	0	0	4.274
S-MA20019753	SEWERMAIN	CS	POLYFELT	588X888	37.21	ALEXANDER	REINSPECT	0	0	4.121
S-MA20019751	SEWERMAIN	CS	*UNKNOWN	300	93.98	ALEXANDER	REINSPECT	0	0	3.101
S-MA20019746	SEWERMAIN	CS	CONC	600X900	80.69	ALEXANDER	REINSPECT	0	0	4.027
S-MA20015963	SEWERMAIN	CS	CLAY	375	47.89	BANNATYNE	REINSPECT	0	0	3.942
S-MA20015939	SEWERMAIN	CS	CLAY	300	62.80	BANNATYNE	REINSPECT	0	0	3.33
S-MA20015938	SEWERMAIN	CS	CLAY	300	62.80	BANNATYNE	REINSPECT	0	0	3.03
S-MA20015926	SEWERMAIN	CS	CLAY	300	49.39	BANNATYNE	REINSPECT	0	0	3.057
S-MA20018826	SEWERMAIN	CS	*UNKNOWN	300	105.48	ALEXANDER	REINSPECT	0	0	6.239

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20018817	SEWERMAIN	CS	CLAY	300	67.07	ALEXANDER	REINSPECT	0	0	3.139
S-MA20016998	SEWERMAIN	CS	PVC	300	36.13	BANNATYNE	REINSPECT	0	228.758	3.15
S-MA20019266	SEWERMAIN	CS	CONCRETE	375	66.19	ALEXANDER	REINSPECT	0	0	4.956
S-MA20019257	SEWERMAIN	CS	CLAY	450	14.38	ALEXANDER	REINSPECT	0	0	4.521
S-MA20019255	SEWERMAIN	CS	BRICK	1350	81.60	ALEXANDER	REINSPECT	0	0	6.167
S-MA20019252	SEWERMAIN	CS	CLAY	300	53.35	ALEXANDER	REINSPECT	0	0	5.781
S-MA20017957	SEWERMAIN	CS	*UNKNOWN	300	86.88	AUBREY	REINSPECT	0	0	2.925
S-MA20017955	SEWERMAIN	CS	*UNKNOWN	450	90.03	BANNATYNE	REINSPECT	0	0	3.183
S-MA20019241	SEWERMAIN	CS	*UNKNOWN	300	50.91	ALEXANDER	REINSPECT	0	0	4.301
S-MA20019231	SEWERMAIN	CS	CONCRETE	600	57.37	ALEXANDER	REINSPECT	0	0	5.159
S-MA20019211	SEWERMAIN	CS	CONCRETE	375	53.04	ALEXANDER	REINSPECT	0	0	4.509
S-MA20019207	SEWERMAIN	CS	CONCRETE	600	48.91	BANNATYNE	REINSPECT	0	0	4.499
S-MA20019195	SEWERMAIN	CS	CONCRETE	300	25.04	BANNATYNE	REINSPECT	0	0	4.499
S-MA20018928	SEWERMAIN	CS	CLAY	300	107.31	ALEXANDER	REINSPECT	0	0	5.185
S-MA20017913	SEWERMAIN	CS	*UNKNOWN	300	0.91	BANNATYNE	REINSPECT	0	0	2.462
S-MA20017059	SEWERMAIN	CS	*UNKNOWN	300	60.97	BANNATYNE	REINSPECT	0	0	3.536
S-MA20017057	SEWERMAIN	CS	*UNKNOWN	300	54.26	BANNATYNE	REINSPECT	0	0	5.764
S-MA20016894	SEWERMAIN	CS	*UNKNOWN	300	77.74	BANNATYNE	REINSPECT	0	0	2.525
S-MA20018914	SEWERMAIN	CS	CLAY	375	75.39	ALEXANDER	REINSPECT	0	0	3.694
S-MA20018913	SEWERMAIN	CS	PVC	375	80.35	BANNATYNE	REINSPECT	0	0	3.58
S-MA20018912	SEWERMAIN	WWS	*UNKNOWN	200	17.92	ALEXANDER	REINSPECT	0	0	2.666
S-MA20018904	SEWERMAIN	CS	CLAY	300	100.51	BANNATYNE	REINSPECT	0	0	3.362
S-MA20018901	SEWERMAIN	CS	BRICK	1500	98.01	BANNATYNE	REINSPECT	0	0	5.87
S-MA20018894	SEWERMAIN	CS	CONCRETE	300	82.01	BANNATYNE	REINSPECT	0	0	4.532
S-MA20018879	SEWERMAIN	CS	CONCRETE	1100	64.02	BANNATYNE	REINSPECT	0	0	5.722
S-MA20018866	SEWERMAIN	CS	*UNKNOWN	375	61.28	BANNATYNE	REINSPECT	0	0	3.608
S-MA20018865	SEWERMAIN	CS	CONCRETE	1100	54.87	BANNATYNE	REINSPECT	0	0	6.169
S-MA20018806	SEWERMAIN	CS	CONCRETE	300	70.12	BANNATYNE	REINSPECT	0	0	4.75
S-MA20018805	SEWERMAIN	CS	CONCRETE	300	13.93	BANNATYNE	REINSPECT	0	0	5.1
S-MA20018791	SEWERMAIN	CS	PVC	300	61.58	BANNATYNE	REINSPECT	0	0	3.84
S-MA20018790	SEWERMAIN	CS	CLAY	300	76.21	BANNATYNE	REINSPECT	0	0	3.59
S-MA20018788	SEWERMAIN	CS	CONCRETE	300	80.15	BANNATYNE	REINSPECT	0	0	3.812
S-MA20018786	SEWERMAIN	CS	POLYBRIC	1350	80.96	BANNATYNE	REINSPECT	0	0	6.12
S-MA20017863	SEWERMAIN	CS	*UNKNOWN	375	60.57	AUBREY	REINSPECT	0	0	4.188
S-MA20016148	SEWERMAIN	CS	CONCRETE	300	58.95	BANNATYNE	REINSPECT	0	0	4.45
S-MA20016126	SEWERMAIN	CS	CLAY	300	32.50	BANNATYNE	REINSPECT	0	0	3.361
S-MA20016121	SEWERMAIN	CS	BRICK	1500	64.40	BANNATYNE	REINSPECT	0	0	5.99
S-MA20016114	SEWERMAIN	CS	CONCRETE	300	47.41	BANNATYNE	REINSPECT	0	0	3.313
S-MA20016379	SEWERMAIN	CS	*UNKNOWN	300	85.88	BANNATYNE	REINSPECT	0	0	2.831
S-MA20018782	SEWERMAIN	CS	*UNKNOWN	1000X1500	78.35	ALEXANDER	REINSPECT	0	0	6.239
S-MA20018781	SEWERMAIN	CS	*UNKNOWN	525	88.41	ALEXANDER	REINSPECT	0	0	4.989
S-MA20018778	SEWERMAIN	CS	*UNKNOWN	200	9.15	ALEXANDER	REINSPECT	0	0	4.005
S-MA20018777	SEWERMAIN	CS	*UNKNOWN	200	17.07	ALEXANDER	REINSPECT	0	0	3.278
S-MA20018773	SEWERMAIN	CS	*UNKNOWN	1000X1500	81.09	ALEXANDER	REINSPECT	0	0	5.669
S-MA20018769	SEWERMAIN	CS	*UNKNOWN	375	71.95	ALEXANDER	REINSPECT	0	0	5.116
S-MA20018768	SEWERMAIN	CS	*UNKNOWN	300	91.46	ALEXANDER	REINSPECT	0	0	5.509
S-MA20018753	SEWERMAIN	CS	*UNKNOWN	1000X1500	100.92	ALEXANDER	REINSPECT	0	0	5.597
S-MA20018752	SEWERMAIN	CS	PVC	300	12.35	ALEXANDER	REINSPECT	0	0	5.182
S-MA20018751	SEWERMAIN	CS	PVC	300	84.84	ALEXANDER	REINSPECT	0	0	4.5
S-MA20018747	SEWERMAIN	CS	*UNKNOWN	375	105.18	ALEXANDER	REINSPECT	0	0	5.313
S-MA20019108	SEWERMAIN	CS	*UNKNOWN	450	38.11	BANNATYNE	REINSPECT	0	0	4.177
S-MA20019098	SEWERMAIN	CS			47.86	BANNATYNE	REINSPECT	0	0	4.238
S-MA20019094	SEWERMAIN	CS	CLAY	375	83.47	ALEXANDER	REINSPECT	0	0	3.484
S-MA20019091	SEWERMAIN	CS	CLAY	300	80.57	ALEXANDER	REINSPECT	0	0	3.617
S-MA20019090	SEWERMAIN	CS	POLYCLAY	350	64.02	ALEXANDER	REINSPECT	0	0	3.998
S-MA20016108	SEWERMAIN	CS	WOOD	750	20.72	BANNATYNE	REINSPECT	0	0	4.71
S-MA20015902	SEWERMAIN	CS	POLYESTE	725	70.78	BANNATYNE	REINSPECT	0	0	5.07
S-MA20015899	SEWERMAIN	CS	POLYESTE	725	12.15	BANNATYNE	REINSPECT	0	0	5.19
S-MA20015897	SEWERMAIN	CS	CLAY	300	17.65	BANNATYNE	REINSPECT	0	0	2.599
S-MA20015885	SEWERMAIN	CS	POLYCLAY	300	70.38	BANNATYNE	REINSPECT	0	0	3.796
S-MA20015874	SEWERMAIN	CS	CONCRETE	600	51.54	BANNATYNE	REINSPECT	0	0	4.36
S-MA20015873	SEWERMAIN	CS	CONCRETE	600	51.83	BANNATYNE	REINSPECT	0	0	4.36
S-MA20015871	SEWERMAIN	CS	POLYCONC	375	43.24	BANNATYNE	REINSPECT	0	0	4.49
S-MA20015857	SEWERMAIN	CS	CONCRETE	300	60.97	BANNATYNE	REINSPECT	0	0	3.701
S-MA20019081	SEWERMAIN	CS	CLAY	600	58.85	ALEXANDER	REINSPECT	0	0	5.051
S-MA20019080	SEWERMAIN	CS	POLYCLAY	588	64.11	ALEXANDER	REINSPECT	0	0	5.143
S-MA20019066	SEWERMAIN	CS	POLYCLAY	375	64.93	BANNATYNE	REINSPECT	0	0	3.958
S-MA20019062	SEWERMAIN	CS	POLY	375	54.42	BANNATYNE	REINSPECT	0	0	3.74
S-MA20019061	SEWERMAIN	CS	POLY	375	10.52	BANNATYNE	REINSPECT	0	0	3.74
S-MA20019053	SEWERMAIN	CS	CONCRETE	1050	89.48	BANNATYNE	REINSPECT	0	0	5.566
S-MA20019052	SEWERMAIN	CS	POLYCONC	450	60.39	BANNATYNE	REINSPECT	0	0	4.542
S-MA20019047	SEWERMAIN	CS	CONCRETE	1100	13.31	BANNATYNE	REINSPECT	0	0	5.746
S-MA20019046	SEWERMAIN	CS	CONCRETE	1100	1.55	BANNATYNE	REINSPECT	0	0	5.7
S-MA20018738	SEWERMAIN	CS	CLAY	375	78.97	ALEXANDER	REINSPECT	0	0	3.221
S-MA20018727	SEWERMAIN	CS	CLAY	375	77.95	ALEXANDER	REINSPECT	0	0	3.771
S-MA20018717	SEWERMAIN	CS	*UNKNOWN	600	32.01	ALEXANDER	REINSPECT	0	0	4.324
S-MA20017054	SEWERMAIN	CS	BRICK	1500	96.66	BANNATYNE	REINSPECT	0	0	6.339

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20017051	SEWERMAIN	CS	POLYCONC	300	81.01	BANNATYNE	REINSPECT	0	0	4.699
S-MA20017048	SEWERMAIN	CS	PVC	300	69.72	BANNATYNE	REINSPECT	0	0	4.98
S-MA20018692	SEWERMAIN	CS	*UNKNOWN	450	81.40	ALEXANDER	REINSPECT	0	0	4.724
S-MA20018688	SEWERMAIN	CS	*UNKNOWN	300	62.19	BANNATYNE	REINSPECT	0	0	3.422
S-MA20018687	SEWERMAIN	CS	*UNKNOWN	375	81.40	ALEXANDER	REINSPECT	0	0	3.331
S-MA20018686	SEWERMAIN	CS	CLAY	450	84.14	ALEXANDER	REINSPECT	0	0	3.416
S-MA20018677	SEWERMAIN	CS	*UNKNOWN	375	61.89	BANNATYNE	REINSPECT	0	0	4.078
S-MA20018669	SEWERMAIN	CS	*UNKNOWN	375	59.75	BANNATYNE	REINSPECT	0	0	4.914
S-MA20018642	SEWERMAIN	CS	*UNKNOWN	300	108.83	BANNATYNE	REINSPECT	0	0	6.023
S-MA20018663	SEWERMAIN	CS	*UNKNOWN	300	61.28	BANNATYNE	REINSPECT	0	0	4.073
S-MA20018612	SEWERMAIN	CS	BRICK	1000X1500	101.02	BANNATYNE	REINSPECT	0	0	6.024
S-MA20018597	SEWERMAIN	CS	BRICK	1200X1550	10.43	BANNATYNE	REINSPECT	0	226.803	5.908
S-MA20018592	SEWERMAIN	CS	BRICK	1000X1500	101.06	BANNATYNE	REINSPECT	0	0	5.908
S-MA20018587	SEWERMAIN	CS	POLYCLAY	300	121.06	BANNATYNE	REINSPECT	0	0	5.924
S-MA20018567	SEWERMAIN	CS	POLYCLAY	300	88.10	BANNATYNE	REINSPECT	0	0	5.544
S-MA20018562	SEWERMAIN	CS	POLYBRIC	1350	81.09	BANNATYNE	REINSPECT	0	0	5.99
S-MA20018553	SEWERMAIN	CS	CONCRETE	375	101.08	BANNATYNE	REINSPECT	0	0	4.69
S-MA20018552	SEWERMAIN	CS	*UNKNOWN	300	101.11	BANNATYNE	REINSPECT	0	0	5.594
S-MA20018543	SEWERMAIN	CS	CONCRETE	300	65.54	BANNATYNE	REINSPECT	0	0	3.612
S-MA20018535	SEWERMAIN	CS	*UNKNOWN	450	80.79	ALEXANDER	REINSPECT	0	0	4.04
S-MA20018534	SEWERMAIN	CS	*UNKNOWN	450	80.79	ALEXANDER	REINSPECT	0	0	3.919
S-MA20018533	SEWERMAIN	CS	*UNKNOWN	375	80.70	ALEXANDER	REINSPECT	0	0	3.699
S-MA20016345	SEWERMAIN	CS	CLAY	300	60.97	BANNATYNE	REINSPECT	0	0	3.024
S-MA20016342	SEWERMAIN	CS	*UNKNOWN	*UNKNOWN	73.92	BANNATYNE	REINSPECT	0	0	6.717
S-MA20016335	SEWERMAIN	CS	*UNKNOWN	1100	116.60	BANNATYNE	REINSPECT	0	0	6.717
S-MA20016323	SEWERMAIN	CS	CLAY	300	58.54	BANNATYNE	REINSPECT	0	0	3.205
S-MA20016321	SEWERMAIN	CS	BRICK	1500	91.49	BANNATYNE	REINSPECT	0	0	6.816
S-MA20016313	SEWERMAIN	CS	CLAY	450	57.01	BANNATYNE	REINSPECT	0	0	6.169
S-MA20016308	SEWERMAIN	CS	CONCRETE	900	98.93	BANNATYNE	REINSPECT	0	0	4.972
S-MA20018502	SEWERMAIN	CS	*UNKNOWN	375	100.95	BANNATYNE	REINSPECT	0	0	4.164
S-MA20018500	SEWERMAIN	CS	*UNKNOWN	300	87.80	BANNATYNE	REINSPECT	0	0	5.77
S-MA20018476	SEWERMAIN	CS	POLYCLAY	300	80.18	BANNATYNE	REINSPECT	0	0	4.5
S-MA20018470	SEWERMAIN	CS	*UNKNOWN	300	96.85	BANNATYNE	REINSPECT	0	0	4.041
S-MA20018460	SEWERMAIN	CS	*UNKNOWN	450	35.06	BANNATYNE	REINSPECT	0	0	4.612
S-MA20018459	SEWERMAIN	CS	POLYURET	576	86.31	BANNATYNE	REINSPECT	0	0	4.87
S-MA20016032	SEWERMAIN	CS	BRICK	1500	64.95	BANNATYNE	REINSPECT	0	0	6.309
S-MA20016299	SEWERMAIN	CS	*UNKNOWN	450	3.35	BANNATYNE	REINSPECT	0	226.123	4.538
S-MA20015833	SEWERMAIN	CS	CONCRETE	900	104.27	BANNATYNE	REINSPECT	0	0	4.41
S-MA20015831	SEWERMAIN	CS	*UNKNOWN	450	47.87	BANNATYNE	REINSPECT	0	0	3.987
S-MA20015827	SEWERMAIN	CS	*UNKNOWN	300	74.69	BANNATYNE	REINSPECT	0	0	3.724
S-MA20015805	SEWERMAIN	CS	POLYCLAY	300	84.52	BANNATYNE	REINSPECT	0	0	4.63
S-MA20015802	SEWERMAIN	CS	CLAY	375	72.29	BANNATYNE	REINSPECT	0	0	5.008
S-MA20015780	SEWERMAIN	CS	CLAY	300	67.07	BANNATYNE	REINSPECT	0	0	4.213
S-MA20018437	SEWERMAIN	CS	*UNKNOWN	375	61.75	BANNATYNE	REINSPECT	0	0	3.636
S-MA20018434	SEWERMAIN	CS	*UNKNOWN	375	77.74	ALEXANDER	REINSPECT	0	0	3.832
S-MA20018427	SEWERMAIN	CS	*UNKNOWN	450	93.59	BANNATYNE	REINSPECT	0	0	4.785
S-MA20018426	SEWERMAIN	CS	*UNKNOWN	450	82.92	ALEXANDER	REINSPECT	0	0	3.601
S-MA20018423	SEWERMAIN	CS	*UNKNOWN	600	94.51	BANNATYNE	REINSPECT	0	0	5.541
S-MA20018419	SEWERMAIN	CS	*UNKNOWN	375	9.09	ALEXANDER	REINSPECT	0	0	2.904
S-MA20018417	SEWERMAIN	CS	*UNKNOWN	375	58.33	ALEXANDER	REINSPECT	0	0	3.601
S-MA20018414	SEWERMAIN	CS	*UNKNOWN	450	101.82	BANNATYNE	REINSPECT	0	0	4.58
S-MA20018410	SEWERMAIN	CS	BRICK	1500	80.90	BANNATYNE	REINSPECT	0	227.189	5.515
S-MA20018383	SEWERMAIN	CS	*UNKNOWN	375	83.64	ALEXANDER	REINSPECT	0	0	3.377
S-MA20018371	SEWERMAIN	CS	*UNKNOWN	300	93.89	BANNATYNE	REINSPECT	0	0	3.18
S-MA20018365	SEWERMAIN	CS	*UNKNOWN	375	62.62	ALEXANDER	REINSPECT	0	0	3.441
S-MA20018359	SEWERMAIN	CS	*UNKNOWN	600	9.71	BANNATYNE	REINSPECT	0	0	5.298
S-MA20018351	SEWERMAIN	CS	*UNKNOWN	600	16.41	BANNATYNE	REINSPECT	0	0	5.298
S-MA20018338	SEWERMAIN	CS	*UNKNOWN	600	22.86	BANNATYNE	REINSPECT	0	0	4.334
S-MA20018301	SEWERMAIN	CS	*UNKNOWN	600	41.76	BANNATYNE	REINSPECT	0	0	4.83
S-MA20018297	SEWERMAIN	CS	*UNKNOWN	450	16.15	BANNATYNE	REINSPECT	0	0	3.307
S-MA20018295	SEWERMAIN	CS	*UNKNOWN	300	74.99	BANNATYNE	REINSPECT	0	0	3.057
S-MA20018294	SEWERMAIN	CS	*UNKNOWN	300	80.79	ALEXANDER	REINSPECT	0	0	3.201
S-MA20018293	SEWERMAIN	CS	POLYURET	573	84.53	BANNATYNE	REINSPECT	0	0	4.27
S-MA20018287	SEWERMAIN	CS	CONCRETE	300	97.71	BANNATYNE	REINSPECT	0	0	2.623
S-MA20018286	SEWERMAIN	CS	*UNKNOWN	300	51.81	BANNATYNE	REINSPECT	0	0	4.44
S-MA20018275	SEWERMAIN	CS	POLYESTE	600	91.84	BANNATYNE	REINSPECT	0	0	5.21
S-MA20018272	SEWERMAIN	CS	*UNKNOWN	300	68.97	BANNATYNE	REINSPECT	0	0	3.304
S-MA20017015	SEWERMAIN	CS	*UNKNOWN	300	60.97	BANNATYNE	REINSPECT	0	0	3.654
S-MA20017004	SEWERMAIN	CS	*UNKNOWN	375	80.48	BANNATYNE	REINSPECT	0	0	4.52
S-MA20017003	SEWERMAIN	CS	*UNKNOWN	450	11.63	BANNATYNE	REINSPECT	0	0	4.57
S-MA20016770	SEWERMAIN	CS	POLY	300	64.30	BANNATYNE	REINSPECT	0	0	3.87
S-MA20018237	SEWERMAIN	CS	*UNKNOWN	450	7.45	BANNATYNE	REINSPECT	0	0	3.88
S-MA20018228	SEWERMAIN	CS	*UNKNOWN	450	49.85	BANNATYNE	REINSPECT	0	0	3.744
S-MA20018227	SEWERMAIN	CS	*UNKNOWN	450	88.82	BANNATYNE	REINSPECT	0	0	4.976
S-MA20018225	SEWERMAIN	CS	*UNKNOWN	375	79.74	BANNATYNE	REINSPECT	0	0	3.744
S-MA20018212	SEWERMAIN	CS	*UNKNOWN	450	81.09	BANNATYNE	REINSPECT	0	0	3.649
S-MA20018204	SEWERMAIN	CS	POLYURET	573	31.13	BANNATYNE	REINSPECT	0	0	3.94

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20018203	SEWERMAIN	CS	*UNKNOWN	450	45.91	BANNATYNE	REINSPECT	0	0	3.83
S-MA20018184	SEWERMAIN	CS	*UNKNOWN	300	83.15	BANNATYNE	REINSPECT	0	0	3.371
S-MA20018176	SEWERMAIN	CS	CONCRETE	750	82.62	BANNATYNE	REINSPECT	0	0	4.428
S-MA20018175	SEWERMAIN	CS	CONCRETE	750	82.31	BANNATYNE	REINSPECT	0	0	4.382
S-MA20018166	SEWERMAIN	CS	CONCRETE	300	71.03	BANNATYNE	REINSPECT	0	0	0
S-MA20016030	SEWERMAIN	CS	CLAY	300	46.95	BANNATYNE	REINSPECT	0	0	4.06
S-MA20016298	SEWERMAIN	CS	CONCRETE	900	7.13	BANNATYNE	REINSPECT	0	226.123	3.64
S-MA20016297	SEWERMAIN	CS	BRICK	1500	83.97	BANNATYNE	REINSPECT	0	0	6.816
S-MA20016295	SEWERMAIN	WWS	PVC	250	36.13	BANNATYNE	REINSPECT	0	0	0
S-MA20016280	SEWERMAIN	CS	CONCRETE	375	9.75	BANNATYNE	REINSPECT	0	0	3.964
S-MA20016279	SEWERMAIN	CS	CONCRETE	300	9.45	BANNATYNE	REINSPECT	0	0	3.976
S-MA20016273	SEWERMAIN	CS	CONCRETE	750	13.27	BANNATYNE	REINSPECT	0	0	4.599
S-MA20016269	SEWERMAIN	CS	*UNKNOWN	450	120.99	BANNATYNE	REINSPECT	0	0	4.892
S-MA20018165	SEWERMAIN	CS	POLYCONC	750	120.88	BANNATYNE	REINSPECT	0	0	4.61
S-MA20018157	SEWERMAIN	CS	PVC	375	42.59	BANNATYNE	REINSPECT	0	0	2.253
S-MA20018156	SEWERMAIN	CS	PVC	375	112.58	BANNATYNE	REINSPECT	0	0	4.83
S-MA20018154	SEWERMAIN	CS	*UNKNOWN	300	60.67	BANNATYNE	REINSPECT	0	0	4.428
S-MA20018153	SEWERMAIN	CS	POLYCLAY	450	123.77	BANNATYNE	REINSPECT	0	0	4.21
S-MA20018150	SEWERMAIN	CS	*UNKNOWN	375	114.63	BANNATYNE	REINSPECT	0	0	4.167
S-MA20018140	SEWERMAIN	CS	*UNKNOWN	375	9.15	BANNATYNE	REINSPECT	0	0	3.812
S-MA20018121	SEWERMAIN	CS	CLAY	300	113.41	AUBREY	REINSPECT	0	0	4.409
S-MA20018117	SEWERMAIN	CS	*UNKNOWN	375	90.54	BANNATYNE	REINSPECT	0	0	3.41
S-MA20016021	SEWERMAIN	CS	CONCRETE	450	12.39	BANNATYNE	REINSPECT	0	0	0
S-MA20016020	SEWERMAIN	CS	*UNKNOWN	450	37.57	BANNATYNE	REINSPECT	0	0	3.859
S-MA20016017	SEWERMAIN	CS	*UNKNOWN	300	74.08	BANNATYNE	REINSPECT	0	0	4.06
S-MA20016013	SEWERMAIN	CS	BRICK	1500	64.55	BANNATYNE	REINSPECT	0	0	6.307
S-MA20016005	SEWERMAIN	CS	CLAY	375	14.02	BANNATYNE	REINSPECT	0	0	3.615
S-MA20015999	SEWERMAIN	CS	CLAY	300	46.95	BANNATYNE	REINSPECT	0	0	3.486
S-MA20015998	SEWERMAIN	CS	CLAY	300	32.62	BANNATYNE	REINSPECT	0	0	3.213
S-MA20015985	SEWERMAIN	CS	*UNKNOWN	300	61.28	BANNATYNE	REINSPECT	0	0	3.079
S-MA70024938	SEWERMAIN	CS	CONCRETE	750	68.59	BANNATYNE	REINSPECT	0	0	4.192
S-MA20016236	SEWERMAIN	CS	CLAY	300	49.13	BANNATYNE	REINSPECT	0	0	3.89
S-MA20016226	SEWERMAIN	CS	CSP	750	36.89	BANNATYNE	REINSPECT	0	0	4.821
S-MA20016225	SEWERMAIN	CS	CSP	750	17.38	BANNATYNE	REINSPECT	0	0	4.812
S-MA20018089	SEWERMAIN	CS	POLY	375	95.42	BANNATYNE	REINSPECT	0	0	3.937
S-MA20018056	SEWERMAIN	CS	*UNKNOWN	375	85.36	BANNATYNE	REINSPECT	0	0	3.901
S-MA20018051	SEWERMAIN	CS	POLYFELT	350	3.05	BANNATYNE	REINSPECT	0	0	3.194
S-MA20016981	SEWERMAIN	CS	CONCRETE	300	69.51	BANNATYNE	REINSPECT	0	0	2.867
S-MA20019183	SEWERMAIN	CS	*UNKNOWN	300	68.59	ALEXANDER	REINSPECT	0	0	4.456
S-MA20019178	SEWERMAIN	CS	CONCRETE	450	15.26	ALEXANDER	REINSPECT	0	0	4.58
S-MA20019176	SEWERMAIN	CS	CONCRETE	300	81.70	ALEXANDER	REINSPECT	0	0	4.338
S-MA20019169	SEWERMAIN	CS	CONCRETE	300	85.97	ALEXANDER	REINSPECT	0	0	4.706
S-MA20019163	SEWERMAIN	CS	CLAY	300	101.52	ALEXANDER	REINSPECT	0	0	3.924
S-MA20019161	SEWERMAIN	CS	CLAY	300	20.43	ALEXANDER	REINSPECT	0	0	4.415
S-MA20019159	SEWERMAIN	CS	BRICK	1350	99.68	ALEXANDER	REINSPECT	0	0	5.997
S-MA20019157	SEWERMAIN	CS	CLAY	300	53.96	ALEXANDER	REINSPECT	0	0	3.735
S-MA20019154	SEWERMAIN	CS	CLAY	300	66.15	ALEXANDER	REINSPECT	0	0	3.6
S-MA20019152	SEWERMAIN	CS	CONCRETE	375	6.93	ALEXANDER	REINSPECT	0	0	3.64
S-MA20016945	SEWERMAIN	CS	*UNKNOWN	300	60.44	BANNATYNE	REINSPECT	0	0	2.959
S-MA20019151	SEWERMAIN	CS	CONCRETE	375	67.31	ALEXANDER	REINSPECT	0	0	3.93
S-MA20019145	SEWERMAIN	CS	CLAY	375	56.04	ALEXANDER	REINSPECT	0	0	4.481
S-MA20019142	SEWERMAIN	CS	*UNKNOWN	300	80.60	ALEXANDER	REINSPECT	0	0	3.883
S-MA20019137	SEWERMAIN	CS	*UNKNOWN	300	35.58	BANNATYNE	REINSPECT	0	0	3.255
S-MA20019125	SEWERMAIN	CS	CONCRETE	900	88.02	BANNATYNE	REINSPECT	0	0	4.998
S-MA20019045	SEWERMAIN	CS	CONCRETE	1050	9.25	BANNATYNE	REINSPECT	0	0	5.648
S-MA20019041	SEWERMAIN	CS	CONCRETE	1100	126.51	BANNATYNE	REINSPECT	0	0	6.013
S-MA20019031	SEWERMAIN	CS	CLAY	375	64.63	ALEXANDER	REINSPECT	0	0	3.806
S-MA20019018	SEWERMAIN	CS	BRICK	1350	100.98	ALEXANDER	REINSPECT	0	0	5.982
S-MA20019012	SEWERMAIN	CS	CLAY	300	123.99	ALEXANDER	REINSPECT	0	0	4.222
S-MA20019010	SEWERMAIN	CS	BRICK	1500X1000	80.14	ALEXANDER	REINSPECT	0	0	5.852
S-MA70024608	SEWERMAIN	CS	PVC	450	56.44	ALEXANDER	REINSPECT	0	226.8	5.112
S-MA20016715	SEWERMAIN	CS	CLAY	300	94.81	BANNATYNE	REINSPECT	0	0	2.874
S-MA20013478	SEWERMAIN	CS	POLYCLAY	350	60.35	ALEXANDER	REINSPECT	0	0	4.5
S-MA20013477	SEWERMAIN	CS	*UNKNOWN	375	57.92	ALEXANDER	REINSPECT	0	0	4.399
S-MA20013476	SEWERMAIN	CS	POLYCLAY	350	60.06	ALEXANDER	REINSPECT	0	0	4.368
S-MA20013473	SEWERMAIN	CS	*UNKNOWN	300	23.17	ALEXANDER	REINSPECT	0	0	4.105
S-MA20015667	SEWERMAIN	CS	POLYCLAY	375	82.52	BANNATYNE	REINSPECT	0	0	4.66
S-MA20015624	SEWERMAIN	CS	CLAY	375	87.65	BANNATYNE	REINSPECT	0	0	4.31
S-MA20016689	SEWERMAIN	CS	*UNKNOWN	250	10.36	BANNATYNE	REINSPECT	0	0	3.607
S-MA20016224	SEWERMAIN	CS	*UNKNOWN	600X900	41.42	BANNATYNE	REINSPECT	0	0	4.75
S-MA20016215	SEWERMAIN	CS	BRICK	1500	85.93	BANNATYNE	REINSPECT	0	0	6.649
S-MA20013452	SEWERMAIN	CS	*UNKNOWN	300	44.33	ALEXANDER	REINSPECT	0	0	3.982
S-MA20013448	SEWERMAIN	CS	*UNKNOWN	300	69.51	ALEXANDER	REINSPECT	0	0	3.698
S-MA20013447	SEWERMAIN	CS	*UNKNOWN	300	68.59	ALEXANDER	REINSPECT	0	0	3.559
S-MA20013422	SEWERMAIN	CS	*UNKNOWN	300	50.61	ALEXANDER	REINSPECT	0	0	4.159
S-MA20013418	SEWERMAIN	CS	*UNKNOWN	300	74.99	ALEXANDER	REINSPECT	0	0	3.774
S-MA20013417	SEWERMAIN	CS	*UNKNOWN	300	72.43	ALEXANDER	REINSPECT	0	0	4.072

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20013408	SEWERMAIN	CS	CLAY	300	57.31	ALEXANDER	REINSPECT	0	0	3.187
S-MA20016191	SEWERMAIN	CS	POLYCLAY	600	71.03	BANNATYNE	REINSPECT	0	0	4.302
S-MA20016181	SEWERMAIN	WWS	CONCRETE	1200	5.42	BANNATYNE	REINSPECT	0	0	9.277
S-MA20016180	SECONDARY	WWS	CONCRETE	1200	31.10	BANNATYNE	REINSPECT	0	0	9.277
S-MA20016179	SEWERMAIN	WWS	CONCRETE	1950	124.61	BANNATYNE	REINSPECT	0	0	9.484
S-MA20016158	SEWERMAIN	CS	*UNKNOWN	250	42.07	BANNATYNE	REINSPECT	0	0	0
S-MA20016149	SEWERMAIN	CS	POLYCONC	500X750	31.30	BANNATYNE	REINSPECT	0	0	4.77
S-MA20015664	SEWERMAIN	CS	CLAY	300	50.71	BANNATYNE	REINSPECT	0	0	3.39
S-MA20015650	SEWERMAIN	CS	CLAY	300	15.69	BANNATYNE	REINSPECT	0	0	3.67
S-MA20015643	SEWERMAIN	CS	CLAY	375	12.50	BANNATYNE	REINSPECT	0	0	4.31
S-MA20013390	SEWERMAIN	CS	*UNKNOWN	300	108.22	ALEXANDER	REINSPECT	0	0	3.774
S-MA20013388	SEWERMAIN	CS	*UNKNOWN	300	70.12	ALEXANDER	REINSPECT	0	0	4.072
S-MA20013387	SEWERMAIN	CS	*UNKNOWN	300	54.96	ALEXANDER	REINSPECT	0	0	4.443
S-MA20013384	SEWERMAIN	CS	BRICK	600	60.82	ALEXANDER	REINSPECT	0	0	6.726
S-MA20013362	SEWERMAIN	CS	BRICK	1500	104.70	ALEXANDER	REINSPECT	0	0	6.817
S-MA20013354	SEWERMAIN	CS	*UNKNOWN	300	67.37	ALEXANDER	REINSPECT	0	0	3.842
S-MA20013347	SEWERMAIN	CS	CONCRETE	300	80.40	BANNATYNE	REINSPECT	0	0	3.045
S-MA20013344	SEWERMAIN	CS	CLAY	300	3.18	BANNATYNE	REINSPECT	0	0	4.795
S-MA20013343	SEWERMAIN	CS	CLAY	300	71.08	BANNATYNE	REINSPECT	0	0	4.789
S-MA20013315	SEWERMAIN	WWS	CONCRETE	375	121.85	BANNATYNE	REINSPECT	0	0	4.952
S-MA20013312	SEWERMAIN	WWS	CONCRETE	250	78.65	BANNATYNE	REINSPECT	0	0	5.052
S-MA20013292	SEWERMAIN	CS	CLAY	300	76.82	BANNATYNE	REINSPECT	0	0	2.901
S-MA20013264	SECONDARY	WWS	CONCRETE	450	93.90	BANNATYNE	REINSPECT	0	0	3.763
S-MA20013263	SECONDARY	WWS	CONCRETE	450	60.36	BANNATYNE	REINSPECT	0	0	3.59
S-MA20013258	SEWERMAIN	WWS	CONCRETE	250	84.20	BANNATYNE	REINSPECT	0	0	2.89
S-MA20013257	SEWERMAIN	WWS	CONCRETE	250	117.94	BANNATYNE	REINSPECT	0	0	2.89
S-MA20013506	SEWERMAIN	CS	*UNKNOWN	375	78.04	ALEXANDER	REINSPECT	0	0	4.073
S-MA20013247	SEWERMAIN	WWS	CONCRETE	250	119.61	BANNATYNE	REINSPECT	0	0	4.809
S-MA20013205	SEWERMAIN	WWS	CONCRETE	250	36.32	BANNATYNE	REINSPECT	0	0	3.503
S-MA20013188	SEWERMAIN	WWS	*UNKNOWN	1200	144.52	BANNATYNE	REINSPECT	0	0	9.568
S-MA20014266	SEWERMAIN	WWS	*UNKNOWN	1950	414.21	BANNATYNE	REINSPECT	0	0	9.548
S-MA20018927	SEWERMAIN	CS	CLAY	300	92.98	ALEXANDER	REINSPECT	0	0	3.849
S-MA20018478	SEWERMAIN	CS	POLYCLAY	375	80.48	BANNATYNE	REINSPECT	0	0	4.594
S-MA70021340	SEWERMAIN	CS	CLAY	375	100.60	BANNATYNE	REINSPECT	0	0	4.536
S-MA70037121	SEWERMAIN	CS	CONCRETE	1350	70.67	BANNATYNE	REINSPECT	0	0	5.57
S-MA70037081	SEWERMAIN	CS	CONCRETE	300	74.23	BANNATYNE	REINSPECT	0	228.35	3.241
S-MA20019395	SEWERMAIN	CS	*UNKNOWN	300	108.06	ALEXANDER	REINSPECT	0	227.666	4.191
S-MA70124785	SEWERMAIN	CS	PVC	375	10.67	ALEXANDER	REINSPECT	0	0	4.185
S-MA20019247	SEWERMAIN	CS	CONCRETE	375	4.62	ALEXANDER	REINSPECT	0	0	0
S-MA70124784	SEWERMAIN	CS	PVC	375	64.66	ALEXANDER	REINSPECT	0	0	4.185
S-MA70111590	SEWERMAIN	CS	PVC	300	8.72	BANNATYNE	REINSPECT	0	0	2.635
S-MA70114353	SEWERMAIN	CS	PVC	450	2.77	BANNATYNE	REINSPECT	0	227.97	4.068
S-MA20019356	SEWERMAIN	CS	PVC	300	27.14	ALEXANDER	REINSPECT	0	0	3.979
S-MA20013381	SEWERMAIN	CS	CLAY	250	34.89	BANNATYNE	REINSPECT	0	0	3.023
S-MA70026961	SEWERMAIN	WWS	CONCRETE	1950	262.24	BANNATYNE	REINSPECT	0	0	10.104
S-MA70096101	SEWERMAIN	CS	PVC	300	3.25	ALEXANDER	REINSPECT	0	0	4.103
S-MA20019345	SEWERMAIN	CS	*UNKNOWN	450	53.80	ALEXANDER	REINSPECT	0	0	4.464
S-MA70096120	SEWERMAIN	CS	PVC	450	1.94	ALEXANDER	REINSPECT	0	227.381	4.394
S-MA70096118	SEWERMAIN	CS	PVC	450	13.90	ALEXANDER	REINSPECT	0	227.381	4.367
S-MA70037083	SEWERMAIN	CS	PVC	150	2.33	BANNATYNE	REINSPECT	0	0	0
S-MA70096270	SEWERMAIN	CS	PVC	450	11.52	ALEXANDER	REINSPECT	0	0	3.93
S-MA70096269	SEWERMAIN	CS	PVC	300	2.10	ALEXANDER	REINSPECT	0	0	4.032
S-MA20019321	SEWERMAIN	CS	CLAY	300	79.03	ALEXANDER	REINSPECT	0	0	4.847
S-MA70096267	SEWERMAIN	CS	PVC	450	22.18	ALEXANDER	REINSPECT	0	0	4.03
S-MA70093694	BENCHING FLOW	CS	*UNKNOWN	*UNKNOWN	2.28	BANNATYNE	REINSPECT	0	0	0
S-MA70088025	SEWERMAIN	CS	PVC	150	1.18	ALEXANDER	REINSPECT	0	0	0
S-MA70088033	SEWERMAIN	CS	PVC	150	9.85	ALEXANDER	REINSPECT	0	0	4.582
S-MA70086318	SEWERMAIN	CS	PVC	300	4.88	BANNATYNE	REINSPECT	0	0	4.326
S-MA70086317	SEWERMAIN	CS	PVC	300	36.61	BANNATYNE	REINSPECT	0	0	4.324
S-MA70086297	SEWERMAIN	CS	PVC	300	1.80	BANNATYNE	REINSPECT	0	0	3.339
S-MA20016942	SEWERMAIN	CS	*UNKNOWN	375	76.60	BANNATYNE	REINSPECT	0	0	3.322
S-MA70086295	SEWERMAIN	CS	PVC	300	2.31	BANNATYNE	REINSPECT	0	0	3.233
S-MA70086287	SEWERMAIN	CS	PVC	375	1.04	BANNATYNE	REINSPECT	0	0	0
S-MA70086286	SEWERMAIN	CS	PVC	375	2.40	BANNATYNE	REINSPECT	0	0	3.513
S-MA70086276	SEWERMAIN	CS	PVC	375	79.30	BANNATYNE	REINSPECT	0	0	3.816
S-MA70086284	SEWERMAIN	CS	PVC	450	10.47	BANNATYNE	REINSPECT	0	0	3.981
S-MA70075520	SEWERMAIN	CS	PVC	300	3.97	ALEXANDER	REINSPECT	0	0	2.832
S-MA20019542	SEWERMAIN	CS	*UNKNOWN	300	100.26	ALEXANDER	REINSPECT	0	0	3.95
S-MA20019353	SEWERMAIN	CS	CLAY	300	39.12	ALEXANDER	REINSPECT	0	0	3.348
S-MA70068554	SEWERMAIN	WWS	PVC	300	21.87	BANNATYNE	REINSPECT	0	0	2.173
S-MA70062293	SEWERMAIN	CS	CONCRETE	600	5.14	BANNATYNE	REINSPECT	0	0	5.823
S-MA70062290	SEWERMAIN	CS	CONCRETE	1500	2.29	BANNATYNE	REINSPECT	0	225.7	6.195
S-MA70062289	SEWERMAIN	CS	CONCRETE	1500	8.45	BANNATYNE	REINSPECT	0	0	6.116
S-MA70062544	SEWERMAIN	CS	PVC	300	1.58	BANNATYNE	REINSPECT	0	0	3.409
S-MA70062543	SEWERMAIN	CS	PVC	375	2.75	BANNATYNE	REINSPECT	0	0	3.439
S-MA70062541	SEWERMAIN	CS	PVC	375	62.74	BANNATYNE	REINSPECT	0	0	3.432
S-MA20018119	SEWERMAIN	CS	*UNKNOWN	300	83.18	BANNATYNE	REINSPECT	0	0	4.409

2018 SEWER INSPECTIONS - REINSPECTION
 TOTAL - 51,680.83

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20018120	SEWERMAIN	CS	*UNKNOWN	375	99.18	BANNATYNE	REINSPECT		0	4.104
S-MA70062542	SEWERMAIN	CS	PVC	300	3.37	BANNATYNE	REINSPECT			3.391
S-MA70030667	SEWERMAIN	CS	*UNKNOWN	300	65.60	BANNATYNE	REINSPECT		229.344	2.859
S-MA70062216	SEWERMAIN	CS	PVC	300	3.22	BANNATYNE	REINSPECT		229.344	2.779
S-MA70023035	SEWERMAIN	CS	CLAY	300	61.01	BANNATYNE	REINSPECT			3.625
S-MA70062489	SEWERMAIN	CS	PVC	400	1.26	BANNATYNE	REINSPECT		229.086	3.424
S-MA20018189	SEWERMAIN	CS	PVC	300	52.83	BANNATYNE	REINSPECT			2.423
S-MA20019507	SEWERMAIN	CS	PVC	450	1.92	ALEXANDER	REINSPECT		229.3	3.047
S-MA20018628	SEWERMAIN	CS	*UNKNOWN	300	41.66	ALEXANDER	REINSPECT		0	3.654
S-MA70062609	SEWERMAIN	CS	PVC	375	69.28	ALEXANDER	REINSPECT		0	3.965
S-MA70066126	SEWERMAIN	CS	CLAY	450	69.26	ALEXANDER	REINSPECT		0	4.627
S-MA20018213	SEWERMAIN	CS	PVC	300	1.81	BANNATYNE	REINSPECT		0	0
S-MA70062587	SEWERMAIN	CS	PVC	300	3.55	ALEXANDER	REINSPECT		0	0
S-MA20018689	SEWERMAIN	CS	*UNKNOWN	300	59.96	BANNATYNE	REINSPECT		0	2.912
S-MA70022865	SEWERMAIN	CS	CLAY	375	2.72	AUBREY	REINSPECT			4.409
S-MA20019859	SEWERMAIN	CS	*UNKNOWN	675	2.20	ALEXANDER	REINSPECT		227.445	5.076
S-MA70062834	SEWERMAIN	CS	PVC	375	21.92	ALEXANDER	REINSPECT		227.475	4.444
S-MA70062837	SEWERMAIN	CS	PVC	300	2.47	ALEXANDER	REINSPECT			4.146
S-MA20019030	SEWERMAIN	CS	PVC	300	11.28	ALEXANDER	REINSPECT		0	0
S-MA70054239	SEWERMAIN	CS	PVC	300	31.30	BANNATYNE	REINSPECT		0	4.204
S-MA70051046	SEWERMAIN	CS	*UNKNOWN	300	8.87	BANNATYNE	REINSPECT			5.12
S-MA70051045	SEWERMAIN	CS	*UNKNOWN	300	16.50	BANNATYNE	REINSPECT			5.105
S-MA70050455	SEWERMAIN	WWS	*UNKNOWN	250	7.47	BANNATYNE	REINSPECT			0
S-MA70050454	SEWERMAIN	WWS	*UNKNOWN	250	76.88	BANNATYNE	REINSPECT			0
S-MA70050453	SEWERMAIN	WWS	*UNKNOWN	150	15.92	BANNATYNE	REINSPECT			0
S-MA70050592	SEWERMAIN	WWS	CONCRETE	450	71.13	BANNATYNE	REINSPECT		0	3.343
S-MA20018118	SEWERMAIN	CS	CLAY	300	64.37	BANNATYNE	REINSPECT		0	3.18
S-MA20018058	SEWERMAIN	CS	*UNKNOWN	300	60.36	AUBREY	REINSPECT			4.409
S-MA70025156	SEWERMAIN	CS	CLAY	450	63.63	ALEXANDER	REINSPECT		0	5.34
S-MA70095943	SEWERMAIN	CS	PVC	250	2.25	BANNATYNE	REINSPECT		228.527	3.192
S-MA70032627	SEWERMAIN	CS	PVC	375	23.28	BANNATYNE	REINSPECT		0	4.942
S-MA70030090	SEWERMAIN	CS	POLYCLAY	441	56.75	ALEXANDER	REINSPECT		0	4.315
S-MA70026632	SEWERMAIN	CS	CONCRETE	300	5.40	BANNATYNE	REINSPECT		0	4.429
S-MA70023332	SEWERMAIN	CS	POLYCLAY	300	30.02	BANNATYNE	REINSPECT		0	0
S-MA70026385	SEWERMAIN	CS	STAINLES	600	0.60	BANNATYNE	REINSPECT			0
S-MA70020577	SEWERMAIN	CS	PVC	300	80.20	BANNATYNE	REINSPECT		0	3.246
S-MA70021215	BENCHING FLOW	CS	CONCRETE		5.18	ALEXANDER	REINSPECT			0
S-MA70020189	SEWERMAIN	CS	CLAY	300	5.61	BANNATYNE	REINSPECT		0	0
S-MA70021229	BENCHING FLOW	CS	CONCRETE		1.62	ALEXANDER	REINSPECT			0
S-MA70021217	BENCHING FLOW	CS			29.96	ALEXANDER	REINSPECT			0
S-MA70016914	SEWERMAIN	CS	CONCRETE	600	6.62	ALEXANDER	REINSPECT			0
S-MA70013174	SEWERMAIN	CS	*UNKNOWN	*UNKNOWN	3.40	BANNATYNE	REINSPECT		0	0
S-MA70013298	SEWERMAIN	CS	CONCRETE	1200	23.66	BANNATYNE	REINSPECT			0
S-MA70011961	SEWERMAIN	CS	*UNKNOWN	300	21.34	BANNATYNE	REINSPECT		0	0
S-MA70008850	SEWERMAIN	CS	*UNKNOWN	250	16.43	ALEXANDER	REINSPECT		0	3.356
S-MA70001536	SEWERMAIN	CS		200	43.55	BANNATYNE	REINSPECT		0	0
S-MA70008823	SEWERMAIN	CS			1.23	ALEXANDER	REINSPECT		0	0
S-MA70000590	SEWERMAIN	CS	*UNKNOWN	450	20.42	BANNATYNE	REINSPECT			0
S-MA70000434	SEWERMAIN	WWS	*UNKNOWN	250	13.46	BANNATYNE	REINSPECT			0
S-MA70035706	SEWERMAIN	CS	*UNKNOWN	380	48.54	BANNATYNE	REINSPECT		225.63	4.373
S-MA70035704	SEWERMAIN	WWS	CONCRETE	450	5.44	BANNATYNE	REINSPECT			0
S-MA20019967	SEWERMAIN	WWS	CONCRETE	1950	438.39	BANNATYNE	REINSPECT		0	0
S-MA20019579	SEWERMAIN	CS	*UNKNOWN	300	40.40	ALEXANDER	REINSPECT		0	3.583
S-MA20019847	SEWERMAIN	CS	*UNKNOWN	375	62.10	ALEXANDER	REINSPECT		0	4.7
S-MA20020001	SEWERMAIN	CS	*UNKNOWN	375	84.82	BANNATYNE	REINSPECT		0	3.608
S-MA20019301	SEWERMAIN	CS	BRICK	1500	0.30	ALEXANDER	REINSPECT			0
S-MA20019300	SEWERMAIN	CS	BRICK	1500	13.34	ALEXANDER	REINSPECT		0	6.457
S-MA20019298	SEWERMAIN	CS	BRICK	1500	11.36	ALEXANDER	REINSPECT			0
S-MA20019249	SEWERMAIN	CS	CONCRETE	375	1.90	ALEXANDER	REINSPECT		0	3.94
S-MA20017058	SEWERMAIN	CS	PVC	300	31.53	BANNATYNE	REINSPECT		0	4.602
S-MA70026366	SEWERMAIN	CS	CLAY	300	69.39	BANNATYNE	REINSPECT		0	3.279
S-MA70069744	SEWERMAIN	CS	PVC	300	1.50	BANNATYNE	REINSPECT		228.788	3.042
S-MA20018466	SEWERMAIN	CS	*UNKNOWN	300	40.81	BANNATYNE	REINSPECT		0	4.612
S-MA70086273	SEWERMAIN	CS	PVC	300	1.94	BANNATYNE	REINSPECT		229.173	3.23
S-MA20018229	SEWERMAIN	CS	*UNKNOWN	300	23.17	BANNATYNE	REINSPECT		0	3.557
S-MA20018201	SEWERMAIN	CS	*UNKNOWN	375	121.12	BANNATYNE	REINSPECT		0	4.04
S-MA20018200	SEWERMAIN	CS	*UNKNOWN	300	81.09	BANNATYNE	REINSPECT		0	3.429
S-MA20016285	SEWERMAIN	WWS	CONCRETE	1950	36.47	BANNATYNE	REINSPECT		0	0
S-MA20019139	SEWERMAIN	CS	CONCRETE	375	1.85	ALEXANDER	REINSPECT		0	3.64
S-MA20016204	SECONDARY	WWS	CONCRETE	450	54.53	BANNATYNE	REINSPECT		0	4.955
S-MA20013453	SEWERMAIN	CS	*UNKNOWN	*UNKNOWN	22.65	ALEXANDER	REINSPECT		0	3.982
S-MA20016153	SEWERMAIN	WWS	CONCRETE	1950	208.70	BANNATYNE	REINSPECT			0
S-MA20019389	SEWERMAIN	CS	CONCRETE	300	7.20	ALEXANDER	REINSPECT		0	0

2018 SEWER INSPECTIONS - WASTEWATER SEWER INSPECTION
 TOTAL - 10,824.12

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA70110261	SEWERMAIN	WWS	PVC	250	88.53	AREA 15	WWS	0	0	4.49
S-MA70110260	SEWERMAIN	WWS	PVC	250	95.14	AREA 15	WWS	0	0	4.02
S-MA70110259	SEWERMAIN	WWS	PVC	250	79.57	AREA 15	WWS	0	0	3.48
S-MA70077373	SEWERMAIN	WWS	PVC	300	23.82	BOURNAIS	WWS	0	0	7.274
S-MA70077370	SEWERMAIN	WWS	PVC	300	9.48	BOURNAIS	WWS	0	0	7.177
S-MA70077369	SEWERMAIN	WWS	PVC	300	35.20	BOURNAIS	WWS	0	0	7.098
S-MA70077368	SEWERMAIN	WWS	PVC	300	107.33	BOURNAIS	WWS	0	0	6.69
S-MA70077367	SEWERMAIN	WWS	PVC	300	68.55	BOURNAIS	WWS	0	0	7.033
S-MA70077366	SEWERMAIN	WWS	PVC	250	53.76	BOURNAIS	WWS	0	0	4.333
S-MA70060547	SEWERMAIN	WWS	PVC	250	3.60	BOURNAIS	WWS	0	0	4.415
S-MA40011585	SEWERMAIN	WWS	CONCRETE	250	42.43	BOURNAIS	WWS	0	0	3.839
S-MA40011312	SEWERMAIN	WWS	PVC	250	66.46	BOURNAIS	WWS	0	0	3.48
S-MA70051212	SEWERMAIN	WWS	PVC	250	87.09	BOURNAIS	WWS	0	0	4.139
S-MA70060405	SEWERMAIN	WWS	PVC	250	52.59	BOURNAIS	WWS	0	0	3.77
S-MA40011540	SEWERMAIN	WWS	PVC	250	98.97	BOURNAIS	WWS	0	0	4.805
S-MA40011538	SEWERMAIN	WWS	CONCRETE	250	43.92	BOURNAIS	WWS	0	0	5.54
S-MA70051132	SEWERMAIN	WWS	PVC	250	92.02	BOURNAIS	WWS	0	0	4.89
S-MA70051130	SEWERMAIN	WWS	PVC	250	84.48	BOURNAIS	WWS	0	0	3.78
S-MA70050931	SEWERMAIN	WWS	PVC	250	76.59	BOURNAIS	WWS	0	0	0
S-MA70051125	SEWERMAIN	WWS	PVC	250	12.90	BOURNAIS	WWS	0	0	4.423
S-MA70050930	SEWERMAIN	WWS	PVC	250	68.40	BOURNAIS	WWS	0	0	0
S-MA70050929	SEWERMAIN	WWS	PVC	250	64.77	BOURNAIS	WWS	0	0	0
S-MA70050928	SEWERMAIN	WWS	PVC	250	92.41	BOURNAIS	WWS	0	0	3.211
S-MA40012157	SEWERMAIN	WWS	CONCRETE	375	115.82	BOURNAIS	WWS	0	0	3.392
S-MA70050925	SEWERMAIN	WWS	PVC	250	56.94	BOURNAIS	WWS	0	0	0
S-MA70050924	SEWERMAIN	WWS	PVC	250	93.01	BOURNAIS	WWS	0	0	0
S-MA70050923	SEWERMAIN	WWS	PVC	250	68.10	BOURNAIS	WWS	0	0	0
S-MA70032187	SEWERMAIN	WWS	CONCRETE	250	87.33	BOURNAIS	WWS	0	0	7.248
S-MA40011719	SEWERMAIN	WWS	CONCRETE	375	106.38	BOURNAIS	WWS	0	0	4.587
S-MA40012150	SEWERMAIN	WWS	CONCRETE	250	89.27	BOURNAIS	WWS	0	0	4.867
S-MA40012149	SEWERMAIN	WWS	CONCRETE	250	80.31	BOURNAIS	WWS	0	0	5.42
S-MA40012143	SEWERMAIN	WWS	CONCRETE	250	67.93	BOURNAIS	WWS	0	0	3.787
S-MA40012140	SEWERMAIN	WWS	CONCRETE	250	58.01	BOURNAIS	WWS	0	0	3.279
S-MA40011612	SEWERMAIN	WWS	CONCRETE	250	115.51	BOURNAIS	WWS	0	0	3.652
S-MA40011598	SEWERMAIN	WWS	CONCRETE	250	87.36	BOURNAIS	WWS	0	0	3.144
S-MA40011501	SEWERMAIN	WWS	PVC	250	126.87	BOURNAIS	WWS	0	0	4.39
S-MA40011500	SEWERMAIN	WWS	PVC	250	80.25	BOURNAIS	WWS	0	0	4.39
S-MA40011499	SEWERMAIN	WWS	PVC	250	32.05	BOURNAIS	WWS	0	0	4.54
S-MA40011491	SEWERMAIN	WWS	CONCRETE	250	72.02	BOURNAIS	WWS	0	0	3.86
S-MA40011485	SEWERMAIN	WWS	PVC	250	77.75	BOURNAIS	WWS	0	0	4.611
S-MA40011484	SEWERMAIN	WWS	CONCRETE	250	90.32	BOURNAIS	WWS	0	0	7.47
S-MA40011481	SEWERMAIN	WWS	CONCRETE	250	68.66	BOURNAIS	WWS	0	0	3.507
S-MA40011375	SEWERMAIN	WWS	CONCRETE	250	97.57	BOURNAIS	WWS	0	0	6.4
S-MA40011374	SEWERMAIN	WWS	CONCRETE	250	75.21	BOURNAIS	WWS	0	0	6.508
S-MA40011478	SEWERMAIN	WWS	PVC	250	43.56	BOURNAIS	WWS	0	0	4.52
S-MA40012224	SEWERMAIN	WWS	CONCRETE	250	56.01	BOURNAIS	WWS	0	0	3.808
S-MA40012220	SEWERMAIN	WWS	CONCRETE	250	102.02	BOURNAIS	WWS	0	0	4.202
S-MA40012212	SEWERMAIN	WWS	CONCRETE	375	3.20	BOURNAIS	WWS	0	0	3.575
S-MA40012211	SEWERMAIN	WWS	CONCRETE	375	18.30	BOURNAIS	WWS	0	0	2.971
S-MA40012210	SEWERMAIN	WWS	CONCRETE	250	3.46	BOURNAIS	WWS	0	0	3.544
S-MA40012206	SEWERMAIN	WWS	PVC	250	91.71	BOURNAIS	WWS	0	0	5.053
S-MA40012205	SEWERMAIN	WWS	CONCRETE	250	73.81	BOURNAIS	WWS	0	0	5.013
S-MA40012114	SEWERMAIN	WWS	CONCRETE	250	101.05	BOURNAIS	WWS	0	0	4.254
S-MA40012113	SEWERMAIN	WWS	CONCRETE	250	107.32	BOURNAIS	WWS	0	0	4.649
S-MA40012112	SEWERMAIN	WWS	CONCRETE	250	62.94	BOURNAIS	WWS	0	0	3.875
S-MA40012111	SEWERMAIN	WWS	CONCRETE	200	100.53	BOURNAIS	WWS	0	0	4.249
S-MA40012199	SEWERMAIN	WWS	CONCRETE	250	83.53	BOURNAIS	WWS	0	0	5.023
S-MA40011590	SEWERMAIN	WWS	CONCRETE	250	36.64	BOURNAIS	WWS	0	0	3.233
S-MA40011589	SEWERMAIN	WWS	CONCRETE	250	32.61	BOURNAIS	WWS	0	0	3.469
S-MA40011588	SEWERMAIN	WWS	CONCRETE	250	40.01	BOURNAIS	WWS	0	0	4.303
S-MA40011587	SEWERMAIN	WWS	CONCRETE	250	44.36	BOURNAIS	WWS	0	0	3.253
S-MA40011586	SEWERMAIN	WWS	CONCRETE	250	88.49	BOURNAIS	WWS	0	0	3.253
S-MA40011464	SEWERMAIN	WWS	CONCRETE	250	75.75	BOURNAIS	WWS	0	0	3.34
S-MA40011463	SEWERMAIN	WWS	CONCRETE	250	92.12	BOURNAIS	WWS	0	0	3.34
S-MA40011458	SEWERMAIN	WWS	CONCRETE	250	91.62	BOURNAIS	WWS	0	0	7.726
S-MA40011457	SEWERMAIN	WWS	CONCRETE	250	75.71	BOURNAIS	WWS	0	0	8.118
S-MA40011454	SEWERMAIN	WWS	CONCRETE	250	78.83	BOURNAIS	WWS	0	0	6.744
S-MA40011453	SEWERMAIN	WWS	CONCRETE	250	31.50	BOURNAIS	WWS	0	0	3.166
S-MA40011452	SEWERMAIN	WWS	CONCRETE	250	80.21	BOURNAIS	WWS	0	0	4.16
S-MA40011451	SEWERMAIN	WWS	CONCRETE	250	86.01	BOURNAIS	WWS	0	0	4.09
S-MA40011450	SEWERMAIN	WWS	CONCRETE	300	68.85	BOURNAIS	WWS	0	0	7
S-MA40011442	SEWERMAIN	WWS	CONCRETE	300	77.61	BOURNAIS	WWS	0	0	6.65
S-MA40011441	SEWERMAIN	WWS	CONCRETE	250	98.49	BOURNAIS	WWS	0	0	4.154
S-MA40011568	SEWERMAIN	WWS	CONCRETE	250	62.72	BOURNAIS	WWS	0	0	3.594
S-MA40011567	SEWERMAIN	WWS	CONCRETE	250	61.71	BOURNAIS	WWS	0	0	3.584

2018 SEWER INSPECTIONS - WASTEWATER SEWER INSPECTION
 TOTAL - 10,824.12

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA40011566	SEWERMAIN	WWS	CONCRETE	250	94.43	BOURNAIS	WWS	0	0	4.207
S-MA40011565	SEWERMAIN	WWS	CONCRETE	250	97.79	BOURNAIS	WWS	0	0	3.638
S-MA40011334	SEWERMAIN	WWS	CONCRETE	250	95.77	BOURNAIS	WWS	0	0	6.053
S-MA40011333	SEWERMAIN	WWS	CONCRETE	250	87.24	BOURNAIS	WWS	0	0	5.495
S-MA40011330	SEWERMAIN	WWS	CONCRETE	250	81.95	BOURNAIS	WWS	0	0	3.485
S-MA40011329	SEWERMAIN	WWS			74.97	BOURNAIS	WWS	0	0	5.463
S-MA40011328	SEWERMAIN	WWS	CONCRETE	250	81.28	BOURNAIS	WWS	0	0	5.285
S-MA40011327	SEWERMAIN	WWS	CONCRETE	250	39.79	BOURNAIS	WWS	0	0	5.465
S-MA40011440	SEWERMAIN	WWS	CONCRETE	250	87.42	BOURNAIS	WWS	0	0	4.104
S-MA40011320	SEWERMAIN	WWS	CONCRETE	250	87.91	BOURNAIS	WWS	0	0	3.34
S-MA40012198	SEWERMAIN	WWS	CONCRETE	*UNKNOWN	40.14	BOURNAIS	WWS	0	0	5.023
S-MA40012182	SEWERMAIN	WWS	CONCRETE	250	66.19	BOURNAIS	WWS	0	0	4.879
S-MA40012176	SEWERMAIN	WWS	CONCRETE	300	59.31	BOURNAIS	WWS	0	0	6.595
S-MA40012175	SEWERMAIN	WWS	CONCRETE	250	73.61	BOURNAIS	WWS	0	0	5.393
S-MA40012174	SEWERMAIN	WWS	CONCRETE	250	79.75	BOURNAIS	WWS	0	0	5.604
S-MA40012173	SEWERMAIN	WWS	CONCRETE	300	79.69	BOURNAIS	WWS	0	0	5.616
S-MA40012172	SEWERMAIN	WWS	CONCRETE	250	108.09	BOURNAIS	WWS	0	0	5.598
S-MA40011562	SEWERMAIN	WWS	CONCRETE	250	93.99	BOURNAIS	WWS	0	0	3.638
S-MA40011557	SEWERMAIN	WWS	CONCRETE	250	25.37	BOURNAIS	WWS	0	0	2.894
S-MA40011552	SEWERMAIN	WWS	CONCRETE	250	63.94	BOURNAIS	WWS	0	0	4.004
S-MA40011551	SEWERMAIN	WWS	CONCRETE	250	88.11	BOURNAIS	WWS	0	0	3.377
S-MA40011550	SEWERMAIN	WWS	CONCRETE	250	86.80	BOURNAIS	WWS	0	0	3.66
S-MA40011549	SEWERMAIN	WWS	CONCRETE	250	88.83	BOURNAIS	WWS	0	0	3.864
S-MA40011548	SEWERMAIN	WWS	CONCRETE	250	34.01	BOURNAIS	WWS	0	0	3.728
S-MA40011438	SEWERMAIN	WWS	CONCRETE	300	104.57	BOURNAIS	WWS	0	0	7.977
S-MA40011437	SEWERMAIN	WWS	CONCRETE	300	90.28	BOURNAIS	WWS	0	0	7.499
S-MA40011414	SEWERMAIN	WWS	CONCRETE	250	76.44	BOURNAIS	WWS	0	0	6.053
S-MA40011319	SEWERMAIN	WWS	CONCRETE	250	77.81	BOURNAIS	WWS	0	0	5.903
S-MA40011318	SEWERMAIN	WWS	CONCRETE	250	96.05	BOURNAIS	WWS	0	0	3.485
S-MA40011317	SEWERMAIN	WWS	CONCRETE	250	113.02	BOURNAIS	WWS	0	0	3.775
S-MA40011316	SEWERMAIN	WWS	CONCRETE	250	83.75	BOURNAIS	WWS	0	0	5.04
S-MA40011315	SEWERMAIN	WWS	CONCRETE	250	80.29	BOURNAIS	WWS	0	0	4.93
S-MA40011314	SEWERMAIN	WWS	CONCRETE	250	100.30	BOURNAIS	WWS	0	0	4.391
S-MA40011313	SEWERMAIN	WWS	CONCRETE	250	106.97	BOURNAIS	WWS	0	0	3.41
S-MA40011406	SEWERMAIN	WWS	PVC	250	76.18	BOURNAIS	WWS	0	0	3.82
S-MA40011405	SEWERMAIN	WWS	PVC	250	75.44	BOURNAIS	WWS	0	0	5.24
S-MA40012170	SEWERMAIN	WWS	CONCRETE	250	70.09	BOURNAIS	WWS	0	0	4.519
S-MA40012166	SEWERMAIN	WWS	CONCRETE	250	72.85	BOURNAIS	WWS	0	0	5.094
S-MA40012165	SEWERMAIN	WWS	CONCRETE	250	63.53	BOURNAIS	WWS	0	0	4.355
S-MA40012164	SEWERMAIN	WWS	CONCRETE	250	24.11	BOURNAIS	WWS	0	0	3.476
S-MA40012163	SEWERMAIN	WWS	CONCRETE	250	73.70	BOURNAIS	WWS	0	0	3.574
S-MA40012158	SEWERMAIN	WWS	CONCRETE	375	115.82	BOURNAIS	WWS	0	0	4.587
S-MA40012152	SEWERMAIN	WWS	CONCRETE	250	93.23	BOURNAIS	WWS	0	0	3.978
S-MA40011537	SEWERMAIN	WWS	CONCRETE	250	60.22	BOURNAIS	WWS	0	0	4.064
S-MA40011536	SEWERMAIN	WWS	CONCRETE	250	88.04	BOURNAIS	WWS	0	0	8.221
S-MA40011532	SEWERMAIN	WWS	CONCRETE	250	29.00	BOURNAIS	WWS	0	0	3.728
S-MA40011524	SEWERMAIN	WWS	CONCRETE	250	56.71	BOURNAIS	WWS	0	0	3.77
S-MA40011517	SEWERMAIN	WWS	CONCRETE	250	89.97	BOURNAIS	WWS	0	0	3.86
S-MA40011290	SEWERMAIN	WWS	CONCRETE	250	80.01	BOURNAIS	WWS	0	0	4.17
S-MA40011289	SEWERMAIN	WWS	CONCRETE	250	84.00	BOURNAIS	WWS	0	0	4.146
S-MA40011656	SEWERMAIN	WWS	CONCRETE	300	9.70	BOURNAIS	WWS	0	0	7.041
S-MA40011655	SEWERMAIN	WWS	CONCRETE	250	62.98	BOURNAIS	WWS	0	0	5.113
S-MA40011403	SEWERMAIN	WWS	CONCRETE	250	62.41	BOURNAIS	WWS	0	0	5.24
S-MA40011402	SEWERMAIN	WWS	PVC	250	73.70	BOURNAIS	WWS	0	0	4.48
S-MA40011398	SEWERMAIN	WWS	CONCRETE	250	96.45	BOURNAIS	WWS	0	0	3.01
S-MA40011393	SEWERMAIN	WWS	CONCRETE	250	94.63	BOURNAIS	WWS	0	0	3.398
S-MA40011392	SEWERMAIN	WWS	CONCRETE	250	71.76	BOURNAIS	WWS	0	0	3.41
S-MA40011391	SEWERMAIN	WWS	CONCRETE	250	77.72	BOURNAIS	WWS	0	0	3.73
S-MA40011390	SEWERMAIN	WWS	CONCRETE	250	88.02	BOURNAIS	WWS	0	0	3.125
S-MA40011389	SEWERMAIN	WWS	CONCRETE	250	93.20	BOURNAIS	WWS	0	0	3.57
S-MA40011388	SEWERMAIN	WWS	CONCRETE	250	78.91	BOURNAIS	WWS	0	0	3.267
S-MA40011387	SEWERMAIN	WWS	CONCRETE	250	87.53	BOURNAIS	WWS	0	0	3.56
S-MA40011386	SEWERMAIN	WWS	CONCRETE	250	97.55	BOURNAIS	WWS	0	0	6.701
S-MA40012275	SEWERMAIN	WWS	CONCRETE	250	104.16	BOURNAIS	WWS	0	0	4.442
S-MA40012250	SEWERMAIN	WWS	CONCRETE	250	93.30	BOURNAIS	WWS	0	0	4.442
S-MA40012226	SEWERMAIN	WWS	CONCRETE	250	100.02	BOURNAIS	WWS	0	0	3.808
S-MA40012225	SEWERMAIN	WWS	CONCRETE	250	64.30	BOURNAIS	WWS	0	0	3.992
S-MA70087399	SEWERMAIN	WWS	PVC	375	3.80	BOURNAIS	WWS	0	0	4.732
S-MA70077387	SEWERMAIN	WWS	PVC	250	114.41	BOURNAIS	WWS	0	0	3.981
S-MA70077386	SEWERMAIN	WWS	PVC	250	76.29	BOURNAIS	WWS	0	0	3.79
S-MA70077374	SEWERMAIN	WWS	PVC	300	53.02	BOURNAIS	WWS	0	0	7.274
S-MA40012126	SEWERMAIN	WWS	CONCRETE	300	55.11	BOURNAIS	WWS	0	0	7.108
S-MA70060550	SEWERMAIN	WWS	PVC	250	1.04	BOURNAIS	WWS	0	0	4.295

2018 SEWER INSPECTIONS - LAND DRAINAGE SEWER INSPECTION
 TOTAL - 29,051.37

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20003803	SEWERMAIN	LDS	CONCRETE	300	108.23	PARKDALE	LDS	0	0	2.411
S-MA20004209	SEWERMAIN	LDS	CONCRETE	300	94.51	PARKDALE	LDS	0	0	2.554
S-MA20002948	SEWERMAIN	LDS	CONCRETE	1800	95.70	WESTWOOD	LDS	0	0	6.04
S-MA20003520	SEWERMAIN	LDS	CONCRETE	900	66.05	WESTWOOD	LDS	0	0	3.578
S-MA20003474	SEWERMAIN	LDS	CONCRETE	300	73.96	WESTWOOD	LDS	0	0	5.212
S-MA20004293	SEWERMAIN	LDS	CONCRETE	450	111.69	PARKDALE	LDS	0	0	3.099
S-MA70031417	SEWERMAIN	LDS	CONCRETE	300	48.21	WESTWOOD	LDS	0	0	2.948
S-MA70011058	SEWERMAIN	LDS	*UNKNOWN	450	102.89	WESTWOOD	LDS	0	0	3.218
S-MA70001848	SEWERMAIN	LDS	PVC	450	35.87	WESTWOOD	LDS	0	0	5
S-MA70001847	SEWERMAIN	LDS	PVC	375	76.69	WESTWOOD	LDS	0	0	3.35
S-MA70001846	SEWERMAIN	LDS	PVC	375	28.26	WESTWOOD	LDS	0	0	2.5
S-MA20004565	SEWERMAIN	LDS	CONCRETE	450	89.14	WESTWOOD	LDS	0	0	4.269
S-MA20004560	SEWERMAIN	LDS	CONCRETE	750	81.46	WESTWOOD	LDS	0	0	4.365
S-MA20004570	SEWERMAIN	LDS	CONCRETE	750	84.50	WESTWOOD	LDS	0	0	4.365
S-MA20004553	SEWERMAIN	LDS	CONCRETE	300	16.49	PARKDALE	LDS	0	0	2.283
S-MA20004552	SEWERMAIN	LDS	CONCRETE	300	9.35	PARKDALE	LDS	0	0	2.525
S-MA20004550	SEWERMAIN	LDS	CONCRETE	300	83.93	PARKDALE	LDS	0	0	2.64
S-MA20004993	SEWERMAIN	LDS	CONCRETE	750	63.10	PARKDALE	LDS	0	0	3.596
S-MA20004991	SEWERMAIN	LDS	CONCRETE	1800	74.46	WESTWOOD	LDS	0	0	8.128
S-MA20004699	SEWERMAIN	LDS	CONCRETE	300	47.92	PARKDALE	LDS	0	0	2.143
S-MA20004542	SEWERMAIN	LDS	CONCRETE	300	67.38	PARKDALE	LDS	0	0	2.196
S-MA20004539	SEWERMAIN	LDS	CONCRETE	525	74.20	WESTWOOD	LDS	0	0	4.846
S-MA20004680	SEWERMAIN	LDS	CONCRETE	600	97.20	PARKDALE	LDS	0	0	3.935
S-MA20004665	SEWERMAIN	LDS	CONCRETE	600	52.16	PARKDALE	LDS	0	0	3.106
S-MA20004664	SEWERMAIN	LDS	CONCRETE	600	25.70	PARKDALE	LDS	0	0	3.106
S-MA20004526	SEWERMAIN	LDS	CONCRETE	300	54.24	WESTWOOD	LDS	0	0	2.041
S-MA20004524	SEWERMAIN	LDS	CONCRETE	375	71.60	WESTWOOD	LDS	0	0	2.469
S-MA20004518	SEWERMAIN	LDS	CONCRETE	300	48.17	PARKDALE	LDS	0	0	1.878
S-MA20004655	SEWERMAIN	LDS	CONCRETE	600	76.43	PARKDALE	LDS	0	0	3.105
S-MA20004654	SEWERMAIN	LDS	CONCRETE	600	67.13	PARKDALE	LDS	0	0	3.444
S-MA20004786	SEWERMAIN	LDS	CONCRETE	450	76.45	PARKDALE	LDS	0	0	3.283
S-MA20004785	SEWERMAIN	LDS	CONCRETE	300	73.41	PARKDALE	LDS	0	0	2.926
S-MA20004784	SEWERMAIN	LDS	CONCRETE	200	63.13	PARKDALE	LDS	0	0	2.83
S-MA20004781	SEWERMAIN	LDS	CONCRETE	450	69.44	PARKDALE	LDS	0	0	3.085
S-MA20004517	SEWERMAIN	LDS	CONCRETE	300	66.37	PARKDALE	LDS	0	0	1.967
S-MA20004513	SEWERMAIN	LDS	CONCRETE	*UNKNOWN	55.45	WESTWOOD	LDS	0	0	3.323
S-MA20004510	SEWERMAIN	LDS	CONCRETE	300	92.32	PARKDALE	LDS	0	0	3.063
S-MA20004508	SEWERMAIN	LDS	CONCRETE	300	60.25	WESTWOOD	LDS	0	0	2.032
S-MA20004644	SEWERMAIN	LDS	CONCRETE	900	66.35	PARKDALE	LDS	0	0	3.81
S-MA20004632	SEWERMAIN	LDS	CONCRETE	300	38.84	PARKDALE	LDS	0	0	1.626
S-MA20004631	SEWERMAIN	LDS	CONCRETE	300	43.87	PARKDALE	LDS	0	0	2.445
S-MA20004629	SEWERMAIN	LDS	*UNKNOWN	300	72.86	PARKDALE	LDS	0	0	3.041
S-MA20004621	SEWERMAIN	LDS	*UNKNOWN	375	91.20	PARKDALE	LDS	0	0	4.396
S-MA20004620	SEWERMAIN	LDS	*UNKNOWN	375	37.94	PARKDALE	LDS	0	0	4.396
S-MA20004504	SEWERMAIN	LDS	CONCRETE	300	56.08	WESTWOOD	LDS	0	0	3.459
S-MA20004503	SEWERMAIN	LDS	CONCRETE	375	57.61	WESTWOOD	LDS	0	0	3.459
S-MA20004772	SEWERMAIN	LDS	CONCRETE	375	64.39	PARKDALE	LDS	0	0	2.945
S-MA20004771	SEWERMAIN	LDS	CONCRETE	375	67.33	PARKDALE	LDS	0	0	3.085
S-MA20004766	SEWERMAIN	LDS	CONCRETE	600	41.80	PARKDALE	LDS	0	0	2.895
S-MA20004757	SEWERMAIN	LDS	CONCRETE	600	50.72	PARKDALE	LDS	0	0	3.039
S-MA20004603	SEWERMAIN	LDS	CONCRETE	300	61.35	PARKDALE	LDS	0	0	2.196
S-MA20004754	SEWERMAIN	LDS	CONCRETE	525	93.99	PARKDALE	LDS	0	0	2.975
S-MA20004747	SEWERMAIN	LDS	CONCRETE	900	79.76	PARKDALE	LDS	0	0	3.74
S-MA20004744	SEWERMAIN	LDS	CONCRETE	600	76.16	PARKDALE	LDS	0	0	3.972
S-MA20004741	SEWERMAIN	LDS	CONCRETE	300	73.23	PARKDALE	LDS	0	0	1.706
S-MA20004733	SEWERMAIN	LDS	CONCRETE	600	97.92	PARKDALE	LDS	0	0	3.853
S-MA20004486	SEWERMAIN	LDS	CONCRETE	300	84.59	WESTWOOD	LDS	0	0	2.252
S-MA20004483	SEWERMAIN	LDS	CONCRETE	450	93.15	WESTWOOD	LDS	0	0	3.818
S-MA20004479	SEWERMAIN	LDS	CONCRETE	300	52.89	WESTWOOD	LDS	0	0	2.908
S-MA20004478	SEWERMAIN	LDS	CONCRETE	300	73.75	WESTWOOD	LDS	0	0	2.527
S-MA20004600	SEWERMAIN	LDS	CONCRETE	525	63.87	WESTWOOD	LDS	0	0	4.036
S-MA20004598	SEWERMAIN	LDS	CONCRETE	300	54.42	WESTWOOD	LDS	0	0	2.274
S-MA20004594	SEWERMAIN	LDS	CONCRETE	375	85.88	PARKDALE	LDS	0	0	2.765
S-MA20004593	SEWERMAIN	LDS	*UNKNOWN	600	37.67	WESTWOOD	LDS	0	0	3.337
S-MA20004592	SEWERMAIN	LDS	*UNKNOWN	600	53.27	WESTWOOD	LDS	0	0	3.337
S-MA20004591	SEWERMAIN	LDS	*UNKNOWN	300	39.02	WESTWOOD	LDS	0	0	2.697
S-MA20004586	SEWERMAIN	LDS	*UNKNOWN	525	81.94	WESTWOOD	LDS	0	0	2.92
S-MA20004585	SEWERMAIN	LDS	CONCRETE	375	39.84	WESTWOOD	LDS	0	0	2.92
S-MA20004474	SEWERMAIN	LDS	*UNKNOWN	600	76.63	WESTWOOD	LDS	0	0	3.883
S-MA20004467	SEWERMAIN	LDS	CONCRETE	300	39.92	WESTWOOD	LDS	0	0	2.543
S-MA20004459	SEWERMAIN	LDS	CONCRETE	1500	171.31	WESTWOOD	LDS	0	0	6.319
S-MA20004402	SEWERMAIN	LDS	CONCRETE	300	73.47	PARKDALE	LDS	0	0	2.179
S-MA20003813	SEWERMAIN	LDS	CONCRETE	1050	66.75	PARKDALE	LDS	0	0	5.066
S-MA20003796	SEWERMAIN	LDS	CONCRETE	375	42.27	PARKDALE	LDS	0	0	3.036
S-MA20003795	SEWERMAIN	LDS	CONCRETE	300	38.87	PARKDALE	LDS	0	0	2.106
S-MA20003794	SEWERMAIN	LDS	CONCRETE	300	56.34	PARKDALE	LDS	0	0	3.036
S-MA20003793	SEWERMAIN	LDS	CONCRETE	450	76.19	PARKDALE	LDS	0	0	4.476

2018 SEWER INSPECTIONS - LAND DRAINAGE SEWER INSPECTION
 TOTAL - 29,051.37

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20003788	SEWERMAIN	LDS	CONCRETE	900	56.37	PARKDALE	LDS	0	0	4.571
S-MA20003787	SEWERMAIN	LDS	*UNKNOWN	1050	16.96	PARKDALE	LDS	0	0	5.062
S-MA20003786	SEWERMAIN	LDS	*UNKNOWN	900	11.17	PARKDALE	LDS	0	0	4.85
S-MA20003785	SEWERMAIN	LDS	CONCRETE	300	113.71	PARKDALE	LDS	0	0	1.969
S-MA20003784	SEWERMAIN	LDS	CONCRETE	*UNKNOWN	5.05	PARKDALE	LDS	0	0	2.896
S-MA20003783	SEWERMAIN	LDS	CONCRETE	900	41.74	PARKDALE	LDS	0	0	4.484
S-MA20003780	SEWERMAIN	LDS	*UNKNOWN	300	91.89	PARKDALE	LDS	0	0	2.484
S-MA20002974	SEWERMAIN	LDS	CONCRETE	375	57.98	WESTWOOD	LDS	0	0	2.548
S-MA20002965	SEWERMAIN	LDS	CONCRETE	300	60.67	WESTWOOD	LDS	0	0	2.554
S-MA20002949	SEWERMAIN	LDS	CONCRETE	375	88.29	WESTWOOD	LDS	0	0	3.166
S-MA20002946	SEWERMAIN	LDS	CONCRETE	375	73.30	WESTWOOD	LDS	0	0	2.886
S-MA20002945	SEWERMAIN	LDS	CONCRETE	375	73.29	WESTWOOD	LDS	0	0	2.859
S-MA20004356	SEWERMAIN	LDS	CONCRETE	300	46.95	PARKDALE	LDS	0	0	3.873
S-MA20004349	SEWERMAIN	LDS	CONCRETE	300	67.35	PARKDALE	LDS	0	0	2.549
S-MA20004346	SEWERMAIN	LDS	CONCRETE	375	87.19	PARKDALE	LDS	0	0	2.622
S-MA20004343	SEWERMAIN	LDS	CONCRETE	300	66.91	PARKDALE	LDS	0	0	2.533
S-MA20004341	SEWERMAIN	LDS	CONCRETE	450	77.26	PARKDALE	LDS	0	0	2.652
S-MA20004339	SEWERMAIN	LDS	CONCRETE	300	66.92	PARKDALE	LDS	0	0	2.429
S-MA20004332	SEWERMAIN	LDS	CONCRETE	450	52.86	PARKDALE	LDS	0	0	2.317
S-MA20004331	SEWERMAIN	LDS	CONCRETE	375	90.62	PARKDALE	LDS	0	0	2.146
S-MA20004328	SEWERMAIN	LDS	CONCRETE	600	72.30	PARKDALE	LDS	0	0	2.767
S-MA20004327	SEWERMAIN	LDS	CONCRETE	450	80.30	PARKDALE	LDS	0	0	2.594
S-MA20003777	SEWERMAIN	LDS	CONCRETE	450	94.14	PARKDALE	LDS	0	0	3.036
S-MA20003768	SEWERMAIN	LDS	CONCRETE	375	57.92	PARKDALE	LDS	0	0	2.332
S-MA20003765	SEWERMAIN	LDS	CONCRETE	450	86.14	PARKDALE	LDS	0	0	2.434
S-MA20003762	SEWERMAIN	LDS	*UNKNOWN	525	73.69	PARKDALE	LDS	0	0	4.178
S-MA20003759	SEWERMAIN	LDS	*UNKNOWN	525	64.63	PARKDALE	LDS	0	0	4.178
S-MA20003741	SEWERMAIN	LDS	CONCRETE	375	92.07	PARKDALE	LDS	0	0	2.434
S-MA20003738	SEWERMAIN	LDS	CONCRETE	375	79.70	PARKDALE	LDS	0	0	2.127
S-MA20004730	SEWERMAIN	LDS	CONCRETE	450	107.01	PARKDALE	LDS	0	0	3.99
S-MA20004728	SEWERMAIN	LDS	CONCRETE	375	105.79	PARKDALE	LDS	0	0	3.507
S-MA20004723	SEWERMAIN	LDS	CONCRETE	600	95.94	PARKDALE	LDS	0	0	3.374
S-MA20004720	SEWERMAIN	LDS	CONCRETE	600	66.34	PARKDALE	LDS	0	0	3.686
S-MA20004719	SEWERMAIN	LDS	CONCRETE	600	55.55	PARKDALE	LDS	0	0	3.686
S-MA20004714	SEWERMAIN	LDS	CONCRETE	300	104.72	PARKDALE	LDS	0	0	2.198
S-MA20004713	SEWERMAIN	LDS	CONCRETE	450	45.43	PARKDALE	LDS	0	0	2.317
S-MA20004712	SEWERMAIN	LDS	CONCRETE	450	36.30	PARKDALE	LDS	0	0	2.575
S-MA20004711	SEWERMAIN	LDS	CONCRETE	450	74.79	PARKDALE	LDS	0	0	3.042
S-MA20004706	SEWERMAIN	LDS	CONCRETE	525	73.55	PARKDALE	LDS	0	0	3.118
S-MA20002938	OUTFALL	LDS	CONCRETE	1800	55.78	WESTWOOD	LDS	0	0	5.954
S-MA20004274	SEWERMAIN	LDS	CONCRETE	450	76.00	PARKDALE	LDS	0	0	2.645
S-MA20004252	SEWERMAIN	LDS	CONCRETE	300	77.00	PARKDALE	LDS	0	0	2.829
S-MA20004250	SEWERMAIN	LDS	CONCRETE	300	95.61	PARKDALE	LDS	0	0	2.761
S-MA20004248	SEWERMAIN	LDS	CONCRETE	300	53.81	PARKDALE	LDS	0	0	2.396
S-MA20004245	SEWERMAIN	LDS	*UNKNOWN	375	77.15	PARKDALE	LDS	0	0	3.023
S-MA20004400	SEWERMAIN	LDS	CONCRETE	300	98.46	PARKDALE	LDS	0	0	2.21
S-MA20004399	SEWERMAIN	LDS	*UNKNOWN	300	57.02	PARKDALE	LDS	0	0	1.81
S-MA20003721	SEWERMAIN	LDS	CONCRETE	375	16.30	PARKDALE	LDS	0	0	3.41
S-MA20003720	SEWERMAIN	LDS	CONCRETE	375	79.74	PARKDALE	LDS	0	0	2.926
S-MA20003718	SEWERMAIN	LDS	CONCRETE	375	14.96	WESTWOOD	LDS	0	0	2.676
S-MA20003715	SEWERMAIN	LDS	*UNKNOWN	300	58.57	PARKDALE	LDS	0	0	3.149
S-MA20003712	SEWERMAIN	LDS	*UNKNOWN	300	22.41	PARKDALE	LDS	0	0	2.731
S-MA20003683	SEWERMAIN	LDS	CONCRETE	300	81.84	PARKDALE	LDS	0	0	2.838
S-MA20004381	SEWERMAIN	LDS	CONCRETE	450	111.24	PARKDALE	LDS	0	0	2.234
S-MA20004237	SEWERMAIN	LDS	CONCRETE	450	82.41	WESTWOOD	LDS	0	0	2.615
S-MA20003681	SEWERMAIN	LDS	CONCRETE	375	81.58	WESTWOOD	LDS	0	0	2.417
S-MA20003676	SEWERMAIN	LDS	CONCRETE	300	81.73	PARKDALE	LDS	0	0	2.838
S-MA20003316	SEWERMAIN	LDS	CONCRETE	750	89.07	WESTWOOD	LDS	0	0	4.42
S-MA20003314	SEWERMAIN	LDS	CONCRETE	375	59.05	WESTWOOD	LDS	0	0	2.823
S-MA20003311	SEWERMAIN	LDS	CONCRETE	300	88.41	WESTWOOD	LDS	0	0	2.622
S-MA20003306	SEWERMAIN	LDS	CONCRETE	300	92.54	WESTWOOD	LDS	0	0	2.565
S-MA20003295	SEWERMAIN	LDS	CONCRETE	300	92.92	WESTWOOD	LDS	0	0	1.896
S-MA20003293	SEWERMAIN	LDS	CONCRETE	450	80.70	WESTWOOD	LDS	0	0	2.454
S-MA20003285	SEWERMAIN	LDS	CONCRETE	375	106.46	WESTWOOD	LDS	0	0	3.734
S-MA20003282	SEWERMAIN	LDS	CONCRETE	200	112.50	WESTWOOD	LDS	0	0	3.758
S-MA20003194	SEWERMAIN	LDS	CONCRETE	300	71.40	WESTWOOD	LDS	0	0	3.193
S-MA20003189	SEWERMAIN	LDS	CONCRETE	600	72.56	WESTWOOD	LDS	0	0	4.081
S-MA20003185	SEWERMAIN	LDS	CONCRETE	375	65.07	WESTWOOD	LDS	0	0	3.435
S-MA20003183	SEWERMAIN	LDS	CONCRETE	600	70.25	WESTWOOD	LDS	0	0	4.401
S-MA20003173	SEWERMAIN	LDS	CONCRETE	1800	130.87	WESTWOOD	LDS	0	0	6.13
S-MA20003169	SEWERMAIN	LDS	CONCRETE	300	55.00	WESTWOOD	LDS	0	0	2.131
S-MA20004223	SEWERMAIN	LDS	CONCRETE	450	76.57	WESTWOOD	LDS	0	0	2.911
S-MA20004208	SEWERMAIN	LDS	CONCRETE	300	86.37	WESTWOOD	LDS	0	0	2.335
S-MA20004197	SEWERMAIN	LDS	CONCRETE	375	91.41	WESTWOOD	LDS	0	0	1.92
S-MA20004196	SEWERMAIN	LDS	CONCRETE	375	59.20	WESTWOOD	LDS	0	0	1.989
S-MA20003647	SEWERMAIN	LDS	CONCRETE	450	102.47	WESTWOOD	LDS	0	0	4.035
S-MA20003632	SEWERMAIN	LDS	*UNKNOWN	300	35.73	PARKDALE	LDS	0	0	1.954

2018 SEWER INSPECTIONS - LAND DRAINAGE SEWER INSPECTION
 TOTAL - 29,051.37

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20003630	SEWERMAIN	LDS	CONCRETE	750	98.48	PARKDALE	LDS	0	0	4.209
S-MA20003073	SEWERMAIN	LDS	CONCRETE	750	98.72	WESTWOOD	LDS	0	0	4.106
S-MA20003070	SEWERMAIN	LDS	CONCRETE	750	93.27	WESTWOOD	LDS	0	0	4.995
S-MA20003066	SEWERMAIN	LDS	CONCRETE	300	63.19	WESTWOOD	LDS	0	0	2.59
S-MA20003058	SEWERMAIN	LDS	CONCRETE	300	72.04	WESTWOOD	LDS	0	0	2.859
S-MA20003056	SEWERMAIN	LDS	CONCRETE	300	56.65	WESTWOOD	LDS	0	0	3.262
S-MA20003052	SEWERMAIN	LDS	CONCRETE	300	33.51	WESTWOOD	LDS	0	0	3.709
S-MA20003051	SEWERMAIN	LDS	CONCRETE	300	57.93	WESTWOOD	LDS	0	0	3.7
S-MA20003049	SEWERMAIN	LDS	CONCRETE	300	44.51	WESTWOOD	LDS	0	0	3.131
S-MA20003048	SEWERMAIN	LDS	CONCRETE	300	32.65	WESTWOOD	LDS	0	0	4.27
S-MA20003043	SEWERMAIN	LDS	CONCRETE	1800	93.60	WESTWOOD	LDS	0	0	6.221
S-MA20003042	SEWERMAIN	LDS	*UNKNOWN	450	86.75	WESTWOOD	LDS	0	0	4.682
S-MA20003162	SEWERMAIN	LDS	CONCRETE	300	85.30	WESTWOOD	LDS	0	0	2.454
S-MA20002932	SEWERMAIN	LDS	CONCRETE	525	72.83	WESTWOOD	LDS	0	0	3.002
S-MA20002930	SEWERMAIN	LDS	CONCRETE	375	53.96	WESTWOOD	LDS	0	0	1.996
S-MA20002928	SEWERMAIN	LDS	CONCRETE	600	121.28	WESTWOOD	LDS	0	0	2.965
S-MA20002926	SEWERMAIN	LDS	CONCRETE	300	50.82	WESTWOOD	LDS	0	0	2.833
S-MA20002920	SEWERMAIN	LDS	CONCRETE	450	65.27	WESTWOOD	LDS	0	0	2.182
S-MA20002916	SEWERMAIN	LDS	CONCRETE	450	64.94	WESTWOOD	LDS	0	0	1.606
S-MA20002915	SEWERMAIN	LDS	CONCRETE	450	64.96	WESTWOOD	LDS	0	0	2.304
S-MA20002914	SEWERMAIN	LDS	CONCRETE	300	61.71	WESTWOOD	LDS	0	0	1.765
S-MA20002913	SEWERMAIN	LDS	CONCRETE	375	61.50	WESTWOOD	LDS	0	0	2.412
S-MA20002911	SEWERMAIN	LDS	CONCRETE	375	96.03	WESTWOOD	LDS	0	0	2.412
S-MA20004191	SEWERMAIN	LDS	CONCRETE	375	61.37	WESTWOOD	LDS	0	0	3.131
S-MA20004190	SEWERMAIN	LDS	CONCRETE	375	61.70	WESTWOOD	LDS	0	0	2.442
S-MA20004177	SEWERMAIN	LDS	CONCRETE	600	102.80	WESTWOOD	LDS	0	0	3.347
S-MA20004171	SEWERMAIN	LDS	CONCRETE	525	78.00	WESTWOOD	LDS	0	0	2.615
S-MA20004169	SEWERMAIN	LDS	CONCRETE	375	67.24	WESTWOOD	LDS	0	0	2.353
S-MA20003619	SEWERMAIN	LDS	CONCRETE	375	20.21	PARKDALE	LDS	0	0	3.734
S-MA20003618	SEWERMAIN	LDS	CONCRETE	600	90.71	PARKDALE	LDS	0	0	3.762
S-MA20003606	SEWERMAIN	LDS	*UNKNOWN	300	52.99	PARKDALE	LDS	0	0	2.252
S-MA20003605	SEWERMAIN	LDS	CONCRETE	375	62.14	PARKDALE	LDS	0	0	3.053
S-MA20003604	SEWERMAIN	LDS	CONCRETE	375	72.49	PARKDALE	LDS	0	0	2.654
S-MA20003603	SEWERMAIN	LDS	CONCRETE	375	73.39	PARKDALE	LDS	0	0	2.42
S-MA20003602	SEWERMAIN	LDS	CONCRETE	300	40.73	PARKDALE	LDS	0	0	2.252
S-MA20003597	SEWERMAIN	LDS	CONCRETE	375	64.08	WESTWOOD	LDS	0	0	3.524
S-MA20002811	SEWERMAIN	LDS	*UNKNOWN	900	52.44	WESTWOOD	LDS	0	0	6.66
S-MA20002805	SEWERMAIN	LDS	CONCRETE	1350	142.07	WESTWOOD	LDS	0	0	6.66
S-MA20002804	SEWERMAIN	LDS	CONCRETE	600	91.11	WESTWOOD	LDS	0	0	4.578
S-MA20002802	SEWERMAIN	LDS	CONCRETE	600	91.41	WESTWOOD	LDS	0	0	4.749
S-MA20004135	SEWERMAIN	LDS	CONCRETE	450	82.14	WESTWOOD	LDS	0	0	2.138
S-MA20004133	SEWERMAIN	LDS	CONCRETE	375	72.33	WESTWOOD	LDS	0	0	2.316
S-MA20004120	SEWERMAIN	LDS	CONCRETE	450	82.32	WESTWOOD	LDS	0	0	2.987
S-MA20003594	SEWERMAIN	LDS	CONCRETE	375	42.47	PARKDALE	LDS	0	0	2.576
S-MA20003592	SEWERMAIN	LDS	CONCRETE	375	86.80	PARKDALE	LDS	0	0	3.823
S-MA20003590	SEWERMAIN	LDS	CONCRETE	300	100.61	PARKDALE	LDS	0	0	2.194
S-MA20003585	SEWERMAIN	LDS	CONCRETE	300	97.86	WESTWOOD	LDS	0	0	2.2
S-MA20003583	SEWERMAIN	LDS	CONCRETE	375	72.18	WESTWOOD	LDS	0	0	3.974
S-MA20003581	SEWERMAIN	LDS	CONCRETE	250	62.46	WESTWOOD	LDS	0	0	2.748
S-MA20004113	SEWERMAIN	LDS	CONCRETE	*UNKNOWN	30.00	WESTWOOD	LDS	0	0	2.205
S-MA20004112	SEWERMAIN	LDS	CONCRETE	300	33.29	WESTWOOD	LDS	0	0	2.085
S-MA20004106	SEWERMAIN	LDS	CONCRETE	375	71.13	WESTWOOD	LDS	0	0	2.798
S-MA20004102	SEWERMAIN	LDS	CONCRETE	375	72.62	WESTWOOD	LDS	0	0	2.533
S-MA20004097	SEWERMAIN	LDS	CONCRETE	450	78.47	WESTWOOD	LDS	0	0	3.091
S-MA20004093	SEWERMAIN	LDS	CONCRETE	*UNKNOWN	13.43	WESTWOOD	LDS	0	0	2.987
S-MA20004090	SEWERMAIN	LDS	CONCRETE	450	85.20	WESTWOOD	LDS	0	0	3.404
S-MA20004082	SEWERMAIN	LDS	CONCRETE	375	80.62	WESTWOOD	LDS	0	0	2.618
S-MA20003565	SEWERMAIN	LDS	*UNKNOWN	300	36.71	WESTWOOD	LDS	0	0	3.009
S-MA20003558	SEWERMAIN	LDS	CONCRETE	300	24.79	WESTWOOD	LDS	0	0	2.499
S-MA20003557	SEWERMAIN	LDS	CONCRETE	300	45.97	WESTWOOD	LDS	0	0	2.36
S-MA20003554	SEWERMAIN	LDS	*UNKNOWN	750	7.24	WESTWOOD	LDS	0	0	4.115
S-MA20003553	SEWERMAIN	LDS	*UNKNOWN	300	39.42	WESTWOOD	LDS	0	0	2.707
S-MA20003551	SEWERMAIN	LDS	CONCRETE	375	82.16	WESTWOOD	LDS	0	0	2.765
S-MA20003548	SEWERMAIN	LDS	*UNKNOWN	750	15.26	WESTWOOD	LDS	0	0	4.405
S-MA20003547	SEWERMAIN	LDS	*UNKNOWN	750	60.93	WESTWOOD	LDS	0	0	4.361
S-MA20003546	SEWERMAIN	LDS	*UNKNOWN	375	37.41	WESTWOOD	LDS	0	0	3.28
S-MA20003544	SEWERMAIN	LDS	*UNKNOWN	300	38.55	WESTWOOD	LDS	0	0	2.651
S-MA20003543	SEWERMAIN	LDS	CONCRETE	375	46.49	WESTWOOD	LDS	0	0	3.282
S-MA20003542	SEWERMAIN	LDS	CONCRETE	375	69.81	WESTWOOD	LDS	0	0	4.276
S-MA20003541	SEWERMAIN	LDS	*UNKNOWN	750	85.10	WESTWOOD	LDS	0	0	4.694
S-MA20003540	SEWERMAIN	LDS	CONCRETE	900	66.07	WESTWOOD	LDS	0	0	5.477
S-MA20003539	SEWERMAIN	LDS	CONCRETE	525	30.50	WESTWOOD	LDS	0	0	4.694
S-MA20003538	SEWERMAIN	LDS	CONCRETE	*UNKNOWN	2.78	WESTWOOD	LDS	0	0	7.656
S-MA20003281	SEWERMAIN	LDS	CONCRETE	900	23.85	WESTWOOD	LDS	0	0	4.185
S-MA20003280	SEWERMAIN	LDS	CONCRETE	450	89.83	WESTWOOD	LDS	0	0	3.642
S-MA20003278	SEWERMAIN	LDS	CONCRETE	750	92.53	WESTWOOD	LDS	0	0	3.825
S-MA20003270	SEWERMAIN	LDS	CONCRETE	375	102.91	WESTWOOD	LDS	0	0	3.84

2018 SEWER INSPECTIONS - LAND DRAINAGE SEWER INSPECTION
 TOTAL - 29,051.37

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20003269	SEWERMAIN	LDS	CONCRETE	900	55.83	WESTWOOD	LDS	0	0	4.185
S-MA20003268	SEWERMAIN	LDS	CONCRETE	300	79.08	WESTWOOD	LDS	0	0	2.699
S-MA20003161	SEWERMAIN	LDS	CONCRETE	375	84.71	WESTWOOD	LDS	0	0	3.216
S-MA20003159	SEWERMAIN	LDS	CONCRETE	300	85.06	WESTWOOD	LDS	0	0	3.14
S-MA20003153	SEWERMAIN	LDS	CONCRETE	525	65.39	WESTWOOD	LDS	0	0	3.914
S-MA20003152	SEWERMAIN	LDS	CONCRETE	525	56.13	WESTWOOD	LDS	0	0	4.443
S-MA20003146	SEWERMAIN	LDS	CONCRETE	300	56.01	WESTWOOD	LDS	0	0	2.795
S-MA20003141	SEWERMAIN	LDS	CONCRETE	525	57.59	WESTWOOD	LDS	0	0	4.774
S-MA20003140	SEWERMAIN	LDS	CONCRETE	1800	43.90	WESTWOOD	LDS	0	0	6.196
S-MA20003138	SEWERMAIN	LDS	CONCRETE	300	86.56	WESTWOOD	LDS	0	0	2.762
S-MA20003136	SEWERMAIN	LDS	CONCRETE	450	33.51	WESTWOOD	LDS	0	0	3.042
S-MA20004080	SEWERMAIN	LDS	CONCRETE	450	80.21	WESTWOOD	LDS	0	0	3.602
S-MA20004077	SEWERMAIN	LDS	CONCRETE	450	83.87	WESTWOOD	LDS	0	0	2.892
S-MA20004069	SEWERMAIN	LDS	CONCRETE	750	92.86	WESTWOOD	LDS	0	0	3.72
S-MA20004065	SEWERMAIN	LDS	CONCRETE	600	82.89	WESTWOOD	LDS	0	0	3.347
S-MA20004059	SEWERMAIN	LDS	CONCRETE	450	87.50	WESTWOOD	LDS	0	0	3.109
S-MA20004058	SEWERMAIN	LDS	CONCRETE	375	82.89	WESTWOOD	LDS	0	0	2.259
S-MA20004054	SEWERMAIN	LDS	CONCRETE	200	97.26	WESTWOOD	LDS	0	0	2.667
S-MA20004046	SEWERMAIN	LDS	CONCRETE	300	92.75	WESTWOOD	LDS	0	0	3.45
S-MA20003532	SEWERMAIN	LDS	CONCRETE	1500	165.79	WESTWOOD	LDS	0	0	7.351
S-MA20003528	SEWERMAIN	LDS	*UNKNOWN	900	82.21	WESTWOOD	LDS	0		5.364
S-MA20003519	SEWERMAIN	LDS	*UNKNOWN	300	36.27	WESTWOOD	LDS	0	0	2.386
S-MA20003516	SEWERMAIN	LDS	*UNKNOWN	300	53.47	WESTWOOD	LDS	0	0	2.066
S-MA20003515	SEWERMAIN	LDS	*UNKNOWN	300	54.27	WESTWOOD	LDS	0	0	3.148
S-MA20003508	SEWERMAIN	LDS	CONCRETE	300	67.13	WESTWOOD	LDS	0	0	2.603
S-MA20003255	SEWERMAIN	LDS	CONCRETE	250	25.38	WESTWOOD	LDS	0		0
S-MA20003039	SEWERMAIN	LDS	CONCRETE	450	91.58	WESTWOOD	LDS	0	0	3.331
S-MA20003038	SEWERMAIN	LDS	CONCRETE	525	90.80	WESTWOOD	LDS	0	0	4.807
S-MA20003035	SEWERMAIN	LDS	CONCRETE	375	64.38	WESTWOOD	LDS	0	0	2.624
S-MA20003030	SEWERMAIN	LDS	CONCRETE	375	103.04	WESTWOOD	LDS	0	0	3.319
S-MA20003022	SEWERMAIN	LDS	CONCRETE	375	55.33	WESTWOOD	LDS	0	0	2.063
S-MA20003017	SEWERMAIN	LDS	CONCRETE	450	100.05	WESTWOOD	LDS	0	0	2.32
S-MA20003012	SEWERMAIN	LDS	CONCRETE	300	55.13	WESTWOOD	LDS	0	0	2.072
S-MA20002894	SEWERMAIN	LDS	CONCRETE	300	56.77	WESTWOOD	LDS	0	0	1.96
S-MA20002889	SEWERMAIN	LDS	CONCRETE	450	110.65	WESTWOOD	LDS	0	0	3.177
S-MA20002885	SEWERMAIN	LDS	CONCRETE	300	97.55	WESTWOOD	LDS	0	0	2.277
S-MA20002884	SEWERMAIN	LDS	CONCRETE	300	88.80	WESTWOOD	LDS	0	0	2.066
S-MA20002880	SEWERMAIN	LDS	CONCRETE	375	84.69	WESTWOOD	LDS	0	0	2.645
S-MA20004045	SEWERMAIN	LDS	CONCRETE	300	36.65	WESTWOOD	LDS	0	0	2.523
S-MA20004039	SEWERMAIN	LDS	CONCRETE	300	38.20	WESTWOOD	LDS	0	0	2.458
S-MA20004027	SEWERMAIN	LDS	CONCRETE	300	91.19	PARKDALE	LDS	0	0	1.75
S-MA20004017	SEWERMAIN	LDS	CONCRETE	300	82.53	WESTWOOD	LDS	0	0	2.237
S-MA20004016	SEWERMAIN	LDS	CONCRETE	300	74.65	WESTWOOD	LDS	0	0	1.932
S-MA20004013	SEWERMAIN	LDS	CONCRETE	300	45.43	WESTWOOD	LDS	0	0	2.106
S-MA20004012	SEWERMAIN	LDS	CONCRETE	300	36.58	WESTWOOD	LDS	0	0	2.134
S-MA20004009	SEWERMAIN	LDS	CONCRETE	300	43.61	WESTWOOD	LDS	0	0	2.134
S-MA20003493	SEWERMAIN	LDS	CONCRETE	300	78.24	WESTWOOD	LDS	0	0	2.787
S-MA20003491	SEWERMAIN	LDS	CONCRETE	300	11.07	WESTWOOD	LDS	0	0	2.359
S-MA20003489	SEWERMAIN	LDS	CONCRETE	300	74.14	WESTWOOD	LDS	0	0	5.6
S-MA20003482	SEWERMAIN	LDS	*UNKNOWN	900	101.32	WESTWOOD	LDS	0	0	5.6
S-MA20003481	SEWERMAIN	LDS	CONCRETE	300	88.65	WESTWOOD	LDS	0	0	3.718
S-MA20003478	SEWERMAIN	LDS	CONCRETE	300	88.93	WESTWOOD	LDS	0	0	2.92
S-MA20003471	SEWERMAIN	LDS	CONCRETE	750	70.55	WESTWOOD	LDS	0	0	5.706
S-MA20003010	SEWERMAIN	LDS	CONCRETE	300	17.89	WESTWOOD	LDS	0	0	2.543
S-MA20002797	SEWERMAIN	LDS	CONCRETE	450	98.44	WESTWOOD	LDS	0	0	5.056
S-MA20002796	SEWERMAIN	LDS	CONCRETE	450	88.03	WESTWOOD	LDS	0	0	4.864
S-MA20002795	SEWERMAIN	LDS	CONCRETE	300	23.02	WESTWOOD	LDS	0	0	4.288
S-MA20002794	SEWERMAIN	LDS	CONCRETE	300	75.45	WESTWOOD	LDS	0	0	4.077
S-MA20002791	SEWERMAIN	LDS	CONCRETE	300	58.97	WESTWOOD	LDS	0	0	4.505
S-MA20004003	SEWERMAIN	LDS	CONCRETE	375	39.28	PARKDALE	LDS	0	0	2.503
S-MA20004000	SEWERMAIN	LDS	CONCRETE	450	73.30	PARKDALE	LDS	0	0	2.579
S-MA20003995	SEWERMAIN	LDS	CONCRETE	300	61.02	PARKDALE	LDS	0	0	2.357
S-MA20003989	SEWERMAIN	LDS	CONCRETE	450	14.63	PARKDALE	LDS	0	0	3.206
S-MA20003988	SEWERMAIN	LDS	CONCRETE	600	62.85	PARKDALE	LDS	0	0	3.676
S-MA20003982	SEWERMAIN	LDS	CONCRETE	300	62.83	PARKDALE	LDS	0	0	2.176
S-MA20003981	SEWERMAIN	LDS	CONCRETE	450	73.38	PARKDALE	LDS	0	0	3.032
S-MA20003977	SEWERMAIN	LDS	CONCRETE	300	103.35	WESTWOOD	LDS	0	0	2.164
S-MA20003974	SEWERMAIN	LDS	CONCRETE	300	76.28	WESTWOOD	LDS	0	0	2.332
S-MA20003461	SEWERMAIN	LDS	CONCRETE	1800	121.03	WESTWOOD	LDS	0	0	8.599
S-MA20003460	SEWERMAIN	LDS	CONCRETE	1800	128.35	WESTWOOD	LDS	0	0	8.732
S-MA20003455	SEWERMAIN	LDS	CONCRETE	450	61.86	WESTWOOD	LDS	0	0	3.493
S-MA20003454	SEWERMAIN	LDS	CONCRETE	300	64.92	WESTWOOD	LDS	0	0	2.975
S-MA20003439	SEWERMAIN	LDS	CONCRETE	300	89.17	WESTWOOD	LDS	0	0	2.597
S-MA20003434	SEWERMAIN	LDS	CONCRETE	525	74.18	WESTWOOD	LDS	0	0	4.767
S-MA20003429	SEWERMAIN	LDS	CONCRETE	450	56.71	WESTWOOD	LDS	0	0	2.777
S-MA20003428	SEWERMAIN	LDS	CONCRETE	300	63.41	WESTWOOD	LDS	0	0	2.35
S-MA20003972	SEWERMAIN	LDS	CONCRETE	300	76.06	WESTWOOD	LDS	0	0	2.487

2018 SEWER INSPECTIONS - LAND DRAINAGE SEWER INSPECTION
 TOTAL - 29,051.37

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20003970	SEWERMAIN	LDS	CONCRETE	300	76.70	WESTWOOD	LDS	0	0	2.207
S-MA20003962	SEWERMAIN	LDS	CONCRETE	375	79.60	WESTWOOD	LDS	0	0	1.942
S-MA20003959	SEWERMAIN	LDS	CONCRETE	300	78.87	WESTWOOD	LDS	0	0	2.533
S-MA20003955	SEWERMAIN	LDS	CONCRETE	375	79.62	WESTWOOD	LDS	0	0	2.011
S-MA20003953	SEWERMAIN	LDS	CONCRETE	300	79.36	WESTWOOD	LDS	0	0	2.533
S-MA20003949	SEWERMAIN	LDS	CONCRETE	300	44.43	PARKDALE	LDS	0	0	2.612
S-MA20003946	SEWERMAIN	LDS	CONCRETE	300	70.88	PARKDALE	LDS	0	0	2.612
S-MA20003417	SEWERMAIN	LDS	CONCRETE	525	88.75	WESTWOOD	LDS	0	0	3.737
S-MA20003409	SEWERMAIN	LDS	CONCRETE	300	76.83	WESTWOOD	LDS	0	0	2.354
S-MA20003402	SEWERMAIN	LDS	CONCRETE	300	87.95	WESTWOOD	LDS	0	0	2.572
S-MA20003397	SEWERMAIN	LDS	CONCRETE	375	78.62	WESTWOOD	LDS	0	0	2.585
S-MA20003392	SEWERMAIN	LDS	CONCRETE	600	91.76	WESTWOOD	LDS	0	0	3.831
S-MA20003251	SEWERMAIN	LDS	CONCRETE	600	56.22	WESTWOOD	LDS	0	0	4.264
S-MA20003250	SEWERMAIN	LDS	CONCRETE	600	76.16	WESTWOOD	LDS	0	0	4.496
S-MA20003244	SEWERMAIN	LDS	CONCRETE	300	63.11	WESTWOOD	LDS	0	0	3.076
S-MA20003241	SEWERMAIN	LDS	CONCRETE	900	78.07	WESTWOOD	LDS	0	0	3.859
S-MA20003234	SEWERMAIN	LDS	CONCRETE	375	49.36	WESTWOOD	LDS	0	0	3.103
S-MA20003233	SEWERMAIN	LDS	CONCRETE	300	74.72	WESTWOOD	LDS	0	0	2.776
S-MA20003130	SEWERMAIN	LDS	CONCRETE	300	64.32	WESTWOOD	LDS	0	0	2.951
S-MA20003125	SEWERMAIN	LDS	CONCRETE	1800	38.29	WESTWOOD	LDS	0	0	6.202
S-MA20003120	SEWERMAIN	LDS	CONCRETE	450	98.59	WESTWOOD	LDS	0	0	3.67
S-MA20003119	SEWERMAIN	LDS	CONCRETE	450	60.30	WESTWOOD	LDS	0	0	3.896
S-MA20003116	SEWERMAIN	LDS	CONCRETE	375	90.46	WESTWOOD	LDS	0	0	2.68
S-MA20003115	SEWERMAIN	LDS	CONCRETE	450	71.11	WESTWOOD	LDS	0	0	4.447
S-MA20003113	SEWERMAIN	LDS	CONCRETE	1800	82.28	WESTWOOD	LDS	0	0	6.519
S-MA20003111	SEWERMAIN	LDS	CONCRETE	600	83.83	WESTWOOD	LDS	0	0	3.082
S-MA20003107	SEWERMAIN	LDS	CONCRETE	450	65.61	WESTWOOD	LDS	0	0	3.493
S-MA20003929	SEWERMAIN	LDS	CONCRETE	300	70.55	PARKDALE	LDS	0	0	2.612
S-MA20003922	SEWERMAIN	LDS	CONCRETE	450	70.82	PARKDALE	LDS	0	0	3.283
S-MA20003918	SEWERMAIN	LDS	CONCRETE	600	74.78	PARKDALE	LDS	0	0	3.972
S-MA20003914	SEWERMAIN	LDS	CONCRETE	375	86.36	WESTWOOD	LDS	0	0	2.432
S-MA20003905	SEWERMAIN	LDS	CONCRETE	300	37.36	WESTWOOD	LDS	0	0	2.21
S-MA20003903	SEWERMAIN	LDS	CONCRETE	300	88.23	WESTWOOD	LDS	0	0	2.828
S-MA20003005	SEWERMAIN	LDS	CONCRETE	375	91.15	WESTWOOD	LDS	0	0	2.559
S-MA20003000	SEWERMAIN	LDS	CONCRETE	375	93.28	WESTWOOD	LDS	0	0	2.559
S-MA20002995	SEWERMAIN	LDS	CONCRETE	300	68.40	WESTWOOD	LDS	0	0	2.865
S-MA20002983	SEWERMAIN	LDS	CONCRETE	300	69.23	WESTWOOD	LDS	0	0	3.502
S-MA20002982	SEWERMAIN	LDS	CONCRETE	250	19.82	WESTWOOD	LDS	0	0	5.542
S-MA20002979	SEWERMAIN	LDS	CONCRETE	300	68.69	WESTWOOD	LDS	0	0	4.045
S-MA20002978	SEWERMAIN	LDS	CONCRETE	1800	116.70	WESTWOOD	LDS	0	0	6.557
S-MA20002975	SEWERMAIN	LDS	CONCRETE	300	38.21	WESTWOOD	LDS	0	0	2.548
S-MA20003900	SEWERMAIN	LDS	CONCRETE	450	90.09	WESTWOOD	LDS	0	0	2.896
S-MA20003883	SEWERMAIN	LDS	CONCRETE	1200	36.18	PARKDALE	LDS	0	0	5.702
S-MA20003874	SEWERMAIN	LDS	CONCRETE	1350	90.50	PARKDALE	LDS	0	0	5.702
S-MA20002782	SEWERMAIN	LDS	CONCRETE	900	96.32	WESTWOOD	LDS	0	0	6.273
S-MA20002781	SEWERMAIN	LDS	CONCRETE	750	80.32	WESTWOOD	LDS	0	0	5.3
S-MA20003861	SEWERMAIN	LDS	CONCRETE	300	33.56	PARKDALE	LDS	0	0	2.904
S-MA20004325	SEWERMAIN	LDS	CONCRETE	450	94.14	PARKDALE	LDS	0	0	2.511
S-MA20004323	SEWERMAIN	LDS	CONCRETE	600	103.35	PARKDALE	LDS	0	0	2.551
S-MA20003849	SEWERMAIN	LDS	CONCRETE	375	55.18	PARKDALE	LDS	0	0	2.899
S-MA20003837	SEWERMAIN	LDS	CONCRETE	1350	106.50	PARKDALE	LDS	0	0	5.504
S-MA20003836	SEWERMAIN	LDS	CONCRETE	1050	50.41	PARKDALE	LDS	0	0	4.739
S-MA20003835	SEWERMAIN	LDS	*UNKNOWN	1050	91.67	PARKDALE	LDS	0	0	5.218
S-MA20003821	SEWERMAIN	LDS	CONCRETE	1050	46.17	PARKDALE	LDS	0	0	5.066
S-MA20003818	SEWERMAIN	LDS	*UNKNOWN	525	64.63	PARKDALE	LDS	0	0	4.556
S-MA20003226	SEWERMAIN	LDS	CONCRETE	375	43.79	WESTWOOD	LDS	0	0	3.24
S-MA20003221	SEWERMAIN	LDS	CONCRETE	375	66.33	WESTWOOD	LDS	0	0	3.502
S-MA20003218	SEWERMAIN	LDS	CONCRETE	*UNKNOWN	8.27	WESTWOOD	LDS	0	0	4.724
S-MA20003217	SEWERMAIN	LDS	CONCRETE	375	68.59	WESTWOOD	LDS	0	0	3.457
S-MA20003214	SEWERMAIN	LDS	CONCRETE	1650	83.14	WESTWOOD	LDS	0	0	5.901
S-MA20003213	SEWERMAIN	LDS	CONCRETE	900	94.63	WESTWOOD	LDS	0	0	4.176
S-MA20003208	SEWERMAIN	LDS	CONCRETE	450	76.16	WESTWOOD	LDS	0	0	3.222
S-MA20003203	SEWERMAIN	LDS	CONCRETE	600	72.62	WESTWOOD	LDS	0	0	4.08
S-MA20003198	SEWERMAIN	LDS	CONCRETE	450	85.42	WESTWOOD	LDS	0	0	3.262
S-MA20004322	SEWERMAIN	LDS	CONCRETE	450	51.86	PARKDALE	LDS	0	0	2.505
S-MA20004315	SEWERMAIN	LDS	CONCRETE	300	26.07	PARKDALE	LDS	0	0	2.902
S-MA20004314	SEWERMAIN	LDS	CONCRETE	300	53.05	PARKDALE	LDS	0	0	2.801
S-MA20004308	SEWERMAIN	LDS	*UNKNOWN	375	26.78	PARKDALE	LDS	0	0	3.094
S-MA20004306	SEWERMAIN	LDS	CONCRETE	300	96.13	PARKDALE	LDS	0	0	3.867
S-MA20003386	SEWERMAIN	LDS	CONCRETE	300	92.13	WESTWOOD	LDS	0	0	2.496
S-MA20003382	SEWERMAIN	LDS	CONCRETE	300	76.71	WESTWOOD	LDS	0	0	2.685
S-MA20003379	SEWERMAIN	LDS	CONCRETE	450	64.33	WESTWOOD	LDS	0	0	2.777
S-MA20003375	SEWERMAIN	LDS	CONCRETE	300	66.80	WESTWOOD	LDS	0	0	2.244
S-MA20003370	SEWERMAIN	LDS	CONCRETE	*UNKNOWN	8.96	WESTWOOD	LDS	0	0	2.493
S-MA20003369	SEWERMAIN	LDS	CONCRETE	375	85.03	WESTWOOD	LDS	0	0	2.493
S-MA20003366	SEWERMAIN	LDS	CONCRETE	525	104.48	WESTWOOD	LDS	0	0	2.478
S-MA20003364	SEWERMAIN	LDS	CONCRETE	300	54.00	WESTWOOD	LDS	0	0	2.241

2018 SEWER INSPECTIONS - LAND DRAINAGE SEWER INSPECTION
 TOTAL - 29,051.37

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20003359	SEWERMAIN	LDS	*UNKNOWN	375	72.94	WESTWOOD	LDS	0	0	2.493
S-MA20003357	SEWERMAIN	LDS	CONCRETE	600	69.72	WESTWOOD	LDS	0	0	4.413
S-MA20003355	SEWERMAIN	LDS	CONCRETE	750	122.76	WESTWOOD	LDS	0	0	4.877
S-MA20003354	SEWERMAIN	LDS	CONCRETE	750	58.53	WESTWOOD	LDS	0	0	3.596
S-MA20003351	SEWERMAIN	LDS	CONCRETE	750	61.38	WESTWOOD	LDS	0	0	3.037
S-MA20003344	SEWERMAIN	LDS	CONCRETE	375	88.72	WESTWOOD	LDS	0	0	2.823
S-MA20003343	SEWERMAIN	LDS	CONCRETE	375	91.46	WESTWOOD	LDS	0	0	3.66
S-MA20003341	SEWERMAIN	LDS	CONCRETE	300	60.97	WESTWOOD	LDS	0	0	2.375
S-MA20003339	SEWERMAIN	LDS	CONCRETE	600	96.26	WESTWOOD	LDS	0	0	4.413
S-MA20003332	SEWERMAIN	LDS	CONCRETE	750	60.27	WESTWOOD	LDS	0	0	4.877
S-MA20003329	SEWERMAIN	LDS	CONCRETE	750	52.20	WESTWOOD	LDS	0	0	3.981
S-MA20003328	SEWERMAIN	LDS	CONCRETE	750	32.10	WESTWOOD	LDS	0	0	3.868
S-MA20003324	SEWERMAIN	LDS	CONCRETE	1800	87.19	WESTWOOD	LDS	0	0	7.909
S-MA20003104	SEWERMAIN	LDS	CONCRETE	600	82.31	WESTWOOD	LDS	0	0	2.943
S-MA20003097	SEWERMAIN	LDS	CONCRETE	300	81.41	WESTWOOD	LDS	0	0	2.481
S-MA20003096	SEWERMAIN	LDS	CONCRETE	600	65.47	WESTWOOD	LDS	0	0	2.943
S-MA20003092	SEWERMAIN	LDS	CONCRETE	300	107.74	WESTWOOD	LDS	0	0	2.786
S-MA20003088	SEWERMAIN	LDS	CONCRETE	600	82.01	WESTWOOD	LDS	0	0	2.979
S-MA20001004	SEWERMAIN	LDS	CONCRETE	375	61.28	PARKDALE	LDS	0	0	2.561
S-MA20000987	SEWERMAIN	LDS	CONCRETE	200	86.73	PARKDALE	LDS	0	0	3.789
S-MA20003079	SEWERMAIN	LDS	CONCRETE	1800	53.28	WESTWOOD	LDS	0	0	6.519
S-MA20002822	SEWERMAIN	LDS	CONCRETE	900	121.73	WESTWOOD	LDS	0	0	6.4
S-MA20000031	SEWERMAIN	LDS	CONCRETE	450	27.54	PARKDALE	LDS	0	0	2.755
S-MA20000029	SEWERMAIN	LDS	CONCRETE	200	61.74	PARKDALE	LDS	0	0	4.396
S-MA70088778	SEWERMAIN	LDS	PVC	250	44.06	WESTWOOD	LDS			0
S-MA70088779	SEWERMAIN	LDS	PVC	250	28.46	WESTWOOD	LDS			0
S-MA20002937	OUTFALL	LDS	CONCRETE	1800	91.09	WESTWOOD	LDS			0
S-MA20020063	SEWERMAIN	LDS	CONCRETE	1350	4.16	PARKDALE	LDS		0	5.549
S-MA20004577	SEWERMAIN	LDS	*UNKNOWN	1350	6.04	WESTWOOD	LDS		0	0
S-MA20004992	SEWERMAIN	LDS	CONCRETE	1800	31.87	WESTWOOD	LDS		0	7.909
S-MA20004645	SEWERMAIN	LDS	CONCRETE	900	16.80	PARKDALE	LDS		0	3.715
S-MA20004994	SEWERMAIN	LDS	CONCRETE	750	18.99	PARKDALE	LDS		0	3.81
S-MA20004718	SEWERMAIN	LDS	*UNKNOWN	300	2.74	PARKDALE	LDS			0
S-MA20004717	SEWERMAIN	LDS	*UNKNOWN	375	49.57	PARKDALE	LDS		0	3.32
S-MA20004716	SEWERMAIN	LDS	*UNKNOWN	300	2.74	PARKDALE	LDS			0
S-MA20003521	SEWERMAIN	LDS	CONCRETE	*UNKNOWN	5.45	WESTWOOD	LDS			0
S-MA20003256	SEWERMAIN	LDS	CONCRETE	1500	80.80	WESTWOOD	LDS		0	5.736
S-MA20003487	SEWERMAIN	LDS	CONCRETE	1800	122.34	WESTWOOD	LDS		0	8.732
S-MA20003885	SEWERMAIN	LDS	*UNKNOWN	1200	76.45	PARKDALE	LDS		0	5.099

2018 SEWER INSPECTIONS - STORM RELIEF SEWER INSPECTION
 TOTAL - 10,259.00

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20013723	SEWERMAIN	SRS	*UNKNOWN	375	3.03	COLONY	SRS	228.675	0	4.175
S-MA20016408	SEWERMAIN	SRS	*UNKNOWN	375	7.35	COLONY	SRS	228.64	0	4.176
S-MA20014527	SEWERMAIN	SRS	*UNKNOWN	300	9.46	COLONY	SRS	227.675	0	5.839
S-MA70022985	OVERFLOW	SRS		450	8.43	COLONY	SRS	226.61		6.297
S-MA70021856	SEWERMAIN	SRS	CONCRETE	1350	119.57	COLONY	SRS	226.12	0	7.97
S-MA70023085	SEWERMAIN	SRS	PVC	375	15.02	COLONY	SRS	0	0	4.078
S-MA20016465	SEWERMAIN	SRS	*UNKNOWN	450	54.42	COLONY	SRS	0	0	4.559
S-MA70023653	SEWERMAIN	SRS	CONCRETE	300	45.23	COLONY	SRS	0	0	3.56
S-MA70036903	SEWERMAIN	SRS	CONCRETE	1500	27.88	COLONY	SRS	0		7.969
S-MA70023662	SEWERMAIN	SRS	*UNKNOWN	525	74.78	COLONY	SRS	0	0	4.306
S-MA70023661	SEWERMAIN	SRS	*UNKNOWN	525	14.30	COLONY	SRS	0	0	4.36
S-MA70023660	SEWERMAIN	SRS	CONCRETE	300	41.41	COLONY	SRS	0	0	4.02
S-MA70024209	OVERFLOW	SRS	*UNKNOWN	375	3.30	COLONY	SRS	0	0	0
S-MA70023650	OVERFLOW	SRS	CONCRETE	450	18.00	COLONY	SRS	0	0	4.783
S-MA70023864	OVERFLOW	SRS	*UNKNOWN	300	11.69	COLONY	SRS	0	0	5.12
S-MA70024802	SEWERMAIN	SRS	CONCRETE	2250	167.18	COLONY	SRS	0	0	9.188
S-MA70024320	SEWERMAIN	SRS	CONCRETE	525	62.40	COLONY	SRS	0		4.373
S-MA70024319	OVERFLOW	SRS		300	7.62	COLONY	SRS	0		2.489
S-MA70024287	SEWERMAIN	SRS	*UNKNOWN	300	56.58	COLONY	SRS	0		3.018
S-MA70023739	SEWERMAIN	SRS	CONCRETE	1250	45.99	COLONY	SRS	0		5.82
S-MA70023738	SEWERMAIN	SRS	CONCRETE	1250	84.64	COLONY	SRS	0	0	5.82
S-MA70023737	SEWERMAIN	SRS	CONCRETE	450	84.22	COLONY	SRS	0	0	5.13
S-MA70023718	SEWERMAIN	SRS	CONCRETE	375	63.34	COLONY	SRS	0	0	4.002
S-MA70023689	SEWERMAIN	SRS	CONCRETE	375	52.43	COLONY	SRS	0	0	4.21
S-MA70022794	SEWERMAIN	SRS	*UNKNOWN	750	102.13	COLONY	SRS	0		5.209
S-MA70023076	SEWERMAIN	SRS	CONCRETE	1350	81.97	COLONY	SRS	0		6.772
S-MA70023074	SEWERMAIN	SRS	*UNKNOWN	450	26.67	COLONY	SRS	0		4.185
S-MA70023073	OVERFLOW	SRS	AC	200	6.49	COLONY	SRS	0		2.4
S-MA70021853	SEWERMAIN	SRS	CONCRETE	1350	112.92	COLONY	SRS	0		7.97
S-MA70021551	OVERFLOW	SRS	*UNKNOWN	250	6.49	COLONY	SRS	0	0	4.003
S-MA70023265	SEWERMAIN	SRS	CONCRETE	1200	13.52	COLONY	SRS	0		6.332
S-MA70023262	OVERFLOW	SRS	*UNKNOWN	300	6.96	COLONY	SRS	0		3.32
S-MA70021545	SEWERMAIN	SRS	*UNKNOWN	600	76.43	COLONY	SRS	0		5.927
S-MA70021480	SEWERMAIN	SRS	*UNKNOWN	1250	61.83	COLONY	SRS	0	0	6.172
S-MA70021479	SEWERMAIN	SRS	*UNKNOWN	1250	28.79	COLONY	SRS	0	0	5.958
S-MA70021471	SEWERMAIN	SRS	CONCRETE	1350	94.10	COLONY	SRS	0	0	6.831
S-MA70022980	OVERFLOW	SRS		525	5.63	COLONY	SRS	0	0	0
S-MA70022975	OVERFLOW	SRS	*UNKNOWN	525	7.35	COLONY	SRS	0		5.96
S-MA70022973	SEWERMAIN	SRS	CONCRETE	1350	3.38	COLONY	SRS	0		6.841
S-MA70022970	OVERFLOW	SRS	CONCRETE	525	6.73	COLONY	SRS	0		4.794
S-MA70022965	OVERFLOW	SRS	CONCRETE	525	6.72	COLONY	SRS	0		4.293
S-MA70021318	SEWERMAIN	SRS	PVC	300	126.94	COLONY	SRS	0	0	4.91
S-MA70021298	SEWERMAIN	SRS	CONCRETE	1350	52.82	COLONY	SRS	0		6
S-MA70022942	SEWERMAIN	SRS	PVC	450	18.14	COLONY	SRS	0	0	3.77
S-MA70022933	SEWERMAIN	SRS	PVC	375	114.98	COLONY	SRS	0	0	3.77
S-MA70012273	SEWERMAIN	SRS		600	38.94	COLONY	SRS	0		5.163
S-MA70012269	SEWERMAIN	SRS	*UNKNOWN	450	17.42	COLONY	SRS	0		4.058
S-MA70012266	SEWERMAIN	SRS		600	21.18	COLONY	SRS	0		6.176
S-MA70001971	OVERFLOW	SRS	PVC	300	2.59	COLONY	SRS	0	0	2.64
S-MA70001701	SEWERMAIN	SRS	*UNKNOWN	450	1.37	COLONY	SRS	0		4.158
S-MA20016456	SEWERMAIN	SRS	CONCRETE	450	95.12	COLONY	SRS	0	0	5.273
S-MA20016445	OVERFLOW	SRS	*UNKNOWN	375	7.91	COLONY	SRS	0	0	4.004
S-MA20016444	SEWERMAIN	SRS	*UNKNOWN	525	97.04	COLONY	SRS	0	0	4.373
S-MA20016680	OVERFLOW	SRS	*UNKNOWN	300	6.83	COLONY	SRS	0		4.606
S-MA20016675	SEWERMAIN	SRS	*UNKNOWN	1650	69.54	COLONY	SRS	0		7.592
S-MA20016895	SEWERMAIN	SRS	*UNKNOWN	300	17.94	COLONY	SRS	0		2.769
S-MA20016883	SEWERMAIN	SRS	CONCRETE	1350	13.22	COLONY	SRS	0		6.791
S-MA20016882	SEWERMAIN	SRS	*UNKNOWN	525	16.70	COLONY	SRS	0		5.898
S-MA20016865	SEWERMAIN	SRS	*UNKNOWN	450	62.80	COLONY	SRS	0	0	5.018
S-MA20016864	SEWERMAIN	SRS	*UNKNOWN	600	64.02	COLONY	SRS	0		5.171
S-MA20016425	SEWERMAIN	SRS	*UNKNOWN	375	2.73	COLONY	SRS	0	0	4.183
S-MA20016423	SEWERMAIN	SRS	*UNKNOWN	450	81.49	COLONY	SRS	0		4.384
S-MA20016407	SEWERMAIN	SRS	*UNKNOWN	450	75.37	COLONY	SRS	0		4.649
S-MA20016406	SEWERMAIN	SRS	*UNKNOWN	450	78.17	COLONY	SRS	0	0	4.647
S-MA20016374	SEWERMAIN	SRS	CONCRETE	1350	13.73	COLONY	SRS	0		6.604
S-MA20017205	SEWERMAIN	SRS	*UNKNOWN	450	91.73	COLONY	SRS	0	0	4.185
S-MA20017190	SEWERMAIN	SRS	*UNKNOWN	375	95.13	COLONY	SRS	0		3.85
S-MA20017036	SEWERMAIN	SRS	*UNKNOWN	450	80.48	COLONY	SRS	0	0	4.316
S-MA20017035	SEWERMAIN	SRS	*UNKNOWN	450	83.23	COLONY	SRS	0	0	4.579
S-MA20017034	SEWERMAIN	SRS	*UNKNOWN	600	100.39	COLONY	SRS	0	0	4.384
S-MA20016858	SEWERMAIN	SRS	*UNKNOWN	600	72.95	COLONY	SRS	0	0	5.33
S-MA20016843	SEWERMAIN	SRS	*UNKNOWN	600	100.21	COLONY	SRS	0	0	5.049
S-MA20016840	SEWERMAIN	SRS	*UNKNOWN	600	83.90	COLONY	SRS	0	0	4.773
S-MA20016836	SEWERMAIN	SRS	CONCRETE	1350	82.88	COLONY	SRS	0		6.268
S-MA20016797	SEWERMAIN	SRS	*UNKNOWN	450	75.62	COLONY	SRS	0		5.096
S-MA20016582	SEWERMAIN	SRS	*UNKNOWN	450	3.07	COLONY	SRS	0	0	4.315
S-MA20016350	SEWERMAIN	SRS	*UNKNOWN	525	26.54	COLONY	SRS	0	0	5.166

2018 SEWER INSPECTIONS - STORM RELIEF SEWER INSPECTION
 TOTAL - 10,259.00

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20016349	SEWERMAIN	SRS	*UNKNOWN	525	102.98	COLONY	SRS	0	0	4.59
S-MA20017633	SEWERMAIN	SRS	CONCRETE	1675	48.29	COLONY	SRS	0		8.236
S-MA20017629	SEWERMAIN	SRS	*UNKNOWN	1200	1.29	COLONY	SRS	0		6.193
S-MA20017166	SEWERMAIN	SRS	CONCRETE	1245	6.40	CORNISH	SRS	0	0	5.583
S-MA20017165	OVERFLOW	SRS	*UNKNOWN	450	7.25	CORNISH	SRS	0	0	2.794
S-MA20016785	SEWERMAIN	SRS	*UNKNOWN	450	75.82	COLONY	SRS	0	0	5.096
S-MA20018244	SEWERMAIN	SRS	*UNKNOWN	525	60.21	COLONY	SRS	0	0	4.003
S-MA20018243	SEWERMAIN	SRS	*UNKNOWN	525	54.72	COLONY	SRS	0	0	3.811
S-MA20016514	SEWERMAIN	SRS	*UNKNOWN	600	96.18	COLONY	SRS	0		5.496
S-MA20016513	SEWERMAIN	SRS	*UNKNOWN	600	104.81	COLONY	SRS	0	0	5.496
S-MA20016512	SEWERMAIN	SRS	*UNKNOWN	450	3.77	COLONY	SRS	0	0	4.519
S-MA20016497	SEWERMAIN	SRS	*UNKNOWN	525	97.20	COLONY	SRS	0	0	5.11
S-MA20016963	SEWERMAIN	SRS	*UNKNOWN	450	96.94	COLONY	SRS	0	0	4.685
S-MA20016962	SEWERMAIN	SRS			67.07	COLONY	SRS	0	0	0
S-MA20016915	SEWERMAIN	SRS	*UNKNOWN	300	5.53	COLONY	SRS	0	0	5.822
S-MA20016472	SEWERMAIN	SRS	*UNKNOWN	450	2.67	COLONY	SRS	0	0	3.757
S-MA20015550	SEWERMAIN	SRS	*UNKNOWN	375	41.31	COLONY	SRS	0		3.508
S-MA20015548	SEWERMAIN	SRS	*UNKNOWN	1245	75.16	CORNISH	SRS	0		5.341
S-MA20015512	OVERFLOW	SRS	*UNKNOWN	*UNKNOWN	7.88	COLONY	SRS	0	0	5.803
S-MA20014835	SEWERMAIN	SRS	CONCRETE	525	54.55	COLONY	SRS	0	0	4.694
S-MA20016711	OVERFLOW	SRS	*UNKNOWN	375	5.21	COLONY	SRS	0	0	4.69
S-MA20016710	SEWERMAIN	SRS	*UNKNOWN	450	104.41	COLONY	SRS	0		4.006
S-MA20014834	SEWERMAIN	SRS	CONCRETE	375	5.16	COLONY	SRS	0	0	4.207
S-MA20014817	SEWERMAIN	SRS	CONCRETE	375	5.88	COLONY	SRS	0	0	6.06
S-MA20016709	OVERFLOW	SRS	*UNKNOWN	375	7.67	COLONY	SRS	0	0	4.006
S-MA20014774	SEWERMAIN	SRS	CONCRETE	525	46.09	COLONY	SRS	0		5.212
S-MA20014773	SEWERMAIN	SRS	CONCRETE	525	37.43	COLONY	SRS	0	0	5.217
S-MA20014771	SEWERMAIN	SRS	CONCRETE	2250	210.02	COLONY	SRS	0		9.185
S-MA20014770	SEWERMAIN	SRS	CONCRETE	375	78.63	COLONY	SRS	0		6.538
S-MA20014743	SEWERMAIN	SRS	CONCRETE	600	17.39	COLONY	SRS	0		5.273
S-MA20014719	SEWERMAIN	SRS	CONCRETE	450	51.59	COLONY	SRS	0		4.782
S-MA20014714	SEWERMAIN	SRS	*UNKNOWN	450	67.28	COLONY	SRS	0	0	5.092
S-MA20015477	SEWERMAIN	SRS	*UNKNOWN	525	35.97	COLONY	SRS	0	0	6.058
S-MA20015474	SEWERMAIN	SRS	*UNKNOWN	375	9.63	COLONY	SRS	0	0	6.101
S-MA20015461	SEWERMAIN	SRS	*UNKNOWN	525	7.56	COLONY	SRS	0	0	4.834
S-MA20014713	SEWERMAIN	SRS	CONCRETE	1200	63.79	COLONY	SRS	0	0	8.536
S-MA20014712	SEWERMAIN	SRS	CONCRETE	450	16.64	COLONY	SRS	0	0	8.531
S-MA20014709	SEWERMAIN	SRS	CONCRETE	1200	1.62	COLONY	SRS	0		8.531
S-MA20014701	SEWERMAIN	SRS	CONCRETE	1675	57.84	COLONY	SRS	0		8.659
S-MA20014695	SEWERMAIN	SRS	CONCRETE	450	33.69	COLONY	SRS	0		5.122
S-MA20015458	SEWERMAIN	SRS	*UNKNOWN	525	64.11	COLONY	SRS	0	0	5.395
S-MA20014667	SEWERMAIN	SRS	CONCRETE	2550	199.06	COLONY	SRS	0	0	9.841
S-MA20014643	SEWERMAIN	SRS	CONCRETE	450	59.75	COLONY	SRS	0		5.156
S-MA20014629	SEWERMAIN	SRS	CONCRETE	300	7.81	COLONY	SRS	0		3.311
S-MA20013665	OVERFLOW	SRS	*UNKNOWN	375	11.80	COLONY	SRS	0	0	4.21
S-MA20013664	SEWERMAIN	SRS	*UNKNOWN	450	68.14	COLONY	SRS	0	0	4.625
S-MA20014613	SEWERMAIN	SRS	CONCRETE	525	76.54	COLONY	SRS	0		4.895
S-MA20014610	SEWERMAIN	SRS	CONCRETE	375	5.07	COLONY	SRS	0	0	4.225
S-MA20014577	SEWERMAIN	SRS	*UNKNOWN	450	12.61	COLONY	SRS	0	0	5.207
S-MA20014571	SEWERMAIN	SRS	*UNKNOWN	525	28.66	COLONY	SRS	0	0	5.616
S-MA20014550	SEWERMAIN	SRS	*UNKNOWN	525	30.43	COLONY	SRS	0		6.242
S-MA20014549	SEWERMAIN	SRS	*UNKNOWN	525	27.44	COLONY	SRS	0	0	6.576
S-MA20014548	SEWERMAIN	SRS	*UNKNOWN	525	33.38	COLONY	SRS	0	0	6.576
S-MA20014546	SEWERMAIN	SRS	CONCRETE	2550	131.49	COLONY	SRS	0		9.802
S-MA20014545	SEWERMAIN	SRS	*UNKNOWN	525	30.49	COLONY	SRS	0	0	6.016
S-MA20014541	SEWERMAIN	SRS	*UNKNOWN	450	5.48	COLONY	SRS	0	0	4.166
S-MA20014526	SEWERMAIN	SRS	*UNKNOWN	600	92.83	COLONY	SRS	0	0	5.323
S-MA20014525	SEWERMAIN	SRS	*UNKNOWN	600	4.59	COLONY	SRS	0	0	5.263
S-MA20014520	SEWERMAIN	SRS	*UNKNOWN	525	62.32	COLONY	SRS	0	0	4.379
S-MA20014519	SEWERMAIN	SRS	CONCRETE	1245	79.76	COLONY	SRS	0		9.137
S-MA20014503	SEWERMAIN	SRS	*UNKNOWN	450	13.66	COLONY	SRS	0	0	4.582
S-MA20014502	SEWERMAIN	SRS	*UNKNOWN	600	93.00	COLONY	SRS	0	0	5.783
S-MA20014501	SEWERMAIN	SRS	*UNKNOWN	450	76.23	COLONY	SRS	0	0	5.121
S-MA20014500	SEWERMAIN	SRS	CONCRETE	1245	143.08	COLONY	SRS	0		9.273
S-MA20014499	SEWERMAIN	SRS	CONCRETE	1200	102.18	COLONY	SRS	0	0	9.273
S-MA20014498	SEWERMAIN	SRS	*UNKNOWN	525	100.60	COLONY	SRS	0	0	4.582
S-MA20014464	SEWERMAIN	SRS	*UNKNOWN	600	70.12	COLONY	SRS	0		5.839
S-MA20014463	SEWERMAIN	SRS	*UNKNOWN	600	83.00	COLONY	SRS	0		5.35
S-MA20014462	SEWERMAIN	SRS	*UNKNOWN	450	65.80	COLONY	SRS	0	0	5.137
S-MA20014461	SEWERMAIN	SRS	*UNKNOWN	375	9.37	COLONY	SRS	0	0	5.3
S-MA20014421	SEWERMAIN	SRS	*UNKNOWN	375	7.75	COLONY	SRS	0	0	6.676
S-MA20014418	SEWERMAIN	SRS	CONCRETE	1350	181.39	COLONY	SRS	0	0	8.288
S-MA20014411	SEWERMAIN	SRS	CONCRETE	1350	4.84	COLONY	SRS	0		8.292
S-MA20014409	SEWERMAIN	SRS	CONCRETE	600	9.36	COLONY	SRS	0		7.785
S-MA20014408	SEWERMAIN	SRS	CONCRETE	600	84.02	COLONY	SRS	0	0	7.748
S-MA20014402	OVERFLOW	SRS	CONCRETE	300	5.79	COLONY	SRS	0	0	5.646
S-MA20014399	SEWERMAIN	SRS	CONCRETE	1250	30.48	COLONY	SRS	0		6.166

2018 SEWER INSPECTIONS - STORM RELIEF SEWER INSPECTION
 TOTAL - 10,259.00

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA20014398	SEWERMAIN	SRS	CONCRETE	600	75.39	COLONY	SRS	0	0	7.778
S-MA20014392	SEWERMAIN	SRS	*UNKNOWN	600	70.27	COLONY	SRS	0	0	7.169
S-MA20014383	SEWERMAIN	SRS	CONCRETE	300	5.58	COLONY	SRS	0	0	3.732
S-MA20017566	SEWERMAIN	SRS	CONCRETE	1350	27.62	COLONY	SRS	0	0	6.318
S-MA20017440	SEWERMAIN	SRS	*UNKNOWN	375	8.20	COLONY	SRS	0	0	3.921
S-MA20013724	SEWERMAIN	SRS	*UNKNOWN	450	69.66	COLONY	SRS	0	0	4.548
S-MA70036909	SEWERMAIN	SRS			108.19	COLONY	SRS			0
S-MA70036904	SEWERMAIN	SRS	CONCRETE	1500	68.92	COLONY	SRS			0
S-MA70036910	SEWERMAIN	SRS			10.33	COLONY	SRS		0	6.268
S-MA70024291	SEWERMAIN	SRS	*UNKNOWN	*UNKNOWN	35.09	COLONY	SRS		0	5.545
S-MA70024290	SEWERMAIN	SRS	*UNKNOWN	*UNKNOWN	48.51	COLONY	SRS			0
S-MA70023719	SEWERMAIN	SRS	CONCRETE	300	1.25	COLONY	SRS		0	3.6
S-MA70022796	SEWERMAIN	SRS	CONCRETE	1200	1.16	COLONY	SRS			0
S-MA70023075	SEWERMAIN	SRS	*UNKNOWN	450	11.28	CORNISH	SRS		0	4.564
S-MA70022989	SEWERMAIN	SRS	CONCRETE	2250	26.89	COLONY	SRS		0	0
S-MA70022988	SEWERMAIN	SRS	CONCRETE	2250	2.57	COLONY	SRS			0
S-MA70023266	SEWERMAIN	SRS	CONCRETE	1200	130.81	COLONY	SRS			0
S-MA70021470	SEWERMAIN	SRS	CONCRETE	1350	40.21	COLONY	SRS		0	6.695
S-MA70022984	SEWERMAIN	SRS	CONCRETE	2100	42.76	COLONY	SRS		0	8.615
S-MA70022983	SEWERMAIN	SRS	CONCRETE	2100	1.53	COLONY	SRS			0
S-MA70022979	SEWERMAIN	SRS	CONCRETE	1500	45.31	COLONY	SRS		0	7.969
S-MA70022974	SEWERMAIN	SRS	CONCRETE	1350	8.77	COLONY	SRS			0
S-MA70022969	SEWERMAIN	SRS	CONCRETE	1350	2.93	COLONY	SRS		0	6.318
S-MA70021302	SEWERMAIN	SRS	*UNKNOWN	375	2.98	COLONY	SRS		0	5.83
S-MA70021301	SEWERMAIN	SRS	PVC	450	3.00	COLONY	SRS		0	5.92
S-MA70012294	SEWERMAIN	SRS	CONCRETE	1200	80.24	COLONY	SRS			0
S-MA70012289	SEWERMAIN	SRS		600	0.88	COLONY	SRS		0	6.176
S-MA70012288	SEWERMAIN	SRS		600	60.64	COLONY	SRS			0
S-MA70012274	SEWERMAIN	SRS		600	3.50	COLONY	SRS			0
S-MA20016661	SEWERMAIN	SRS	CONCRETE	1650	97.99	COLONY	SRS			0
S-MA20016875	SEWERMAIN	SRS	*UNKNOWN	1650	14.08	COLONY	SRS			0
S-MA20016860	SEWERMAIN	SRS	CONCRETE	1350	70.82	COLONY	SRS			0
S-MA20016375	SEWERMAIN	SRS	CONCRETE	1350	70.67	COLONY	SRS		0	6.604
S-MA20016610	SEWERMAIN	SRS	CONCRETE	1350	16.97	COLONY	SRS		0	7.462
S-MA20017667	SEWERMAIN	SRS	*UNKNOWN	1650	217.58	COLONY	SRS		0	7.592
S-MA20017636	SEWERMAIN	SRS	CONCRETE	1675	16.45	COLONY	SRS		0	8.655
S-MA20017635	SEWERMAIN	SRS	CONCRETE	1675	99.48	COLONY	SRS			0
S-MA20017632	SEWERMAIN	SRS	*UNKNOWN	1200	104.36	COLONY	SRS		0	8.714
S-MA20017631	SEWERMAIN	SRS	*UNKNOWN	1200	0.20	COLONY	SRS			0
S-MA20017628	SEWERMAIN	SRS	CONCRETE	1350	16.03	COLONY	SRS			0
S-MA20016515	SEWERMAIN	SRS	CONCRETE	1350	110.35	COLONY	SRS			0
S-MA20016736	SEWERMAIN	SRS	CONCRETE	1125	0.20	COLONY	SRS			0
S-MA20016732	SEWERMAIN	SRS	CONCRETE	1125	14.89	COLONY	SRS		0	5.713
S-MA20016918	SEWERMAIN	SRS	CONCRETE	1350	64.77	COLONY	SRS		0	6.791
S-MA20016914	SEWERMAIN	SRS	CONCRETE	1350	0.21	COLONY	SRS			0
S-MA20015556	SEWERMAIN	SRS	*UNKNOWN	*UNKNOWN	0.20	COLONY	SRS			0
S-MA20015515	SEWERMAIN	SRS	*UNKNOWN	1250	2.00	COLONY	SRS		0	5.804
S-MA20014758	SEWERMAIN	SRS	CONCRETE	2250	6.58	COLONY	SRS			0
S-MA20014718	SEWERMAIN	SRS	CONCRETE	300	1.22	COLONY	SRS			0
S-MA20014708	SEWERMAIN	SRS	CONCRETE	1200	77.16	COLONY	SRS			0
S-MA20014696	SEWERMAIN	SRS	CONCRETE	450	47.33	COLONY	SRS		0	5.118
S-MA20014693	SEWERMAIN	SRS	CONCRETE	1675	85.94	COLONY	SRS			0
S-MA20014644	SEWERMAIN	SRS	CONCRETE	450	31.92	COLONY	SRS		0	5.151
S-MA20014594	SEWERMAIN	SRS	CONCRETE	1675	51.25	COLONY	SRS		0	8.236
S-MA20014547	SEWERMAIN	SRS	CONCRETE	2550	6.40	COLONY	SRS			0
S-MA20014543	SEWERMAIN	SRS	*UNKNOWN	3000	1.94	COLONY	SRS		0	4.166
S-MA20014478	SEWERMAIN	SRS	CONCRETE	2550	62.05	COLONY	SRS			0
S-MA20014453	SEWERMAIN	SRS	CONCRETE	1200	44.10	COLONY	SRS		0	6.323
S-MA20014441	SEWERMAIN	SRS	CONCRETE	1350	18.15	COLONY	SRS		0	7.041
S-MA20014417	SEWERMAIN	SRS	CONCRETE	1675	96.71	COLONY	SRS			0
S-MA20014412	SEWERMAIN	SRS	CONCRETE	1350	12.69	COLONY	SRS			0
S-MA20014410	SEWERMAIN	SRS	CONCRETE	1350	9.59	COLONY	SRS		0	8.355
S-MA20014400	SEWERMAIN	SRS	CONCRETE	1250	88.84	COLONY	SRS			0

2018 SEWER INSPECTIONS - INTERCEPTOR INSPECTION
 TOTAL - 9,880.33

ASSET_NUMBER	SEWERMAIN_TYPE	FLOW_TYPE	MATERIAL	SIZE	LENGTH	SEWER_DISTRICT	INSPECTION_TYPE	START_WEIR_ELEV	END_WEIR_ELEV	MAX_DEPTH
S-MA70008108	SEWERMAIN	WWS	CONCRETE	2250	170.95	JEFFERSON E	INTERCEPTOR	0		0
S-MA00016834	SECONDARY	CS	*UNKNOWN	375	196.67	ST JOHNS	INTERCEPTOR	0	0	2.453
S-MA70031347	SECONDARY	CS	*UNKNOWN	375	24.01	ST JOHNS	INTERCEPTOR	0	0	0
S-MA70030749	SEWERMAIN	CS	CONCRETE	1100	3.17	SYNDICATE	INTERCEPTOR	0		0
S-MA70008120	SEWERMAIN	CS	*UNKNOWN	600	11.28	SELKIRK	INTERCEPTOR	0		10.91
S-MA70008112	SEWERMAIN	WWS	CONCRETE	2250	423.86	JEFFERSON E	INTERCEPTOR	0	0	0
S-MA70008105	SEWERMAIN	WWS	CONCRETE	2250	399.18	ST JOHNS	INTERCEPTOR	0	0	0
S-MA70008104	SEWERMAIN	CS	CONCRETE	750	12.11	ST JOHNS	INTERCEPTOR	0	0	0
S-MA70001102	SEWERMAIN	CS	CONCRETE	900	176.29	SYNDICATE	INTERCEPTOR	0	0	2.74
S-MA70001101	SEWERMAIN	CS	CONCRETE	1200	106.37	SYNDICATE	INTERCEPTOR	0	0	4.457
S-MA70001100	SEWERMAIN	CS	CONCRETE	900	125.80	SYNDICATE	INTERCEPTOR	0	0	2.739
S-MA70001098	SEWERMAIN	CS	CONCRETE	1200	30.78	SYNDICATE	INTERCEPTOR	0	0	6.187
S-MA70001097	SEWERMAIN	CS	CONCRETE	1200	181.33	SYNDICATE	INTERCEPTOR	0	0	4.169
S-MA70001096	SEWERMAIN	CS	CONCRETE	1200	40.54	SYNDICATE	INTERCEPTOR	0	0	2.378
S-MA20019360	SEWERMAIN	CS	CONCRETE	2250	323.97	SYNDICATE	INTERCEPTOR	0	0	11.131
S-MA20013602	SEWERMAIN	CS	CONCRETE	900	99.96	SYNDICATE	INTERCEPTOR	0	0	0
S-MA70017216	SECONDARY	CS	CLAY	450	105.04	JEFFERSON E	INTERCEPTOR	0		6.415
S-MA00018315	SEWERMAIN	CS	BRICK	900	77.39	SYNDICATE	INTERCEPTOR	0	0	0
S-MA00018268	SEWERMAIN	CS	CONCRETE	1100	19.08	SYNDICATE	INTERCEPTOR	0	0	2.859
S-MA00018244	SEWERMAIN	CS	CONCRETE	900	175.67	SYNDICATE	INTERCEPTOR	0	0	2.223
S-MA00018028	SEWERMAIN	CS	CONCRETE	750	283.63	ST JOHNS	INTERCEPTOR	0	0	0
S-MA00016857	SEWERMAIN	WWS	CONCRETE	2250	36.20	ST JOHNS	INTERCEPTOR	0		0
S-MA00016856	SEWERMAIN	WWS	CONCRETE	2250	446.10	ST JOHNS	INTERCEPTOR	0	0	0
S-MA00017603	SEWERMAIN	WWS	CONCRETE	1350	113.44	NEWTON	INTERCEPTOR	0	0	6.72
S-MA00017587	SEWERMAIN	WWS	CONCRETE	2250	418.08	JEFFERSON E	INTERCEPTOR	0	0	0
S-MA00017586	SEWERMAIN	WWS	CONCRETE	2250	410.74	JEFFERSON E	INTERCEPTOR	0	0	13.488
S-MA00014038	SEWERMAIN	CS	CONCRETE	1100	182.34	SYNDICATE	INTERCEPTOR	0	0	5.314
S-MA00013978	SEWERMAIN	CS	CONCRETE	1100	167.67	SYNDICATE	INTERCEPTOR	0	0	3.796
S-MA00013600	SEWERMAIN	WWS	CONCRETE	2250	380.43	SELKIRK	INTERCEPTOR	0	0	0
S-MA00013937	SEWERMAIN	CS	CONCRETE	1100	182.96	SYNDICATE	INTERCEPTOR	0	0	7.141
S-MA00013932	SEWERMAIN	CS	CONCRETE	1100	182.87	SYNDICATE	INTERCEPTOR	0	0	6.725
S-MA00013929	SEWERMAIN	CS	CONCRETE	1100	183.16	SYNDICATE	INTERCEPTOR	0	0	6.7
S-MA00013902	SEWERMAIN	WWS	CONCRETE	2250	154.07	SYNDICATE	INTERCEPTOR	0	0	11.131
S-MA00015982	SEWERMAIN	WWS	CONCRETE	2250	434.93	SELKIRK	INTERCEPTOR	0	0	0
S-MA00015839	SEWERMAIN	CS	CONCRETE	900	205.50	SYNDICATE	INTERCEPTOR	0	0	2.859
S-MA00015622	SEWERMAIN	CS	CONCRETE	200	4.88	ST JOHNS	INTERCEPTOR	0		6.17
S-MA00012704	SEWERMAIN	WWS	CONCRETE	2250	398.79	ST JOHNS	INTERCEPTOR	0	0	0
S-MA00009932	SEWERMAIN	WWS	CONCRETE	1350	109.46	NEWTON	INTERCEPTOR	0	0	11.344
S-MA00008862	SEWERMAIN	WWS	CONCRETE	2250	407.86	ARMSTRONG	INTERCEPTOR	0	0	11.224
S-MA00008066	SEWERMAIN	WWS	CONCRETE	2250	48.47	NEWTON	INTERCEPTOR	0	0	13.488
S-MA00007788	SEWERMAIN	WWS	CONCRETE	1350	6.41	NEWTON	INTERCEPTOR	0	0	11.344
S-MA00001230	SEWERMAIN	WWS	CONCRETE	1350	152.43	NEWTON	INTERCEPTOR	0	0	9.42
S-MA00001213	SEWERMAIN	WWS	CONCRETE	1350	158.53	NEWTON	INTERCEPTOR	0	0	9.42
S-MA00001169	SEWERMAIN	WWS	CONCRETE	1350	155.43	NEWTON	INTERCEPTOR	0	0	9.666
S-MA70016917	SEWERMAIN	CS	CONCRETE	600	60.41	ALEXANDER	INTERCEPTOR		0	7.746
S-MA70033464	SEWERMAIN	WWS	CONCRETE	1950	267.50	ALEXANDER	INTERCEPTOR		0	0
S-MA70030750	SEWERMAIN	CS	CONCRETE	1100	197.73	SYNDICATE	INTERCEPTOR		0	3.622
S-MA70031310	SEWERMAIN	CS	CONCRETE	600	168.48	SELKIRK	INTERCEPTOR		0	0
S-MA70017292	SECONDARY	CS	CLAY	450	30.95	JEFFERSON E	INTERCEPTOR			0
S-MA70017206	BENCHING FLOW	CS	CONCRETE	*UNKNOWN	11.79	ST JOHNS	INTERCEPTOR			0
S-MA70001094	SEWERMAIN	CS	CONCRETE	900	95.93	SYNDICATE	INTERCEPTOR		0	0
S-MA20019230	SEWERMAIN	CS	CONCRETE	600	20.06	ALEXANDER	INTERCEPTOR		0	9.614
S-MA00016858	OVERFLOW	CS	CI	300	54.30	ST JOHNS	INTERCEPTOR			0
S-MA00016809	SEWERMAIN	WWS	CONCRETE	450	10.98	ST JOHNS	INTERCEPTOR			0
S-MA00016801	SEWERMAIN	WWS	CONCRETE	2250	117.87	ST JOHNS	INTERCEPTOR			0
S-MA00015599	SEWERMAIN	WWS	CONCRETE	2250	256.96	ST JOHNS	INTERCEPTOR		0	0
S-MA00015981	SEWERMAIN	WWS	CONCRETE	2250	31.72	SELKIRK	INTERCEPTOR		0	0
S-MA00009937	SEWERMAIN	WWS	*UNKNOWN	2290	234.39	JEFFERSON E	INTERCEPTOR		0	0
S-MA0000807	SEWERMAIN	WWS	CONCRETE	2250	94.90	ARMSTRONG	INTERCEPTOR			0
S-MA0000805	SEWERMAIN	WWS	CONCRETE	2250	298.53	ARMSTRONG	INTERCEPTOR		0	0