

Part 1 General

1.1 RELATED WORK

- .1 Section 06 10 00 – Rough Carpentry. Blocking and backing for attachment of items specified in this Section.

1.3 REGULATORY REQUIREMENTS

- .1 All items supplied are to be CSA approved.

1.4 SUBMITTALS

- .1 Submit Shop Drawings and product data to requirements of Section 01 33 00 – Submittal Procedures.
- .2 Submit operation and maintenance data to requirements of Section 01 33 00 – Submittal Procedures.

Part 2 Products

The following is an itemized list of products followed by required Specifications for each of these products.

- | | | | |
|-----|------------------------|-----|--------------------|
| 2.1 | Washroom Accessories | 2.6 | Book Drop |
| 2.2 | Janitor Storage | 2.7 | Interior Blinds |
| 2.3 | Metal Stand-Off Mat | 2.8 | Vinyl Window Film |
| 2.4 | Expansion Joint Covers | 2.9 | Electric Fireplace |
| 2.5 | Safety Treads | | |

2.1 WASHROOM ACCESSORIES

- .1

| Code | Description | Manufacturer's Products No. | | |
|------|--|-----------------------------|-------|---------|
| | | Bobrick | Frost | Bradley |
| BCS | Baby Change Station, surface mounted | | | 962-11 |
| GB-1 | Grab Bar – 24" | B-5806X24 | | |
| GB-2 | Grab Bar – 36" | B-5806X36 | | |
| GB-3 | Grab Bar – 30" | B-5806X30 | | |
| MIR | Mirror. Polished stainless steel mirror (see Drawings) | | | |
| PTD | Paper Towel Dispenser | B-262 | | |
| RH | Robe Hook by Architectural Hardware supplier | | 1150 | |

| | | | | |
|------|--|--------|--|--|
| SH | Shelf, stainless steel | B-295 | | |
| SD | Soap Dispenser, surface mounted | B4112 | | |
| SN | Sanitary Napkin Disposal, surface mounted | B-270 | | |
| TP | Toilet Paper Dispenser, surface mounted, single jumbo-roll | B-2890 | | |
| WR-1 | Circular Waste Chute, counter mounted | B-529 | | |
| WR-2 | Waste Receptacle, surface mounted | B-279 | | |
| WR-3 | Waste Receptacle, floor standing open top | B-2260 | | |

2.2 JANITOR STORAGE

- .1 provide one adjacent to each floor sink.

| Code | Description | Manufacturer's Products No. | | |
|------|---|-----------------------------|---------|---------|
| | | Bobrick | Watrous | Bradley |
| JS | Mop Strip & utility Shelf (8" deep shelf) | B-239 | W-1315A | 9983 |

2.3 METAL STAND-OFF MAT

- .1 METAL STAND-OFF product: UAS SS2218 by Urban Access Solutions, or equivalent. Dimensions as per Drawings.

2.4 EXPANSION JOINT COVERS

- .1 Standard of acceptance: Jointmaster 300 Series New to Existing (Renovation), Floor/Floor. Finish: Stainless Steel. Refer to Drawings for dimensions. Furnish Expansion Joint Systems in accordance with the Drawings and general provisions of the Contract and manufacturer's warrantable specifications.

2.5 SAFETY TREADS

- .1 Warning Strip: Type: Supergrit by Wooster products Inc
 Model: WP Supergrit Type 630A
- .2 Nosings: Type: Supergrit by Wooster products Inc
 Model: WP Supergrit Type 238
- .3 Rubber Stringer and Risers by Johnsonite complete with Palette B. Custom cutting required at exiting stairs only.

2.6 BOOK DROP

- .1 American Security Cabinets Model HCU – SS Head and Delivery Chute. ID Part 0138.

2.7 INTERIOR BLINDS

- .1 Acceptable product: Hunter Douglas Designer Roller Shades series, Standard Clutch operating system or approved equal in accordance with B7.
 - .2 Colour: White, 3% visibility.
 - .3 Chain pulls to be neatly ganged along vertical window frames.
- 2.8 VINYL WINDOW FILM
- .1 Acceptable product: LLumar Mini Dot Matrix Gradient or equal approved by Contract Administrator in accordance with B7. See Drawing A-003 for extents.
- 2.9 ELECTRIC FIREPLACE
- .1 Acceptable product: Dimplex Prism Series 34" Linear Electric Fireplace BLF3451.
 - .2 Low profile depth and ability to be fully recessed allows for installation in existing fire place opening

Part 3 Execution

3.1 INSPECTION

- .1 Verify that surfaces and internal wall blocking are ready to receive Work and opening dimensions are as instructed by the manufacturer.
- .2 Beginning of installation means acceptance of substrate conditions.
- .3 Install specialties square, plumb, straight, and true, at proper elevations and alignment with other Work, accurately fitted and adjusted by experienced workmen, in accordance with the manufacturer's instructions.
- .4 Provide suitable means of anchorage, such as dowels, anchor clips, bar anchors, expansion bolts and shields, and toggles.
- .5 Supply items to be built-in by others, to appropriate trades in adequate time for incorporation into the Work.
- .6 Touch up fastenings scratched or otherwise damaged surfaces after completion of installation, to match finish.

3.2 INSTALLATION

- .1 Install in accordance with manufacturer's instructions.

END OF SECTION