FORM A: BID (See B9)

1.	Contract Title	2018 Industrial Streets Renewal Program – Chevrier Boulevard
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
		The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B Prices, appended hereto.

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
		a bid bond (Form G1: Bid Bond and Agreement to Bond)
	(Choose one)	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of seventy five (75) Calendar Days following the Submission Deadline.
12.	Indigenous Self-	The City is requesting that Bidders identify if their business is at least 51%
12.	Declaration	owned by one or more Indigenous persons of Canada.
12.	Declaration	YES, 51% Indigenous ownership
12.	Declaration	

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	CHEVRIER BOULEVARD - WAVERLEY STE	REET TO TROT	TIER BA			
	ASPHALT RESURFACING AND ASSOCIAT	ED WORKS				
4	EARTH AND BASE WORKS	OW 0440 D40	9	2022		
1	Excavation	CW 3110-R19	m³	2200		
2	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	4000		
3	Supplying and Placing Base Course Material	CW 3110-R19	m³	700		
4	Grading of Boulevards	CW 3110-R19	m²	11000		
5	Boulevard Excavation	CW 3110-R19	m³	600		
6	Separation Geotextile Fabric	CW 3130-R4	m²	5000		
	ROADWORKS - RENEWALS					
7	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	5300		
8	Slab Replacement	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	120		
9	Partial Slab Patches	CW 3230-R8				
i)	150 mm Concrete Pavement (Type A)		m²	20		
ii)	150 mm Concrete Pavement (Type B)		m²	350		
iii)	150 mm Concrete Pavement (Type C)		m²	30		
iv)	150 mm Concrete Pavement (Type D)		m²	20		
10	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	50		
ii)	150 mm Concrete Pavement (Type A)		m²	10		
iii)	150 mm Concrete Pavement (Type B)		m²	50		
iv)	150 mm Concrete Pavement (Type C)		m²	15		
v)	150 mm Concrete Pavement (Type D)		m²	15		
.11	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	75		
ii)	150 mm Concrete Pavement (Type A)		m²	10		
iii)	150 mm Concrete Pavement (Type B)		m²	100		
iv)	150 mm Concrete Pavement (Type C)		m²	15		
v)	150 mm Concrete Pavement (Type D)		m²	15		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	1500		
A.13	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	2700		
ii)	20 M Deformed Tie Bar		each	1600		
A.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	80		
b)	Greater than 20 sq.m.		m²	30		
A.15	Concrete Curb Removal	CW 3240-R10				
i)	Barrier (Separate)		m	30		
ii)	Modified Barrier (Integral)		m	90		
A.16	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205,				
a)	3 m to 30 m	SD-206A	m	60		
b)	Greater than 30 m		m	60		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	60		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	40		
A.17	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	2750		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	40		
\.18	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	13100		
A.19	Detectable Warning Surface Tiles	CW 3326-R3	each	22		
	ROADWORKS - NEW CONSTRUCTION					
A.20	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced) Slip Form Paving		m²	3200		
ii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	2000		
iii)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	450		
iv)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	50		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.21	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m²	250		
ii)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	300		
A.22	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Integral) Slip Form Paving	SD-204	m	1450		
ii)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	150		
iii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	175		
iv)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	550		
v)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	15		
vi)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	640		
vii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	120		
A.23	100 mm Concrete Sidewalk	CW 3325-R5	m²	1950		
A.24	Interlocking Paving Stones	CW 3335-R1 E14				
i)	Holland Stone - Blue		m²	5		
ii)	Holland Stone - Charcoal		m²	100		
A.25	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
а	Type IA		tonne	40		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	20		
	JOINT AND CRACK SEALING					
A.26	Reflective Crack Maintenance	CW 3250-R7	m	1200		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.27	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	1		
ii)	SD-024, 1800 mm deep		each	15		
A.28	Catch Pit	CW 2130-R12				
i)	SD-023		each	7		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.29		Sewer Service	CW 2130-R12				
i)		250 mm, PVC					
	a)	In a Trench, Class B Type 2 Bedding, Class 3 Backfill		m	70		
	b)	Trenchless Installation, Class B Type 2 Bedding, Class 3 Backfill		m	30		
A.30		Drainage Connection Pipe	CW 2130-R12	m	15		
A.31		Frames & Covers	CW3210-R8				
i)		AP-006 - Standard Frame for Manhole and Catch Basin		each	18		
ii)		AP-007 - Standard Solid Cover for Standard Frame		each	17		
iii)		AP-008 - Standard Grated Cover for Standard Frame		each	1		
A.32		Connecting to Existing Manhole	CW 2130-R12				
i)		250 mm Catch Basin Lead		each	6		
A.33		Connecting to Existing Catch Basin	CW 2130-R12				
i)		250 mm Drainage Connection Pipe		each	7		
A.34		Connecting to Existing Sewer	CW 2130-R12				
i)		250 mm (PVC) Connecting Pipe					
	a)	Connecting to 1200 mm (Concrete) Sewer		each	4		
ii)		250 mm (PVC) Connecting Pipe					
	a)	Connecting to 1350 mm (Concrete) Sewer		each	1		
A.35		Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)		250 mm		each	5		
A.36		Removal of Existing Catch Basins	CW 2130-R12	each	12		
		Plugging Existing Sewer Services Smaller than 300 mm	CW 2130-R12	each	7		
A.37		Installation of Subdrains	CW 3120-R4	m	210		
		ADJUSTMENTS					
A.38		Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	35		
A.39		Replacing Existing Risers	CW 2130-R12				
i)		Pre-cast Concrete Risers		vert. m	3.0		
A.40		Lifter Rings (AP-010)	CW 3210-R8				
i)		38 mm		each	2		
ii)		51 mm		each	8		
iii)		64 mm		each	4		
iv)		76 mm		each	4		
A.41		Adjustment of Valve Boxes	CW 3210-R8	each	28		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.42	Valve Box Extensions	CW 3210-R8	each	20		
A.43	Adjustment of Curb Stop Boxes	CW 3210-R8	each	15		
A.44	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	4		
A.45	Curb Stop Extensions	CW 3210-R8	each	10		
A.46	Raising of Existing Hydrant	CW 2110-R11	each	1		
	LANDSCAPING					
A.47	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	1000		
ii)	width > or = 600 mm		m²	10000		
	MISCELLANEOUS					
A.48	Hydro Excavation	E12	hr	15		
A.49	Coloured Bike Lane Treatment	E11	m²	90		
Α	CHEVRIER BOULEVARD - WAVERLEY STA ASPHALT RESURFACING AND ASSOCIAT		TIER BA	Y EAST LEG,	Subtotal:	

Concrete Reconstruction	ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
EARTH AND BASE WORKS Excavation	В			PEMBIN			
Sub-Grade Compaction CW 3110-R19 m² 14000							
Crushed Sub-base Material i) 50 mm ii) 100 mm Supplying and Placing Base Course Material Grading of Boulevards Gradina of Boulevards Gradina of State Stat	B.1	Excavation	CW 3110-R19	m³	9000		
10	B.2	Sub-Grade Compaction	CW 3110-R19	m²	14000		
100 mm	3.3	Crushed Sub-base Material	CW 3110-R19				
Supplying and Placing Base Course Material CW 3110-R19 m³ 1500	i)	50 mm		tonne	6300		
Grading of Boulevards Grading of Boulevards Boulevard Excavation Removal of Existing Concrete Bases i) 600 mm Diameter or Less Separation Geotextile Fabric Supply and Install Geogrid ROADWORKS - RENEWALS O Concrete Pavement i) Concrete Pavement ii) Concrete Pavement ii) 100 mm Sidewalk III Miscellaneous Concrete Slab Renewal ii) 100 mm Sidewalk III Miscellaneous Concrete Slab Renewal ii) 100 mm Sidewalk III Miscellaneous Concrete Slab Renewal ii) 100 mm Sidewalk III Miscellaneous Concrete Slab Renewal ii) 100 mm Sidewalk III Miscellaneous Concrete Slab Renewal iii) 100 mm Sidewalk III Miscellaneous Concrete Slab Renewal iii) 100 mm Sidewalk III Miscellaneous Concrete Slab Renewal III Miscellaneous Co	ii)	100 mm		tonne	13500		
Boulevard Excavation	3.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	1500		
Removal of Existing Concrete Bases CW 3110-R19 each 1	3.5	Grading of Boulevards	CW 3110-R19	m²	9000		
i) 600 mm Diameter or Less Separation Geotextile Fabric CW 3130-R4 m² 14000 Supply and Install Geogrid CW 3135-R1 m² 7800 ROADWORKS - RENEWALS Description Concrete Pavement CW 3110-R19 Description Concrete Pavement CW 3235-R9 Description CW 3135-R1 m² 12000 Description Concrete Slab Removal CW 3235-R9 Description CW 32	3.6	Boulevard Excavation	CW 3110-R19	m³	600		
Separation Geotextile Fabric CW 3130-R4 m² 14000 ROADWORKS - RENEWALS	3.7	Removal of Existing Concrete Bases	CW 3110-R19				
Supply and Install Geogrid CW 3135-R1 m² 7800	i)	600 mm Diameter or Less		each	1		
ROADWORKS - RENEWALS 10 Pavement Removal 11 Miscellaneous Concrete Slab Removal 12 Miscellaneous Concrete Slab Renewal 13 Miscellaneous Concrete Slab Renewal 24 Supply of Precast Sidewalk Blocks 15 Concrete Curb Renewal 26 CW 3235-R9 27 T700 CW 3235-R9 M² 1700 CW 3235-R9 M² 60 CW 3235	3.8	Separation Geotextile Fabric	CW 3130-R4	m²	14000		
10	3.9	Supply and Install Geogrid	CW 3135-R1	m²	7800		
i) Concrete Pavement		ROADWORKS - RENEWALS					
i) Miscellaneous Concrete Slab Removal i) 100 mm Sidewalk Miscellaneous Concrete Slab Renewal CW 3235-R9 i) 100 mm Sidewalk SD-228A a) 5 sq.m. to 20 sq.m. Adjustment of Precast Sidewalk Blocks Supply of Precast Sidewalk Blocks CW 3235-R9 Concrete Curb Renewal CW 3235-R9 M² 60 CW 3235-R9 M² 6 CW 3235-R9 M² 6 CW 3235-R9 M² 7 CW 3235-R9 M² 8 CW 3235-R9 M² 9 CW 3235-R9 M² 15 Concrete Curb Renewal CW 3240-R10 SD-205, SD-206A a) 3 m to 30 m m 60	3.10	Pavement Removal	CW 3110-R19				
i) 100 mm Sidewalk	i)	Concrete Pavement		m²	12000		
i) Miscellaneous Concrete Slab Renewal i) 100 mm Sidewalk a) 5 sq.m. to 20 sq.m. Adjustment of Precast Sidewalk Blocks CW 3235-R9 M² 6 Supply of Precast Sidewalk Blocks CW 3235-R9 M² 6 Supply of Precast Sidewalk Blocks CW 3235-R9 M² 2 Concrete Curb Renewal CW 3240-R10 Barrier (180 mm reveal ht, Dowelled) SD-205, SD-206A a) 3 m to 30 m 60	3.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i) 100 mm Sidewalk SD-228A a) 5 sq.m. to 20 sq.m. m² 60 Adjustment of Precast Sidewalk Blocks CW 3235-R9 m² 6 Supply of Precast Sidewalk Blocks CW 3235-R9 m² 2 Concrete Curb Renewal i) Barrier (180 mm reveal ht, Dowelled) SD-205, SD-206A a) 3 m to 30 m m 60	i)	100 mm Sidewalk		m²	1700		
a) 5 sq.m. to 20 sq.m. Adjustment of Precast Sidewalk Blocks CW 3235-R9 M² 60 CW 3235-R9 M² 61 Supply of Precast Sidewalk Blocks CW 3235-R9 M² Concrete Curb Renewal i) Barrier (180 mm reveal ht, Dowelled) SD-205, SD-206A a) 3 m to 30 m m 60	3.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
Adjustment of Precast Sidewalk Blocks CW 3235-R9 m² 6 Supply of Precast Sidewalk Blocks CW 3235-R9 m² 2 Concrete Curb Renewal i) Barrier (180 mm reveal ht, Dowelled) SD-205, SD-206A a) 3 m to 30 m CW 3240-R10 SD-205, SD-206A	i)	100 mm Sidewalk	SD-228A				
Supply of Precast Sidewalk Blocks CW 3235-R9 Concrete Curb Renewal CW 3240-R10 Barrier (180 mm reveal ht, Dowelled) SD-205, SD-206A a) 3 m to 30 m CW 3235-R9 m² 2 CM 3240-R10 SD-205, SD-206A	a	5 sq.m. to 20 sq.m.		m²	60		
Concrete Curb Renewal i) Barrier (180 mm reveal ht, Dowelled) SD-205, SD-206A a) 3 m to 30 m CW 3240-R10 SD-205, SD-206A m 60	3.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	6		
i) Barrier (180 mm reveal ht, Dowelled) SD-205, SD-206A a) 3 m to 30 m m 60	3.14	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	2		
a) 3 m to 30 m SD-206A m 60	3.15	Concrete Curb Renewal	CW 3240-R10				
	i)	Barrier (180 mm reveal ht, Dowelled)					
ii) Curb Ramp (8-12 mm reveal ht, Integral) SD-229C,D m 14	a	3 m to 30 m		m	60		
	ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	14		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.16	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	350		
3.17	Detectable Warning Surface Tiles	CW 3326-R3	each	22		
	ROADWORKS - NEW CONSTRUCTION					
3.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement (Plain-Dowelled) Slip Form Paving		m²	10000		
ii)	Construction of 230 mm Concrete Pavement (Plain-Dowelled)		m²	1750		
iii)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	1000		
iv)	Construction of 150 mm Concrete Pavement (Reinforced)		m²	100		
v)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	240		
vi)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	75		
3.19	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 24 Hour (Plain-Dowelled)		m²	150		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m²	200		
iii)	Construction of 200 mm Concrete Pavement for Early Opening 24 Hour (Reinforced)		m²	100		
iv)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	150		
3.20	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	250		
ii)	Construction of Barrier (180 mm ht, Integral) Slip Form Paving	SD-204	m	1000		
iii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	225		
iv)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	300		
v)	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	15		
vi)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	400		
vii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	230		
3.21	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	2500		
3.22	100 mm Concrete Sidewalk	CW 3325-R5	m²	2200		
3.23	100 mm Concrete Sidewalk with Block-outs for Interlocking Paving Stones	E13	m²	100		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
3.24	Interlocking Paving Stones	REF.		QUANTITY	Г	
0.24	Interlocking Paving Stoffes	E14				
i)	Holland Stone - Blue		m²	5		
ii)	Holland Stone - Charcoal		m²	100		
3.25	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	280		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	150		
	JOINT AND CRACK SEALING					
3.26	Joint Sealing	CW 3250-R7	m	6200		
3.27	Reflective Crack Maintenance	CW 3250-R7	m	100		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
3.28	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	12		
ii)	SD-025, 1800 mm deep		each	5		
3.29	Catch Pit	CW 2130-R12				
i)	SD-023		each	4		
3.30	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Type 2 Bedding, Class 3 Backfill		m	90		
b)	Trenchless Installation, Class B Type 2 Bedding, Class 3 Backfill		m	40		
3.31	Drainage Connection Pipe	CW 2130-R12	m	12		
3.32	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	18		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	17		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
3.33	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	7		
3.34	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	4		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.35	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm (PVC) Connecting Pipe					
i	Connecting to 300 mm (Concrete) Sewer		each	1		
ii)	250 mm (PVC) Connecting Pipe					
i	Connecting to 375 mm (Concrete) Sewer		each	2		
iii)	250 mm (PVC) Connecting Pipe					
i	Connecting to 525 mm (Concrete) Sewer		each	2		
iv)	250 mm (PVC) Connecting Pipe					
i	Connecting to 900 mm (Concrete) Sewer		each	3		
B.36	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	2		
B.37	Removal of Existing Catch Basins	CW 2130-R12	each	20		
	Plugging Existing Sewer Services Smaller than 300 mm	CW 2130-R12	each	18		
B.38	Installation of Subdrains	CW 3120-R4	m	210		
B.39	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5				
i)	(750 mm, 14 gauge, Galvanized)		m	15		
B.40	Corrugated Steel Pipe Culvert - Install	CW 3610-R5				
i)	(750 mm, 14 gauge, Galvanized)		m	15		
B.41	Connections to Existing Culverts	CW 3610-R5	each	2		
B.42	Removal of Existing Culverts	CW 3610-R5	m	8		
B.43	Disposal of Existing Culverts	CW 3610-R5	m	8		
B.44	Culvert End Markers	CW 3610-R5	each	2		
	ADJUSTMENTS					
B.45	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	35		
B.46	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	4.0		
B.47	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	10		
ii)	51 mm		each	10		
iii)	64 mm		each	10		
iv)	76 mm		each	5		
B.48	Adjustment of Valve Boxes	CW 3210-R8	each	30		
B.49	Valve Box Extensions	CW 3210-R8	each	20		
B.50	Adjustment of Curb Stop Boxes	CW 3210-R8	each	40		
B.51	Curb Stop Extensions	CW 3210-R8	each	25		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.52	Relocating Existing Hydrant - Type A	CW 2110-R11	each	2		
	LANDSCAPING					
B.53	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	1000		
ii)	width > or = 600 mm		m²	8000		
	MISCELLANEOUS					
B.54	Tree Removal	E10	each	5		
B.55	Hydro Excavation	E12	hr	30		
B.56	Coloured Bike Lane Treatment	E11	m²	200		
В	CHEVRIER BOULEVARD - TROTTIER BAY	EAST LEG TO	PEMBIN	A HIGHWAY.	Subtotal:	
	CONCRETE RECONSTRUCTION				000.000	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	WAVERLEY STREET - CHEVRIER BOULEV BOULEVARD, MULTI-USE PATH CONSTRU		LIVRAY			
	EARTH AND BASE WORKS					
C.1	Sub-Grade Compaction	CW 3110-R19	m²	3400		
0.2	Crushed Sub-base Material	CW 3110-R19		0400		
i)	50 mm	01101110	tonne	1300		
) 0.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	320		

C.4	Grading of Boulevards	CW 3110-R19	m²	4000		
C.5	Boulevard Excavation	CW 3110-R19	m³	1100		
2.6	Separation Geotextile Fabric	CW 3130-R4	m²	3400		
	ROADWORKS - RENEWALS					
C.7	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	4		
ii)	200 mm Concrete Pavement (Type B)		m²	8		
2.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
: .9	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	15		
ii)	20 M Deformed Tie Bar		each	15		
C.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	15		
C.11	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	15		
ii)	Splash Strip Monolithic		m	10		
C.12	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	4		
	ROADWORKS - NEW CONSTRUCTION					
2.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	10		
ii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	10		
iii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	11		
iv)	Construction of Splash Strip (180 mm ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	10		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.14	Construction of Asphaltic Concrete	CW 3410-R12		<u> </u>		
i)	Pavements Main Line Paving					
	Type IA		tonne	600		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
	JOINT AND CRACK SEALING					
C.15	Crack Sealing	CW 3250-R7				
i)	2 mm to 10 mm Wide	011 0200 111	m	200		
,,						
	ADJUSTMENTS					
C.16	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	14		
C.17	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	4		
ii)	51 mm		each	7		
iii)	64 mm		each	2		
C.18	Adjustment of Valve Boxes	CW 3210-R8	each	22		
C.19	Valve Box Extensions	CW 3210-R8	each	12		
C.20	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	2		
C.21	Relocating Existing Hydrant - Type A	CW 2110-R11	each	1		
	LANDSCAPING					
C.22	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	400		
ii)	width > or = 600 mm		m²	3600		
	MISCELLANEOUS					
C.23	Tree Removal	E10	each	1		
С	WAVERLEY STREET - CHEVRIER BOULEV BOULEVARD, MULTI-USE PATH CONSTRU		LIVRAY	<u>-</u>	Subtotal:	
BOOLEVARD, MOLTPOOL TATT CONSTRUCTION						

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	WATER AND WASTE WORK					
	CHEVRIER BOULEVARD (MA60018184)					
D.1	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	200 mm					
a)	Class 3 Backfill		each	1		
D.2	Sewer Inspection (following repair)	CW2145-R4				
i)	200 mm, Clay		m	76		
D	WATER AND WASTE WORK	•			Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	CHEVRIER BOULEVARD - WAVERLEY STR ASPHALT RESURFACING AND ASSOCIATE		IER BAY	Y EAST LEG,	Subtotal:	
В	CHEVRIER BOULEVARD - TROTTIER BAY EAST LEG TO PEMBINA HIGHWAY, CONCRETE RECONSTRUCTION			Subtotal:		
С	WAVERLEY STREET - CHEVRIER BOULEVARD TO McGILLIVRAY BOULEVARD, MULTI-USE PATH CONSTRUCTION			Subtotal:		
D	WATER AND WASTE WORK				Subtotal:	
TOTAL BI	ID PRICE (GST extra)		(in figures)		

(Seal)

Template Version: C420180115 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

	BID BOND	
KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
the "Obligee") in the sum of ten percent (10	nd firmly bound unto THE CITY OF WINNIPEG (here 19%) of the Total Bid Price set out in the Bid hereinaf and Surety bind themselves, their heirs, executors, a allly, firmly by these presents.	ter described
WHEREAS the Principal has submitted a B	Bid to the Obligee for	
BID OPPORTUNITY NO. 10-2018		
2018 Industrial Streets Renewal Program -	- Chevrier Boulevard	
as more fully set out in the Bid Opportunity.	•	
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is no accordance with the terms of the Bid, enters into a diperformance security for guaranteeing the faithfuld, but otherwise shall remain in full force and effect.	Contract with performance
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	. ,

(Name of Surety)

(Attorney-in-Fact)

By:

(Seal)

Template Version: C420180115 - RW

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20____ for **BID OPPORTUNITY NO. 10-2018** 2018 Industrial Streets Renewal Program - Chevrier Boulevard in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within seventy five (75) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______, 20______. (Name of Surety)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
Corpora Materia 185 Kin	y of Winnipeg ate Finance Department als Management Division ag Street, Main Floor eg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 10-2018
	2018 Industrial Streets Renewal Program – Chevrier Boulevard
Pursua	nt to the request of and for the account of our customer,
(Name of	f Bidder)
	REBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding ggregate Canadian dollars.
for payr for the p inquirin	andby Letter of Credit may be drawn on by you at any time and from time to time upon written demand ment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit payment of monies only and we hereby agree that we shall honour your demand for payment without g whether you have a right as between yourself and our customer to make such demand and without izing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon u or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial of	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby Letter lit will be duly honoured if presented to us at:
(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 4, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
,	,
Dan:	
Per:	
	(Authorized Signing Officer)
Dor	
Per:	
	(Authorized Signing Officer)