


PEMBINA HIGHWAY CAUTION: TS & SL CONTRACTOR TO PROVIDE BARRICADES AND WARNING SIGNS TO TEMPORARILY CLOSE PATHWAY ACCESS REMOVE 2.8 - 450 CMP AND REPLACE WITH 2.8 - 525 CMP (2.0mm) @ 5.48% C/W POLYMER COATING -REMOVÉ 63.1 - 450 CMP AND REPLACE WITH 63.1 - 525 CMP (2.0mm) @ 5.48% C/W POLYMER COATING -REMOVE AND REPLACE EXISTING CONNECT NEW 525 CMP 150 CULV AS REQUIRED TO EXISTING MANHOLE REMOVE AND REPLACE EXISTING RIPRAP AS REQUIRED -INSTALL EXTERNAL SLIP JOIN EXISTING UTILITY -Y MANHOLES > INSTALL 22.5° BEND CAUTION: MT



END SECTION DETAIL SCALE: N.T.S.

NOTES:

- 1. ALL EXCAVATED MATERIAL WITHIN 107.0 OF THE REGULATED SUMMER RIVER LEVEL (RSRL) MUST BE REMOVED FROM SITE (NO STOCK PILING).
- 2. REMOVE AND REPLACE TREES AS DIRECTED BY CONTRACT ADMINISTRATOR.
- 3. ROAD, CURB, SIDEWALK, PATHWAY, AND ALL OTHER LANDSCAPING FEATURES TO BE RESTORED TO PRE-CONSTRUCTION CONDITION.
- 4. CONTRACTOR TO PROTECT TREES DURING CONSTRUCTION.
- 5. CMP TO MANHOLE CONNECTION TO BE 150 REINFORCED CONCRETE COLLAR IN CONJUNCTION WITH WATER STOP GROUT RING.

PROPERTY LIMITS DELINEATION

DELINEATION OF PROPERTY LIMITS AS SHOWN ON THIS DWG DOES NOT REPRESENT A "LEGAL SURVEY". KGS GROUP MAKES NO REPRESENTATION OR WARRANTY AS TO THE ACCURACY OF PROPERTY LIMITS DELINEATED ON THIS DWG, NOR ON THE DIMENSIONAL ACCURACY OF DWG FEATURES RELATIVE TO THOSE PROPERTY LIMITS.

ENGINEER'S SEAL Winnipeg OFFMAN, Member/

THE CITY OF WINNIPEG WATER AND WASTE DEPARTMENT ENGINEERING DIVISION

2019 OUTFALL RENEWAL REHABILITATION PROGRAM PEMBINA HIGHWAY OUTFALL

PLAN AND PROFILE

SHEET 14 OF 16 CITY DRAWING NUMBER

LD-8870

S-MA70028476 FILE PATH: P: \Projects\2018\18-0107-013\Dwg\Mun\

ENGINEERS GEOSCIENTISTS MANITOBA Certificate of Authorization KGS Group No. 245

IF POWER EQUIPMENT OR EXPLOSIVES

WARNING

SEE PROVINCIAL REGULATION 210/72 FOR DETAILS

ARE TO BE USED FOR EXCAVATION ON **METRIC** THIS PROJECT THE CONTRACTOR MUST: WHOLE NUMBERS INDICATE MILLIMETRES 1) NOTIFY THE GAS COMPANY OF THE DECIMALIZED NUMBERS INDICATE METRES PROPOSED LOCATION OF EXCAVATION. 2) TAKE PRECAUTION TO AVOID DAMAGE TO GAS COMPANY INSTALLATIONS.

LOCATION APPROVED UNDERGROUND STRUCTURES SUPV. U/G STRUCTURES NOTE:

DATE LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

DESIGNED DRAWN SCALE: HORIZONTAL 1:250 ISSUED WITH ADDENDUM #1 2018 11 29 KB VERTICAL ISSUED FOR TENDER 2018 11 21 RBO DATE BY DATE REVISIONS

CONSULTING ENGINEERS NGV RBO APPROVED **RBO GEL** RELEASED FOR CONSTRUCTION 1:50 K ZUREK DATE 2018-11-20 2018 11 28

KGS

GROUP

18-0107-013_LD-8870 BID OPPORTUNITY: 1042-2018 CONTRACT NUMBER:

CONSULTANT DRAWING NUMBER

FILE NAME: 18-0107-013_PP.dwg