Template Version: C420180115 - RW

### FORM A: BID (See B9)

1.	Contract Title		gram – Asphalt Overlay, Concre al Depth Concrete Repairs and	
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder as it a	ppears on Invoice (if different from abo	ve)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
	(Channe and)	The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership		
		a corporation		
		carrying on business under the	above name.	
3.	Contact Person	The Bidder hereby authorizes the Bidder for purposes of the	the following contact person to Bid.	o represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms used in ascribed to them in the Genera	the Contract shall have the londitions.	meanings

Template Version: C420180115 - RW

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security (Choose one)	<ul> <li>In accordance with B13.1, the Bidder encloses bid security in the form of:</li> <li>a bid bond (Form G1: Bid Bond and Agreement to Bond)</li> <li>an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)</li> <li>a certified cheque or draft</li> <li>and agrees that it shall be held by the City in accordance with the Contract.</li> </ul>
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:   No   Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	<ul> <li>The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.</li> <li>YES, 51% Indigenous ownership</li> <li>NO, it is not</li> </ul>

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

Template Version: C420180115 - RW

13. Signatures The Bidder or the Bidder's authorized official or officials have signed this

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

UNIT PRI	CES	(SEE B10)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
•	RAPID TRANSIT CORRIDOR - MAIN STREE		AVENUE	QUANTITY		
Α	CONCRETE REPAIRS. PDR AND DIAMONE	<u>GRINDING</u>	1	1		
	ROADWORKS - RENEWALS					
A.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	325		
4.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m²	5		
ii)	230 mm Concrete Pavement (Type B)		m²	100		
iii)	230 mm Concrete Pavement (Type D)		m²	335		
۹.3	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	800		
۹.4	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	270		
ii)	25 M Deformed Tie Bar		each	800		
A.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	150 mm Reinforced Sidewalk					
а	) Less than 5 sq.m.		m²	7		
۹.6	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205,				
а	) 3 m to 30 m	SD-206A	m	40		
4.7	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
а	) Туре IA		tonne	10		
۹.8	Partial Depth Concrete Repairs	E 15	m²	25		
۹.9	Diamond Grinding	E 14	m²	23500		

	CES	(SEE DIU)				
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
A 10	Demovel and Deinstellation of Interleaking	REF.		QUANTITY		
A.10	Removal and Reinstallation of Interlocking Paving Stones	E 16	m²	30		
A.11	Detectable Warning Surface Tiles	CW 3326-R3	each	2		
A.12	ADA Solutions Detectable Warning Tile - 610mm x 1524mm	CW 3326-R3	each	100		
A.13	Partial Depth Concrete Sidewalk Renewal	E 21	m²	98		
A.14	Supply and Installation of Inlaid Line Marking Tape	E 18	m	168		
	ROADWORKS - NEW CONSTRUCTION					
A.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Mountable Curb 120 mm (Integral)	SD-201	m	90		
ii)	Construction of Safety Curb (330 mm ht)	SD-206B	m	5		
	JOINT AND CRACK SEALING					
A.16	Joint Sealing	CW 3250-R7	m	5100		
A.17	Crack Sealing	CW 3250-R7				
i)	>10 mm to 25 mm Wide		m	1000		
	ADJUSTMENTS					
A.18	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	3		
Α	RAPID TRANSIT CORRIDOR - MAIN STREE		AVENUE	<u>-</u>		
A	CONCRETE REPAIRS, PDR AND DIAMOND	GRINDING			Subtotal:	

UNIT PRI	CES	(SEE B10)				
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	RIVER AVENUE - DONALD STREET TO OS	REF.	T - ASPI	QUANTITY		
В	OVERLAY		<u>- A011</u>			
	EARTH AND BASE WORKS					
B.1	Grading of Boulevards	CW 3110-R19	m²	200		
	ROADWORKS - RENEWALS					
3.2	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m²	100		
3.3	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
			_			
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	18		
B.4	Partial Slab Patches - Early Opening (24	CW 3230-R8				
	hour)					
i)	230 mm Concrete Pavement (Type B)		m²	21		
ii)	230 mm Concrete Pavement (Type D)		m²	9		
B.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	55		
3.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m²	8		
,						
ii)	230 mm Concrete Pavement (Type B)		m²	89		
iii)	230 mm Concrete Pavement (Type D)		m²	35		
B.7	Partial Depth Planing of Existing Joints	E 11	m²	54		
B.8	Asphalt Patching of Partial Depth Joints	E 11	m²	54		
3.9	Drilled Dowels	CW 3230-R8				
		511 0200-110	00-b	050		
i)	28.6 mm Diameter		each	250		

UNIT PR	ICES	(SEE B10)				
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
B.10	Drilled Tie Bars	REF. CW 3230-R8		QUANTITY		
i)	20 M Deformed Tie Bar		each	175		
ii)	25 M Deformed Tie Bar		each	250		
B.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	a) Less than 5 sq.m.		m²	20		
t	) 5 sq.m. to 20 sq.m.		m²	250		
B.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a	a) Less than 3 m	5D-200A	m	25		
t	o) 3 m to 30 m		m	50		
c	c) Greater than 30 m		m	25		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	162		
B.13	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a	a) Type IA		tonne	1850		
ii)	Tie-ins and Approaches					
a	a) Type IA		tonne	110		
B.14	Planing of Pavement	CW 3450-R6				
i)	50 - 100 mm Depth (Asphalt)		m²	1300		
B.15	Detectable Warning Surface Tiles	CW 3326-R3	each	2		
	JOINT AND CRACK SEALING					
B.16	Crack Sealing	CW 3250-R7				
i)	>10 mm to 25 mm Wide		m	120		
B.17	Reflective Crack Maintenance	CW 3250-R7	m	500		
		1	1			

JNIT PRI	ICES	(SEE B10)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
3.18	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
3.19	Drainage Connection Pipe	CW 2130-R12	m	2		
3.20	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
B.21	Connecting to Existing Catch Basin	CW 2130-R12				
i)	200 mm Drainage Connection Pipe		each	1		
3.22	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1		
	ADJUSTMENTS					
3.23	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
3.24	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	19		
3.25	Valve Box Extensions	CW 3210-R8	each	6		
	LANDSCAPING					
3.26	Salt Tolerant Grass Seeding	E 12	m²	200		
В	RIVER AVENUE - DONALD STREET TO OS OVERLAY	BORNE STREE	T - ASPI	HALT	Subtotal:	

JNIT PRI		(SEE B10)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	VAUGHAN STREET - ELLICE AVENUE TO		NUE - C			
Ū	REPAIRS AND SIDEWALK RENEWAL					
	ROADWORKS - RENEWALS					
C.1	Pavement Removal	CW 3110-R19				
i)	Asphalt Pavement		m²	50		
0.2	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	136		
ii)	300 mm Concrete Pavement (Plain- Dowelled) with Blockout for Paving Stones	E23	m²	67		
C.3	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m²	15		
ii)	230 mm Concrete Pavement (Type B)		m²	34		
iii)	230 mm Concrete Pavement (Type D)		m²	44		
C.4	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	190		
C.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	70		
ii)	25 M Deformed Tie Bar		each	190		
C.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E 16	m²	1130		
ii)	100 mm Sidewalk		m²	100		
0.7	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100mm Concrete Sidewalk with Blockouts for Paving Stones	E 17	m²	1230		
C.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Monolithic Median Slab	SD-226A	m²	80		

		(SEE B10)				
UNIT PRIC	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
C.9	Concrete Curb Removal	REF. CW 3240-R10	UNIT	QUANTITY	UNIT PRICE	AMOUNT
0.9	Concrete Curb Removal	GW 3240-R10				
i)	Barrier Separate		m	20		
ii)	Curb Ramp		m	42		
C.10	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	20		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	42		
C.11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	15		
b)	3 m to 30 m		m	200		
C.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	35		
C.13	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Туре ІА		tonne	10		
C.14	Partial Depth Concrete Repairs	E 21	m²	15		
C.15	Detectable Warning Surface Tiles	CW 3326-R3	each	8		
	ROADWORK - NEW CONSTRUCTION					
C.16	Interlocking Paving Stones	CW 3330-R5				
i)	Holland Stone - Charcoal (210mm x 105mm x 80mm)		m²	4		
ii)	Holland Stone - Charcoal (210mm x 105mm x 60mm)		m²	316		
iii)	Holland Stone - Blue Transit Stop Pavers (210mm x 105mm x 60mm)		M²	4		
	JOINT AND CRACK SEALING					
C.17	Crack Sealing	CW 3250-R7				
i)	>10 mm to 25 mm Wide		m	60		
C.18	Reflective Crack Maintenance	CW 3250-R7	m	15		

FORM B: PRICES
(SEE B10)

		(SEE D10)				
UNIT PRIC	CES					
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ASSOCIATED DRAINAGE AND					
	UNDERGROUND WORKS					
C.19	Frames & Covers	CW 3210-R8				
i)	AP-011 - Barrier Curb and Gutter Frame		each	1		
ii)	AP-012 - Barrier Curb and Gutter Cover		each	1		
	ADJUSTMENTS					
C.20	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	3		
	MISCELLANEOUS					
C.21	Tree Removal	E 13	each	28		
C.22	Reinforced Concrete Tree Well	E 19	each	9		
		<b>–</b> 00				
C.23	Supply and Install Cast Iron Tree Well Grates - ADA Compliant	E 20	each	9		
с	VAUGHAN STREET - ELLICE AVENUE TO I	PORTAGE AVE	NUE - C	ONCRETE	Subtotal:	
L.	REPAIRS AND SIDEWALK RENEWAL				Subiolal.	

JNIT PRI ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.	Givin	QUANTITY		
D	E/B WILLIAM STEPHENSON WAY - ISRAEL	ASPER WAY 1				
	BRIDGE - CONCRETE REPAIRS AND DIAM	IOND GRINDING	<u>i</u>			
	ROADWORKS - RENEWALS					
D.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	468		
D.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
•,			2			
i)	230 mm Concrete Pavement (Type B)		m²	96		
D.3	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	360		
., D.4	Drilled Tie Bars	CW 3230-R8	00011			
		011 0200-110	1	50		
i)	20 M Deformed Tie Bar		each	50		
ii)	25 M Deformed Tie Bar		each	360		
D.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
i)		5D-220A				
а	) 5 sq.m. to 20 sq.m.		m²	35		
D.6	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205,				
а	) 3 m to 30 m	SD-206A	m	5		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	87		
iii)	Safety Curb (330 mm reveal ht)	SD-206B	m	6		
D.7	Partial Depth Concrete Repairs	E 15	m²	6		
D.8	Regrading Existing Interlocking Paving	CW 3330-R5	m²	5		
	Stones					
D.9	Removal of Interlocking Paving Stones	E 16	m²	20		
D.10	Removal and Reinstallation of Interlocking	E 16	m²	10		
D.11	Paving Stones Diamond Grinding	E 14	m²	2000		
0.11	Blamona Chinaing			2000		

UNIT PRICES							
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT	
		REF.		QUANTITY			
	JOINT AND CRACK SEALING						
D.12	Joint Sealing	CW 3250-R7	m	500			
D.13	Crack Sealing	CW 3250-R7					
i)	>10 mm to 25 mm Wide		m	20			
_	E/B WILLIAM STEPHENSON WAY - ISRAEL	Subtotal:					
D	BRIDGE - CONCRETE REPAIRS AND DIAMOND GRINDING						

UNIT PRI	CES	(SEE B10)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Е	W/B STERLING LION PARKWAY - VICTOR BOULEVARD - CONCRETE REPAIRS, PDR					
	ROADWORKS - RENEWALS					
E.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	105		
E.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m²	2		
ii)	230 mm Concrete Pavement (Type B)		m²	35		
iii)	230 mm Concrete Pavement (Type D)		m²	125		
E.3	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	335		
E.4	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	110		
ii)	25 M Deformed Tie Bar		each	335		
E.5	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205, SD-206A				
а	) 3 m to 30 m		m	15		
ii)	Splash Strip (180 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	75		
E.6	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	15		
E.7	Diamond Grinding	E 14	m²	15,450		
E.8	Supply and Installation of Inlaid Line Marking Tape	E 18	m	270		
E.9	Partial Depth Concrete Repairs	E 11	m²	28		
	JOINT AND CRACK SEALING					
E.10	Joint Sealing	CW 3250-R7	m	3000		

		(SEE B10)				
UNIT PR ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
E.11		REF. CW 3250-R7	CINIT	QUANTITY		
	Crack Sealing	GW 3250-R7				
i)	>10 mm to 25 mm Wide		m	65		
	ADJUSTMENTS					
E.12	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
E	W/B STERLING LION PARKWAY - VICTOR BOULEVARD - CONCRETE REPAIRS, PDR	AND DIAMOND	GRIND	ING		
F	WESTBROOK STREET INTERSECTIONS - PIONEER AVENUE - CONCRETE REPAIRS					
	ROADWORKS - RENEWALS					
F.1	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Plain- Dowelled)		m²	217		
F.2	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	230 mm Concrete Pavement (Type A)		m²	3		
F.3	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	140		
F.4	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	30		
ii)	25 M Deformed Tie Bar		each	140		
F.5	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
é	a) 5 sq.m. to 20 sq.m.		m²	40		
F.6	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (180 mm reveal ht, Dowelled)	SD-205,				
ä	a) 3 m to 30 m	SD-206A	m	5		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
F.7	Partial Depth Concrete Repairs	E 15	m²	2.0		

# FORM B: PRICES

(SEE B10)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	JOINT AND CRACK SEALING					
.8	Crack Sealing	CW 3250-R7				
i)	>10 mm to 25 mm Wide		m	100		
F	WESTBROOK STREET INTERSECTIONS - WILLIAM STEPHENSON WAY TO PIONEER AVENUE - CONCRETE REPAIRS AND SIDEWALK RENEWAL				Subtotal:	
	SUMMARY					
Α	RAPID TRANSIT CORRIDOR - MAIN STREE					
~	CONCRETE REPAIRS, PDR AND DIAMOND	GRINDING			Subtotal:	
В	CONCRETE REPAIRS, PDR AND DIAMOND RIVER AVENUE - DONALD STREET TO OS OVERLAY		T - ASPI	HALT	Subtotal: Subtotal:	
	<b>RIVER AVENUE - DONALD STREET TO OS</b>	BORNE STREE				
В	RIVER AVENUE - DONALD STREET TO OS OVERLAY VAUGHAN STREET - ELLICE AVENUE TO I	BORNE STREE PORTAGE AVEI - ASPER WAY T	NUE - CO		Subtotal:	
B	RIVER AVENUE - DONALD STREET TO OS OVERLAY VAUGHAN STREET - ELLICE AVENUE TO I REPAIRS AND SIDEWALK RENEWAL E/B WILLIAM STEPHENSON WAY - ISRAEL BRIDGE - CONCRETE REPAIRS AND DIAM W/B STERLING LION PARKWAY - VICTOR BOULEVARD - CONCRETE REPAIRS, PDR	BORNE STREE PORTAGE AVEI ASPER WAY T IOND GRINDING LEWIS DRIVE T AND DIAMOND	NUE - CO O PROV O KENA	ONCRETE (ENCHER (STON)	Subtotal: Subtotal:	
B C D	RIVER AVENUE - DONALD STREET TO OS OVERLAY VAUGHAN STREET - ELLICE AVENUE TO I REPAIRS AND SIDEWALK RENEWAL E/B WILLIAM STEPHENSON WAY - ISRAEL BRIDGE - CONCRETE REPAIRS AND DIAM W/B STERLING LION PARKWAY - VICTOR	BORNE STREE PORTAGE AVEI ASPER WAY T IOND GRINDING LEWIS DRIVE T AND DIAMOND WILLIAM STEP	NUE - CO O PROV O KENA O KENA O GRINDI HENSOI	ONCRETE /ENCHER /STON ING N WAY TO	Subtotal: Subtotal: Subtotal:	

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 170-2018

2018 Streets Maintenance Program – Asphalt Overlay, Concrete Pavement Preservations, Partial Depth Concrete Repairs and Diamond Grinding

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
Witness as to Principal if no seal)	Per:	(Seal)
	Per:	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

\_\_\_\_\_ of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_, 20\_\_\_\_ for

BID OPPORTUNITY NO. 170-2018

2018 Streets Maintenance Program – Asphalt Overlay, Concrete Pavement Preservations, Partial Depth Concrete Repairs and Diamond Grinding

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_, 20\_\_\_\_\_,

By:

(Name of Surety)

\_ (Seal)

(Attorney-in-Fact)

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING

(BID SECURITY) (Page 1 of 2) (See B13)

(Date)

The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1

#### RE: BID SECURITY – BID OPPORTUNITY NO. 170-2018

2018 Streets Maintenance Program – Asphalt Overlay, Concrete Pavement Preservations, Partial Depth Concrete Repairs and Diamond Grinding

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

#### FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 16, 2018

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per:

(Authorized Signing Officer)

Per:

(Authorized Signing Officer)