## FORM A: BID (See B8)

1.	Contract Title	2018 NEW LOCAL SIDEW ASSOCIATED WORKS	ALKS, LOCAL SIDEWALK REN	NEWALS AND
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder a	as it appears on Invoice (if different from	above)
		Street		, 
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
	(Maining address if different)			
		City	Province	Postal Code
	(Choose one)	The Bidder is:  a sole proprietor		
		a partnership		
		a corporation carrying on business unde	r the above name.	
3.	Contact Person		zes the following contact perso	n to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms use ascribed to them in the Ge	d in the Contract shall have neral Conditions.	the meanings
5.	Offer		to perform the Work in according Price, in Canadian funds, set of	

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will
		not be used for purposes of evaluation.

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

LINUT DE	FORM B: PRICES  (SEE B9)  UNIT PRICES								
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
Α	SIDEWALK RENEWAL - LAKE RIDGE RD F HARYLONG AVE (WEST SIDE)	•	V AVE TO						
	EARTH AND BASE WORKS								
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	7					
A.2	Grading of Boulevards	CW 3110-R19	m²	170					
	ROADWORK - REMOVALS/RENEWALS								
A.3	Drilled Tie Bars	CW 3230-R8							
i)	15 M Deformed Tie Bar		each	8					
A.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9							
i)	100 mm Sidewalk	SD-228A							
	a) Less than 5 sq.m.		m²	5					
	b) 5 sq.m. to 20 sq.m.		m²	5					
	c) Greater than 20 sq.m.		m²	100					
A.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	20					
A.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5					
A.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5					
A.8	Concrete Curb Renewal	CW 3240-R10							
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A							
	a) Less than 3 m	02 20071	m	5					
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	7					
A.9	Construction of Asphalt Patches	CW 3410-R12	m²	1					
	ADJUSTMENTS								
A.10	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1					
A.11	Adjustment of Valve Boxes	CW 3210-R8	each	1					
					ļ				

	FORM B: PRICES (SEE B9)									
UNIT PRI	UNIT PRICES									
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT				
A.12	Valve Box Extensions	CW 3210-R8	each	1						
A.13	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1						
A.14	Curb Stop Extensions	CW 3210-R8	each	1						
	LANDSCAPING									
A.15	Sodding	CW 3510-R9								
i)	width < 600 mm		m²	55						
ii)	width > or = 600 mm		m²	115						
Α	SIDEWALK RENEWAL - LAKE RIDGE RD F HARYLONG AVE (WEST SIDE)	ROM LUMSDE	V AVE TO	<u>o</u>	Subtotal:					

	FORM B: PRICES  (SEE B9)  UNIT PRICES								
	EM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT	
	В		SIDEWALK RENEWAL - CARRIAGE RD FR THORNTON AVE (WEST SIDE)		AGE RD				
			EARTH AND BASE WORKS						
B.1			Supplying and Placing Base Course Material	CW 3110-R19	m³	12			
B.2			Grading of Boulevards	CW 3110-R19	m²	260			
			ROADWORK - REMOVALS/RENEWALS						
B.3			Drilled Tie Bars	CW 3230-R8					
	i)		15 M Deformed Tie Bar		each	32			
B.4			Miscellaneous Concrete Slab Renewal	CW 3235-R9					
	i)		100 mm Sidewalk	SD-228A					
		a)	Less than 5 sq.m.		m²	10			
		b)	5 sq.m. to 20 sq.m.		m²	10			
		c)	Greater than 20 sq.m.		m²	195			
B.5			Concrete Curb Removal	CW 3240-R10					
	i)		Barrier Integral		m	20			
B.6			Concrete Curb Installation	CW 3240-R10					
	i)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	24			
B.7			Concrete Curb Renewal	CW 3240-R10					
	i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A					
		a)	Less than 3 m		m	5			
		b)	3 m to 30 m		m	5			
	ii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	28			
B.8			Construction of Asphalt Patches	CW 3410-R12	m²	2			
B.9			Detectable Warning Surface Tiles	CW 3326-R3	each	4			

	FORM B: PRICES (SEE B9)								
UNIT PRI	CES	,							
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT			
		REF.		QUANTITY					
	LANDSCAPING								
B.10	Sodding	CW 3510-R9							
i)	width < 600 mm		m²	85					
ii)	width > or = 600 mm		m²	175					
В	SIDEWALK RENEWAL - CARRIAGE RD FR THORNTON AVE (WEST SIDE)	OM 145 CARRIA	AGE RD	<u>70</u>	Subtotal:				

	FORM B: PRICES (SEE B9)							
UNIT PR ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
С	SIDEWALK RENEWAL - BUCHANAN BLVD PELTIER AVE (EAST SIDE)		TCHEWA					
	EARTH AND BASE WORKS							
C.1	Excavation	CW 3110-R19	m³	4				
C.2	Sub-Grade Compaction	CW 3110-R19	m²	20				
C.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	50				
C.4	Grading of Boulevards	CW 3110-R19	m²	1,020				
	ROADWORK - REMOVALS/RENEWALS							
C.5	Drilled Tie Bars	CW 3230-R8						
i)	15 M Deformed Tie Bar		each	56				
C.6	Miscellaneous Concrete Slab Removal	CW 3235-R9						
i)	100 mm Sidewalk		m²	14				
C.7	Miscellaneous Concrete Slab Installation	CW 3235-R9						
i)	100 mm Sidewalk	SD-228A	m²	16				
C.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9						
i)	100 mm Sidewalk	SD-228A						
a	Less than 5 sq.m.		m²	10				
t	5 sq.m. to 20 sq.m.		m²	30				
C	Greater than 20 sq.m.		m²	800				
C.9	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	75				
C.10	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	20				
C.11	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	20				
C.12	Concrete Curb Removal	CW 3240-R10						
i)	Barrier Integral		m	11				

FORM B: PRICES (SEE B9)								
UNIT PRIC	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
ii)	Curb Ramp		m	8				
C.13	Concrete Curb Installation	CW 3240-R10						
i)	Barrier (150 mm reveal ht, dowelled)	SD-205	m	8				
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	11				
C.14	Concrete Curb Renewal	CW 3240-R10						
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A						
a)	Less than 3 m		m	5				
b)	3 m to 30 m		m	10				
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	49				
C.15	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5				
C.16	Construction of Asphalt Patches	CW 3410-R12	m²	40				
C.17	Detectable Warning Surface Tiles	CW 3326-R3	each	14				
	ADJUSTMENTS							
C.18	Adjustment of Valve Boxes	CW 3210-R8	each	1				
C.19	Valve Box Extensions	CW 3210-R8	each	1				
C.20	Adjustment of Curb Stop Boxes	CW 3210-R8	each	27				
C.21	Curb Inlet Box Covers (AP-020)	CW 3210-R8	each	1				
C.22	Curb Inlet Frames	CW 3210-R8	each	1				
C.23	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R8	each	1				
C.24	Curb Stop Extensions	CW 3210-R8	each	13				
	LANDSCAPING							
C.25	Sodding	CW 3510-R9						
i)	width < 600 mm		m²	340				

FORM B: PRICES  (SEE B9)  UNIT PRICES								
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT		
		REF.		QUANTITY				
ii)	width > or = 600 mm		m²	680				
С	SIDEWALK RENEWAL - BUCHANAN BLVD PELTIER AVE (EAST SIDE)	FROM SASKA	TCHEWA	AN AVE TO	Subtotal:			

LINUT	FORM B: PRICES  (SEE B9)  UNIT PRICES								
ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
D		NEW LOCAL SIDEWALK - ROSS AVE FROM ELLEN ST (NORTH SIDE)	M PAULIN ST TO	O ALLE					
		EARTH AND BASE WORKS							
D.1		Excavation	CW 3110-R19	m³	52				
D.2		Sub-Grade Compaction	CW 3110-R19	m²	260				
D.3		Supplying and Placing Base Course Material	CW 3110-R19	m³	13				
D.4		Grading of Boulevards	CW 3110-R19	m²	260				
		ROADWORK - REMOVALS/RENEWALS							
D.5		Drilled Tie Bars	CW 3230-R8						
i)		15 M Deformed Tie Bar		each	8				
D.6		Miscellaneous Concrete Slab Renewal	CW 3235-R9						
i)		100 mm Sidewalk	SD-228A						
	a)	Less than 5 sq.m.		m²	5				
	b)	5 sq.m. to 20 sq.m.		m²	5				
D.7		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	30				
D.8		Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	10				
D.9		Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	10				
D.10		Concrete Curb Removal	CW 3240-R10						
i)		Barrier Integral		m	4				
D.11		Concrete Curb Renewal	CW 3240-R10						
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A						
	a)	Less than 3 m		m	5				
	b)	3 m to 30 m		m	5				
ii)		Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	4				

	FORM B: PRICES								
UNIT PRI	CES	(SEE B9)							
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT			
		REF.	<b>.</b>	QUANTITY	0	7 6 6			
D.12	Construction of Asphalt Patches	CW 3410-R12	m²	1					
С	ROADWORK - NEW CONSTRUCTION								
D.13	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17							
i)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	4					
D.14	100 mm Concrete Sidewalk	CW 3325-R5	m²	220					
	ADJUSTMENTS								
D.15	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2					
D.16	Curb Stop Extensions	CW 3210-R8	each	2					
	LANDSCAPING								
D.17	Sodding	CW 3510-R9							
i)	width < 600 mm		m²	85					
ii)	width > or = 600 mm		m²	175					
D	NEW LOCAL SIDEWALK - ROSS AVE FROM ELLEN ST (NORTH SIDE)	Y EAST OF	Subtotal:						

UNIT PRI		(SEE B9)	ES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
E	SIDEWALK RENEWAL - ROSS AVE FROM ELLEN ST (NORTH SIDE)	SIDEWALK RENEWAL - ROSS AVE FROM ELLEN ST TO ALLEY EAST OF ELLEN ST (NORTH SIDE)						
	EARTH AND BASE WORKS							
E.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	10				
E.2	Grading of Boulevards	CW 3110-R19	m²	200				
	ROADWORK - REMOVALS/RENEWALS							
E.3	Drilled Tie Bars	CW 3230-R8						
i)	15 M Deformed Tie Bar		each	12				
E.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9						
i)	100 mm Sidewalk	SD-228A						
a)	Less than 5 sq.m.		m²	5				
b)	5 sq.m. to 20 sq.m.		m²	10				
c)	Greater than 20 sq.m.		m²	150				
E.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5				
E.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	15				
E.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	15				
E.8	Concrete Curb Renewal	CW 3240-R10						
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A						
a)	Less than 3 m		m	5				
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	11				
	ADJUSTMENTS							
E.9	Adjustment of Curb Stop Boxes	CW 3210-R8	each	4				
E.10	Curb Stop Extensions	CW 3210-R8	each	2				
	LANDSCAPING							

LINIT DDI	FORM B: PRICES  (SEE B9)  UNIT PRICES									
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT				
E.11	Sodding	CW 3510-R9								
i)	width < 600 mm		m²	65						
ii)	width > or = 600 mm		m²	135						
E	SIDEWALK RENEWAL - ROSS AVE FROM ELLEN ST (NORTH SIDE)	ELLEN ST TO A	LLEY E	AST OF	Subtotal:					

UNIT PRI		FORM B: PRICE (SEE B9)	ES			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	NEW LOCAL SIDEWALK - MCBEY AVE FR COUNTRY CLUB BLVD (SOUTH SIDE)		NDS BL			
	EARTH AND BASE WORKS					
F.1	Excavation	CW 3110-R19	m³	9		
F.2	Sub-Grade Compaction	CW 3110-R19	m²	45		
F.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	3		
F.4	Grading of Boulevards	CW 3110-R19	m²	65		
	ROADWORK - REMOVALS/RENEWALS					
F.5	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	32		
F.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	) Less than 5 sq.m.		m²	15		
b	) 5 sq.m. to 20 sq.m.		m²	7		
F.7	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	14		
F.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
а	) Less than 3 m	3D-200A	m	10		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	14		
F.9	Construction of Asphalt Patches	CW 3410-R12	m²	5		
F.10	Detectable Warning Surface Tiles	CW 3326-R3	each	10		
	ROADWORK - NEW CONSTRUCTION					
F.11	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				


		FORM B: PRICI	ES			
= ===	0.00	(SEE B9)				
UNIT PRI		ODEO	LINUT	ADDDOV	LINIT DDICE	AMOUNT
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	14		
F.12	100 mm Concrete Sidewalk	CW 3325-R5	m²	40		
	ADJUSTMENTS					
F.13	Adjustment of Valve Boxes	CW 3210-R8	each	1		
F.14	Valve Box Extensions	CW 3210-R8	each	1		
	LANDSCAPING					
F.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	20		
ii)	width > or = 600 mm		m²	45		
F	NEW LOCAL SIDEWALK - MCBEY AVE FR COUNTRY CLUB BLVD (SOUTH SIDE)	│ ROM SUMMERLA	NDS BL	. <u>VD TO</u>	Subtotal:	

LINUT DE	FORM B: PRICES (SEE B9)									
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT				
G	NEW LOCAL SIDEWALK - MCKENZIE ST F BLVD (WEST SIDE)		AVE TO							
	EARTH AND BASE WORKS									
G.1	Excavation	CW 3110-R19	m³	149						
G.2	Sub-Grade Compaction	CW 3110-R19	m²	745						
G.3	Supplying and Placing Base Course Material	CW 3110-R19	m³	40						
G.4	Grading of Boulevards	CW 3110-R19	m²	805						
	ROADWORK - REMOVALS/RENEWALS									
G.5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8								
i)	150 mm Concrete Pavement (Type B)		m²	3						
G.6	Drilled Tie Bars	CW 3230-R8								
i)	15 M Deformed Tie Bar		each	92						
G.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9								
i)	100 mm Sidewalk	SD-228A								
a)	Less than 5 sq.m.		m²	10						
b)	5 sq.m. to 20 sq.m.		m²	77						
G.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5						
G.9	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	2						
G.10	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	2						
G.11	Concrete Curb Removal	CW 3240-R10								
i)	Barrier Integral		m	77						
ii)	Curb and Gutter		m	9						
G.12	Concrete Curb Installation	CW 3240-R10								
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	26						

FORM B: PRICES (SEE B9)								
UNIT PRI								
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
G.13	Concrete Curb Renewal	CW 3240-R10						
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A						
a)	Less than 3 m		m	15				
ii)	Curb and Gutter (150 mm reveal ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200						
a)	Less than 3 m		m	2				
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	21				
G.14	Construction of Asphalt Patches	CW 3410-R12	m²	7				
G.15	Detectable Warning Surface Tiles	CW 3326-R3	each	2				
	ROADWORK - NEW CONSTRUCTION							
G.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17						
i)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm	SD-200 SD-229E	m	9				
ii)	Plain Concrete Pavement) Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	51				
G.17	100 mm Concrete Sidewalk	CW 3325-R5	m²	620				
	ADJUSTMENTS							
G.18	Lifter Rings (AP-010)	CW 3210-R8						
i)	38 mm		each	1				
G.19	Adjustment of Valve Boxes	CW 3210-R8	each	3				
G.20	Valve Box Extensions	CW 3210-R8	each	3				
G.21	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2				
G.22	Curb Stop Extensions	CW 3210-R8	each	1				
G.23	Relocating Existing Hydrant - Type B	CW 2110-R11	each	1				
	LANDSCAPING							
G.24	Sodding	CW 3510-R9						

	FORM B: PRICES								
l		(SEE B9)							
UNIT PRIC				1	-				
ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT			
		REF.		QUANTITY					
i)	width < 600 mm		m²	270					
ii)	width > or = 600 mm		m²	540					
	MISCELLANEOUS								
G.25	Tree Removal, 100 mm dia	E10	each	1					
G.26	Tree Removal, 560 mm dia	E10	each	1					
G	NEW LOCAL SIDEWALK - MCKENZIE ST FROM MACHRAY AVE TO INKSTER BLVD (WEST SIDE)								


			FORM B: PRICE	ES			
UNIT	DDIC	YEQ.	(SEE B9)				
ITE		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F		DETECTABLE WARNING SURFACE TILE II	NSTALLATION -	INKSTE			
	•	BOULEVARD AT MCKENZIE STREET		Ī	İ		
		EARTH AND BASE WORKS					
H.1		Supplying and Placing Base Course Material	CW 3110-R19	m³	1		
H.2		Grading of Boulevards	CW 3110-R19	m²	7		
		ROADWORK - REMOVALS/RENEWALS					
H.3		Drilled Tie Bars	CW 3230-R8				
i)	)	15 M Deformed Tie Bar		each	12		
H.4		Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	)	100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	10		
H.5		Concrete Curb Renewal	CW 3240-R10				
i)	)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	13		
H.6		Construction of Asphalt Patches	CW 3410-R12	m²	4		
H.7		Detectable Warning Surface Tiles	CW 3326-R3	each	4		
		LANDSCAPING					
H.8		Sodding	CW 3510-R9				
i)	)	width < 600 mm		m²	2		
ii	)	width > or = 600 mm		m²	2		
H.9		Salt Tolerant Grass Seeding	E9	m²	5		
F	ł	DETECTABLE WARNING SURFACE TILE II BOULEVARD AT MCKENZIE STREET	NSTALLATION -	INKST	<u> </u>	Subtotal:	



		FORM B: PRICI (SEE B9)	-0						
UNIT PRI ITEM	DESCRIPTION DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
I	NEW LOCAL SIDEWALK - GATEWAY RD FROM BONNER AVE TO HEADMASTER ROW (EAST SIDE)								
	EARTH AND BASE WORKS								
l.1	Excavation	CW 3110-R19	m³	110					
1.2	Sub-Grade Compaction	CW 3110-R19	m²	310					
1.3	Crushed Sub-base Material	CW 3110-R19							
i)	50 mm		tonne	110					
1.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	15					
l.5	Grading of Boulevards	CW 3110-R19	m²	1,050					
I.6	Separation Geotextile Fabric	CW 3130-R4	m²	310					
1.7	Fill Material	CW 3170-R3							
i)	Supplying and Placing Imported Material		m³	460					
	ROADWORK - REMOVALS/RENEWALS								
1.8	Pavement Removal	CW 3110-R19							
i)	Asphalt Pavement		m²	35					
1.9	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8							
i)	200 mm Concrete Pavement (Type B)		m²	10					
I.10	Drilled Tie Bars	CW 3230-R8							
i)	15 M Deformed Tie Bar		each	12					
ii)	20 M Deformed Tie Bar		each	15					
l.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9							
i)	100 mm Sidewalk	SD-228A							
а	Less than 5 sq.m.		m²	45					
b	) 5 sq.m. to 20 sq.m.		m²	10					

	(SEE B9)				
ES DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	8		
Concrete Curb Removal	CW 3240-R10				
Barrier Integral		m	15		
Concrete Curb Installation	CW 3240-R10				
Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	8		
Concrete Curb Renewal	CW 3240-R10				
Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
Less than 3 m		m	5		
3 m to 30 m		m	5		
Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	5		
Construction of Asphalt Patches	CW 3410-R12	m²	15		
Detectable Warning Surface Tiles	CW 3326-R3	each	16		
ROADWORK - NEW CONSTRUCTION					
Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
Construction of Monolithic Curb and Sidewalk	SD-228B	m²	17		
Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	8		
100 mm Concrete Sidewalk	CW 3325-R5	m²	245		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
Catch Basin	CW 2130-R12				
SD-024, 1800 mm deep		each	1		
Sewer Service	CW 2130-R12				
250 mm, PVC					
	Concrete Curb Removal Barrier Integral Concrete Curb Installation Modified Barrier (150 mm reveal ht, Dowelled) Concrete Curb Renewal Barrier (150 mm reveal ht, Dowelled) Cess than 3 m B m to 30 m Curb Ramp (8-12 mm reveal ht, Monolithic) Construction of Asphalt Patches Detectable Warning Surface Tiles ROADWORK - NEW CONSTRUCTION Concrete Pavements, Median Slabs, Bull-hoses, and Safety Medians Construction of Monolithic Curb and Sidewalk Concrete Curbs, Curb and Gutter, and Splash Strips Construction of Curb Ramp (8-12 mm ht, Monolithic) 100 mm Concrete Sidewalk ASSOCIATED DRAINAGE AND JNDERGROUND WORKS Catch Basin SD-024, 1800 mm deep Sewer Service	Concrete Curb Removal Concrete Curb Installation Concrete Curb Renewal Construction of Asphalt Patches Construction of Asphalt Patches Concrete Curb Renewal Concrete Pavements, Median Slabs, Bull- concrete Pavements, Median Slabs, Bull- concrete Curbs, Curb and Gutter, and Splash Concrete Curbs, Curb and Gutter, and Splash Concrete Curbs, Curb and Gutter, and Splash Concrete Curbs, Curb Ramp (8-12 mm ht, Monolithic) Construction of Curb Ramp (8-12 mm ht, Monolithic) Concrete Curbs, Curb and Gutter, Construction of Curb Ramp (8-12 mm ht, Monolithic) Construction of Curb Ramp (8-12 mm ht, Monolithic) Concrete Curbs, Curb and Gutter, Construction of Curb Ramp (8-12 mm ht, Monolithic) Concrete Curbs, Curb 3310-R17 Curb 3310-R	Removal of Precast Sidewalk Blocks  CW 3240-R10  Barrier Integral  Concrete Curb Installation  CW 3240-R10  Concrete Curb Installation  CW 3240-R10  Concrete Curb Installation  CW 3240-R10  SD-203B  M  CW 3240-R10  CW 3240-R10  SD-203B  M  CW 3240-R10  SD-205, SD-206A  Barrier (150 mm reveal ht, Dowelled)  SD-205, SD-206A  Cess than 3 m  Curb Ramp (8-12 mm reveal ht, Monolithic)  Construction of Asphalt Patches  CW 3410-R12  CW 3326-R3  CONSTRUCTION  Concrete Pavements, Median Slabs, Bull-hoses, and Safety Medians  Construction of Monolithic Curb and Sidewalk  Concrete Curbs, Curb and Gutter, and Splash  Construction of Curb Ramp (8-12 mm ht, Monolithic)  Construction of Curb Ramp (8-12 mm ht, Monolithic)  CON 3310-R17  SD-228B  CONSTRUCTION  COW 3310-R17  SD-228B  m²  CW 3310-R17  SD-229C  m  MONOITHIC  SD-229C  M  ASSOCIATED DRAINAGE AND JINDERGROUND WORKS  Catch Basin  CW 2130-R12  Each  CW 2130-R12	Removal of Precast Sidewalk Blocks  Concrete Curb Removal  Concrete Curb Removal  Concrete Curb Installation  Concrete Curb Installation  Condified Barrier (150 mm reveal ht, Dowelled)  Concrete Curb Renewal  Concrete Pavements, Median Slabs, Bull-loses, and Safety Medians  Construction of Monolithic Curb and Sidewalk  Concrete Curbs, Curb and Gutter, and Splash  Construction of Curb Ramp (8-12 mm ht, Monolithic)  Concrete Curbs, Curb and Gutter, and Splash  Construction of Curb Ramp (8-12 mm ht, Monolithic)  Concrete Curbs, Curb and Gutter, and Splash  Construction of Curb Ramp (8-12 mm ht, Monolithic)  Construction of Curb Ramp	Removal of Precast Sidewalk Blocks


		FORM B: PRICE (SEE B9)	ES			
UNIT PRIC	250	(SEE D9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Trenchless Installation, Class B Type 2 Bedding, Class 3 Backfill		m	76		
1.23	Frames & Covers	CW 3210-R8				
i)	AP-011 - Barrier Curb and Gutter Frame		each	1		
ii)	AP-012 - Barrier Curb and Gutter Cover		each	1		
1.24	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch basin lead		each	2		
1.25	Abandoning Existing Catch Basins	CW 2130-R12	each	1		
	ADJUSTMENTS					
1.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
1.27	Adjustment of Valve Boxes	CW 3210-R8	each	1		
1.28	Valve Box Extensions	CW 3210-R8	each	1		
1.29	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	1		
	LANDSCAPING					
1.30	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	350		
ii)	width > or = 600 mm		m²	700		
	MISCELLANEOUS					
I.31	Tree Removal, 100-150 mm dia.	E10	each	1		
l	NEW LOCAL SIDEWALK - GATEWAY RD HEADMASTER ROW (EAST SIDE)	FROM BONNER	AVE TO	-	Subtotal:	



LINIT DD	FORM B: PRICES  (SEE B9)  JNIT PRICES								
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT			
J	NEW LOCAL SIDEWALK & INTERSECTION DR FROM PEMBINA HWY TO 150m WEST	I IMPROVEMEN		RTMOUTH					
	EARTH AND BASE WORKS								
J.1	Excavation	CW 3110-R19	m³	109					
J.2	Sub-Grade Compaction	CW 3110-R19	m²	322					
J.3	Crushed Sub-base Material	CW 3110-R19							
i)	50 mm		tonne	42					
J.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	26					
J.5	Grading of Boulevards	CW 3110-R19	m²	350					
J.6	Separation Geotextile Fabric	CW 3130-R4	m²	80					
	ROADWORK - REMOVALS/RENEWALS								
J.7	Pavement Removal	CW 3110-R19							
i)	Concrete Pavement		m²	18					
J.8	Drilled Tie Bars	CW 3230-R8							
i)	15 M Deformed Tie Bar		each	44					
ii)	20 M Deformed Tie Bar		each	50					
J.9	Miscellaneous Concrete Slab Removal	CW 3235-R9							
i)	100 mm Sidewalk		m²	73					
ii)	Bullnose		m²	3					
J.10	Miscellaneous Concrete Slab Renewal	CW 3235-R9							
i)	100 mm Sidewalk	SD-228A							
а	Less than 5 sq.m.		m²	15					
b	) 5 sq.m. to 20 sq.m.		m²	60					
С	) Greater than 20 sq.m.		m²	75					
		1							

		FORM B: PRICI (SEE B9)	_3			
UNIT PRI			LINUT	ADDDOV	LINIT PRIOR	ANACHINIT
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Monolithic Curb and Sidewalk	SD-228B	m²	40		
J.11	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	194		
ii)	Curb Ramp		m	14		
J.12	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, dowelled)	SD-205	m	4		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	16		
J.13	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m	00 2007	m	23		
b)	3 m to 30 m		m	35		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	11		
J.14	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	14		
J.15	Construction of Asphalt Patches	CW 3410-R12	m²	15		
J.16	Planing of Pavement	CW 3450-R6				
i)	50 - 100 mm Depth (Asphalt)		m²	70		
J.17	Detectable Warning Surface Tiles	CW 3326-R3	each	7		
	ROADWORK - NEW CONSTRUCTION					
J.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	65		
ii)	Construction of Monolithic Curb and Sidewalk	SD-228B	m²	202		

FORM B: PRICES						
UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Separate)	SD-203A	m	35		
ii)	Construction of Modified Barrier (150 mm ht, Dowelled)	SD-203B	m	46		
iii)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	14		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
J.20	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
	ADJUSTMENTS					
J.21	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
J.22	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	2		
ii)	51 mm		each	1		
J.23	Adjustment of Valve Boxes	CW 3210-R8	each	2		
J.24	Valve Box Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
J.25	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	55		
ii)	width > or = 600 mm		m²	105		
J.26	Salt Tolerant Grass Seeding	E9	m²	190		
J	J NEW LOCAL SIDEWALK & INTERSECTION IMPROVEMENTS - DARTMOUTH DR FROM PEMBINA HWY TO 150m WEST OF SNOW ST (SOUTH SIDE)				Subtotal:	



		FORM B: PRICE (SEE B9)	ES			
UNIT PR ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
К	REGIONAL SIDEWALK RENEWAL - PEMBI DARTMOUTH DR TO DARTMOUTH DR (EA	INA HWY FROM	100m S			
	EARTH AND BASE WORKS					
K.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	9		
K.2	Grading of Boulevards	CW 3110-R19	m²	180		
	ROADWORK - REMOVALS/RENEWALS					
K.3	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а	Less than 5 sq.m.		m²	5		
b	5 sq.m. to 20 sq.m.		m²	5		
C	Greater than 20 sq.m.		m²	140		
K.4	Concrete Curb Removal	CW 3240-R10				
i)	Curb Ramp		m	4		
K.5	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (150 mm reveal ht, dowelled)	SD-205	m	4		
K.6	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
а	Less than 3 m	05 20071	m	5		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	4		
K.7	Construction of Asphalt Patches	CW 3410-R12	m²	1		
	ADJUSTMENTS					
K.8	Adjustment of Valve Boxes	CW 3210-R8	each	1		
K.9	Valve Box Extensions	CW 3210-R8	each	1		
	LANDSCAPING					

	FORM B: PRICES (SEE B9)					
UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
K.10	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	60		
ii)	width > or = 600 mm		m²	120		
К	REGIONAL SIDEWALK RENEWAL - PEMBI DARTMOUTH DR TO DARTMOUTH DR (EA		100m S	OUTH OF	Subtotal:	

The City of Winnipeg
Bid Opportunity No. 197-2018
Template Version: C420180312-RW

FORM B: PRICES (SEE B9)						
UNIT PRI	CES	(SEL D9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	SIDEWALK RENEWAL - LAKE RIDGE RD FI AVE (WEST SIDE)	ROM LUMSDEN	I AVE TO	HARYLONG	Subtotal:	
В	SIDEWALK RENEWAL - CARRIAGE RD FRO THORNTON AVE (WEST SIDE)	OM 145 CARRIA	GE RD	ΓΟ	Subtotal:	
С	SIDEWALK RENEWAL - BUCHANAN BLVD PELTIER AVE (EAST SIDE)	FROM SASKAT	CHEWA	N AVE TO	Subtotal:	
D	NEW LOCAL SIDEWALK - ROSS AVE FROM ELLEN ST (NORTH SIDE)	I PAULIN ST TO	O ALLEY	EAST OF	Subtotal:	
E	SIDEWALK RENEWAL - ROSS AVE FROM I ELLEN ST (NORTH SIDE)	ELLEN ST TO A	LLEY E	AST OF	Subtotal:	
F	NEW LOCAL SIDEWALK - MCBEY AVE FROM SUMMERLANDS BLVD TO COUNTRY CLUB BLVD (SOUTH SIDE) Subtotal:					
G	NEW LOCAL SIDEWALK - MCKENZIE ST FIBLVD (WEST SIDE)	ROM MACHRA	AVE TO	INKSTER	Subtotal:	
Н	DETECTABLE WARNING SURFACE TILE IN BOULEVARD AT MCKENZIE STREET	ISTALLATION -	INKSTE	R_	Subtotal:	
I	NEW LOCAL SIDEWALK - GATEWAY RD FI HEADMASTER ROW (EAST SIDE)	ROM BONNER	AVE TO		Subtotal:	
J	NEW LOCAL SIDEWALK & INTERSECTION FROM PEMBINA HWY TO 150m WEST OF S				Subtotal:	
K	REGIONAL SIDEWALK RENEWAL - PEMBII DARTMOUTH DR TO DARTMOUTH DR (EA:		100m S	OUTH OF	Subtotal:	
TOTAL BID PRICE (GST extra) (in figures)						

(Seal)

Template Version: C420180312 - RW

## FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

## **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	THAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per described, for the payment of which sum to	and firmly bound unto <b>THE CITY OF WINNIPEG</b> reent (10%) of the Total Bid Price set out in the Bid he Principal and Surety bind themselves, their heirs intly and severally, firmly by these presents.	hereinafte
WHEREAS the Principal has submitted a B	Bid to the Obligee for	
BID OPPORTUNITY NO. 197-2018 2018 NEW LOCAL SIDEWALKS, LOCAL S	SIDEWALK RENEWALS AND ASSOCIATED WORK	(S
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in the said Obligee and furnishes the required	oligation is such that if the Bid of the Principal is not a accordance with the terms of the Bid, enters into a Cd performance security for guaranteeing the faithful pl, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:  (Witness as to Principal if no seal)	(Name of Principal)  Per:  Per:	(Seal)
	(Name of Surety)	

By:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_ , 20\_\_\_\_ for BID OPPORTUNITY NO. 197-2018 2018 NEW LOCAL SIDEWALKS, LOCAL SIDEWALK RENEWALS AND ASSOCIATED WORKS in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
Corpo Materi 185 Ki	ity of Winnipeg rate Finance Department als Management Division ng Street, Main Floor peg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 197-2018
	2018 NEW LOCAL SIDEWALKS, LOCAL SIDEWALK RENEWALS AND ASSOCIATED WORKS
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
WE HI	s of Bidder)  EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	Standby Letter of Credit may be drawn on by you at any time and from time to time upon written and for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for ent without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	mount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	ngage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Addres	s)
and we	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on July 1, 2018

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)