



THE CITY OF WINNIPEG

BID OPPORTUNITY

BID OPPORTUNITY NO. 203-2018

2018 SEWER INSPECTIONS

Note to Bidders: Please be aware of revisions to B14.4

TABLE OF CONTENTS

PART A - BID SUBMISSION

Form A: Bid	1
Form B: Prices	4
Form G1: Bid Bond and Agreement to Bond	6
Form G2: Irrevocable Standby Letter of Credit and Undertaking	8

PART B - BIDDING PROCEDURES

B1. Contract Title	1
B2. Submission Deadline	1
B3. Site Investigation	1
B4. Enquiries	1
B5. Confidentiality	1
B6. Addenda	2
B7. Substitutes	2
B8. Bid Components	3
B9. Bid	3
B10. Prices	4
B11. Disclosure	4
B12. Qualification	5
B13. Bid Security	7
B14. Opening of Bids and Release of Information	8
B15. Irrevocable Bid	8
B16. Withdrawal of Bids	8
B17. Evaluation of Bids	9
B18. Award of Contract	9

PART C - GENERAL CONDITIONS

C0. General Conditions	1
------------------------	---

PART D - SUPPLEMENTAL CONDITIONS

General

D1. General Conditions	1
D2. Scope of Work	1
D3. Definitions	2
D4. Contract Administrator	2
D5. Contractor's Supervisor	2
D6. Ownership of Information, Confidentiality and Non Disclosure	2
D7. Notices	2
D8. Furnishing of Documents	3

Submissions

D9. Authority to Carry on Business	3
D10. Safe Work Plan	3
D11. Insurance	3
D12. Performance Security	4
D13. Subcontractor List	4
D14. Equipment List	4
D15. Detailed Work Schedule	5

Schedule of Work

D16. Commencement	5
D17. Working Days	6
D18. Hours of Work	6
D19. Critical Stages	7
D20. Substantial Performance	7
D21. Total Performance	7
D22. Liquidated Damages	7

Control of Work

D23. Job Meetings	8
D24. Prime Contractor – The Workplace Safety and Health Act (Manitoba)	8
D25. The Workplace Safety and Health Act (Manitoba) – Qualifications	8

Measurement and Payment

D26. Payment	8
--------------	---

Warranty

D27. Warranty	8
Form H1: Performance Bond	9
Form H2: Irrevocable Standby Letter of Credit	11
Form J: Subcontractor List	13
Form K: Equipment	14

PART E - SPECIFICATIONS

General

E1. Applicable Specifications and Drawings	1
E2. Confined Space Entry	2
E3. Water Supply	2
E4. Sewer and Associated Manhole Cleaning	3
E5. Miscellaneous Sewer Cleaning	4
E6. Miscellaneous Manhole Cleaning	4
E7. Sewer Inspection	4
E8. Sewer Inspection Equipment	13
E9. Removal of Excessive Grease and/or Roots	15
E10. Traffic Control and Maintenance of Access	15
E11. Notices to Residents	16
E12. Damage to City and Private Property	16
E13. Digital Panoramic Manhole Inspections	17
E14. Project Information Sharing	18
E15. Manholes with Limited Access	18
E16. Siphon Sewer Inspections	20

PART F - SECURITY CLEARANCE

F1. Security Clearance	1
------------------------	---

PART B - BIDDING PROCEDURES

B1. CONTRACT TITLE

B1.1 2018 SEWER INSPECTIONS

B2. SUBMISSION DEADLINE

- B2.1 The Submission Deadline is 12:00 noon Winnipeg time, April 6, 2018. .
- B2.2 Bids determined by the Manager of Materials to have been received later than the Submission Deadline will not be accepted and will be returned upon request.
- B2.3 The Contract Administrator or the Manager of Materials may extend the Submission Deadline by issuing an addendum at any time prior to the time and date specified in B2.1.

B3. SITE INVESTIGATION

- B3.1 Further to C3.1, the Bidder may view the Site without making an appointment.
- B3.2 The Bidder is advised that the sewers may be located in easements through private property or City owned parklands and right-of-ways where a paved access may not exist. It will be the Bidder's responsibility to identify these sewers and arrange for access and to restore any surface to private and City owned property.

B4. ENQUIRIES

- B4.1 All enquiries shall be directed to the Contract Administrator identified in D4.1.
- B4.2 If the Bidder finds errors, discrepancies or omissions in the Bid Opportunity, or is unsure of the meaning or intent of any provision therein, the Bidder shall notify the Contract Administrator of the error, discrepancy or omission, or request a clarification as to the meaning or intent of the provision at least five (5) Business Days prior to the Submission Deadline.
- B4.3 Responses to enquiries which, in the sole judgment of the Contract Administrator, require a correction to or a clarification of the Bid Opportunity will be provided by the Contract Administrator to all Bidders by issuing an addendum.
- B4.4 Responses to enquiries which, in the sole judgment of the Contract Administrator, do not require a correction to or a clarification of the Bid Opportunity will be provided by the Contract Administrator only to the Bidder who made the enquiry.
- B4.5 The Bidder shall not be entitled to rely on any response or interpretation received pursuant to B4 unless that response or interpretation is provided by the Contract Administrator in writing.

B5. CONFIDENTIALITY

- B5.1 Information provided to a Bidder by the City or acquired by a Bidder by way of further enquiries or through investigation is confidential. Such information shall not be used or disclosed in any way without the prior written authorization of the Contract Administrator. The use and disclosure of the confidential information shall not apply to information which:
- (a) was known to the Bidder before receipt hereof; or
 - (b) becomes publicly known other than through the Bidder; or
 - (c) is disclosed pursuant to the requirements of a governmental authority or judicial order.
- B5.2 The Bidder shall not make any statement of fact or opinion regarding any aspect of the Bid Opportunity to the media or any member of the public without the prior written authorization of the Contract Administrator.

B6. ADDENDA

- B6.1 The Contract Administrator may, at any time prior to the Submission Deadline, issue addenda correcting errors, discrepancies or omissions in the Bid Opportunity, or clarifying the meaning or intent of any provision therein.
- B6.2 The Contract Administrator will issue each addendum at least two (2) Business Days prior to the Submission Deadline, or provide at least two (2) Business Days by extending the Submission Deadline.
- B6.3 Addenda will be available on the Bid Opportunities page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgmt/bidopp.asp>
- B6.4 The Bidder is responsible for ensuring that he/she has received all addenda and is advised to check the Materials Management Division website for addenda regularly and shortly before the Submission Deadline, as may be amended by addendum.
- B6.5 The Bidder shall acknowledge receipt of each addendum in Paragraph 10 of Form A: Bid. Failure to acknowledge receipt of an addendum may render a Bid non-responsive.

B7. SUBSTITUTES

- B7.1 The Work is based on the Plant, Materials and methods specified in the Bid Opportunity.
- B7.2 Substitutions shall not be allowed unless application has been made to and prior approval has been granted by the Contract Administrator in writing.
- B7.3 Requests for approval of a substitute will not be considered unless received in writing by the Contract Administrator at least five (5) Business Days prior to the Submission Deadline.
- B7.4 The Bidder shall ensure that any and all requests for approval of a substitute:
- (a) provide sufficient information and details to enable the Contract Administrator to determine the acceptability of the Plant, Material or method as either an approved equal or alternative;
 - (b) identify any and all changes required in the applicable Work, and all changes to any other Work, which would become necessary to accommodate the substitute;
 - (c) identify any anticipated cost or time savings that may be associated with the substitute;
 - (d) certify that, in the case of a request for approval as an approved equal, the substitute will fully perform the functions called for by the general design, be of equal or superior substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the proposed work schedule and the dates specified in the Supplemental Conditions for Substantial Performance and Total Performance;
 - (e) certify that, in the case of a request for approval as an approved alternative, the substitute will adequately perform the functions called for by the general design, be similar in substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the proposed work schedule and the dates specified in the Supplemental Conditions for Substantial Performance and Total Performance.
- B7.5 The Contract Administrator, after assessing the request for approval of a substitute, may in his/her sole discretion grant approval for the use of a substitute as an "approved equal" or as an "approved alternative", or may refuse to grant approval of the substitute.
- B7.6 The Contract Administrator will provide a response in writing, at least two (2) Business Days prior to the Submission Deadline, to the Bidder who requested approval of the substitute.
- B7.6.1 The Contract Administrator will issue an Addendum, disclosing the approved materials, equipment, methods and products to all potential Bidders. The Bidder requesting and

obtaining the approval of a substitute shall be responsible for disseminating information regarding the approval to any person or persons he/she wishes to inform.

- B7.7 If the Contract Administrator approves a substitute as an “approved equal”, any Bidder may use the approved equal in place of the specified item.
- B7.8 If the Contract Administrator approves a substitute as an “approved alternative”, any Bidder bidding that approved alternative may base his/her Total Bid Price upon the specified item but may also indicate an alternative price based upon the approved alternative. Such alternatives will be evaluated in accordance with B17.
- B7.9 No later claim by the Contractor for an addition to the Total Bid Price because of any other changes in the Work necessitated by the use of an approved equal or an approved alternative will be considered.

B8. BID COMPONENTS

- B8.1 The Bid shall consist of the following components:
- (a) Form A: Bid;
 - (b) Form B: Prices;
 - (c) Bid Security
 - (i) Form G1: Bid Bond and Agreement to Bond, or
Form G2: Irrevocable Standby Letter of Credit and Undertaking, or
a certified cheque or draft;
- B8.2 Further to B8.1, the Bidder should include the written correspondence from the Contract Administrator approving a substitute in accordance with B7.
- B8.3 All components of the Bid shall be fully completed or provided, and submitted by the Bidder no later than the Submission Deadline, with all required entries made clearly and completely.
- B8.4 The Bid shall be submitted enclosed and sealed in an envelope clearly marked with the Bid Opportunity number and the Bidder's name and address.
- B8.4.1 Samples or other components of the Bid which cannot reasonably be enclosed in the envelope may be packaged separately, but shall be clearly marked with the Bid Opportunity number, the Bidder's name and address, and an indication that the contents are part of the Bidder's Bid.
- B8.5 Bidders are advised not to include any information/literature except as requested in accordance with B8.1.
- B8.6 Bidders are advised that inclusion of terms and conditions inconsistent with the Bid Opportunity document, including the General Conditions, will be evaluated in accordance with B17.1(a).
- B8.7 Bids submitted by facsimile transmission (fax) or internet electronic mail (e-mail) will not be accepted.
- B8.8 Bids shall be submitted to:
- The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

B9. BID

- B9.1 The Bidder shall complete Form A: Bid, making all required entries.

B9.2 Paragraph 2 of Form A: Bid shall be completed in accordance with the following requirements:

- (a) if the Bidder is a sole proprietor carrying on business in his/her own name, his/her name shall be inserted;
- (b) if the Bidder is a partnership, the full name of the partnership shall be inserted;
- (c) if the Bidder is a corporation, the full name of the corporation shall be inserted;
- (d) if the Bidder is carrying on business under a name other than his/her own, the business name and the name of every partner or corporation who is the owner of such business name shall be inserted.

B9.2.1 If a Bid is submitted jointly by two or more persons, each and all such persons shall identify themselves in accordance with B9.2.

B9.3 In Paragraph 3 of Form A: Bid, the Bidder shall identify a contact person who is authorized to represent the Bidder for purposes of the Bid.

B9.4 Paragraph 13 of Form A: Bid shall be signed in accordance with the following requirements:

- (a) if the Bidder is a sole proprietor carrying on business in his/her own name, it shall be signed by the Bidder;
- (b) if the Bidder is a partnership, it shall be signed by the partner or partners who have authority to sign for the partnership;
- (c) if the Bidder is a corporation, it shall be signed by its duly authorized officer or officers and the corporate seal, if the corporation has one, should be affixed;
- (d) if the Bidder is carrying on business under a name other than his/her own, it shall be signed by the registered owner of the business name, or by the registered owner's authorized officials if the owner is a partnership or a corporation.

B9.4.1 The name and official capacity of all individuals signing Form A: Bid should be printed below such signatures.

B9.5 If a Bid is submitted jointly by two or more persons, the word "Bidder" shall mean each and all such persons, and the undertakings, covenants and obligations of such joint Bidders in the Bid and the Contract, when awarded, shall be both joint and several.

B10. PRICES

B10.1 The Bidder shall state a price in Canadian funds for each item of the Work identified on Form B: Prices.

B10.1.1 Notwithstanding C12.2.3(c), prices on Form B: Prices shall not include the Manitoba Retail Sales Tax (MRST, also known as PST), which shall be extra where applicable.

B10.2 The quantities listed on Form B: Prices are to be considered approximate only. The City will use said quantities for the purpose of comparing Bids.

B10.3 The quantities for which payment will be made to the Contractor are to be determined by the Work actually performed and completed by the Contractor, to be measured as specified in the applicable Specifications.

B10.4 Payments to Non-Resident Contractors are subject to Non-Resident Withholding Tax pursuant to the Income Tax Act (Canada).

B11. DISCLOSURE

B11.1 Various Persons provided information or services with respect to this Work. In the City's opinion, this relationship or association does not create a conflict of interest because of this full disclosure. Where applicable, additional material available as a result of contact with these Persons is listed below.

B11.2 The Persons are:

- (a) N/A

B12. CONFLICT OF INTEREST AND GOOD FAITH

B12.1 Bidders, by responding to this Bid Opportunity, declare that no Conflict of Interest currently exists, or is reasonably expected to exist in the future.

B12.2 Conflict of Interest means any situation or circumstance where a Bidder or employee of the Bidder proposed for the Work has:

- (a) other commitments;
- (b) relationships;
- (c) financial interests; or
- (d) involvement in ongoing litigation;

that could or would be seen to:

- (i) exercise an improper influence over the objective, unbiased and impartial exercise of the independent judgment of the City with respect to the evaluation of Bids or award of the Contract; or
- (ii) compromise, impair or be incompatible with the effective performance of a Bidder's obligations under the Contract;
- (e) has contractual or other obligations to the City that could or would be seen to have been compromised or impaired as a result of its participation in the Bid Opportunity process or the Work; or
- (f) has knowledge of confidential information (other than confidential information disclosed by the City in the normal course of the Bid Opportunity process) of strategic and/or material relevance to the Bid Opportunity process or to the Work that is not available to other bidders and that could or would be seen to give that Bidder an unfair competitive advantage.

B12.3 In connection with its Bid, each entity identified in B13.2 shall:

- (a) avoid any perceived, potential or actual Conflict of Interest in relation to the procurement process and the Work;
- (b) upon discovering any perceived, potential or actual Conflict of Interest at any time during the Bid Opportunity process, promptly disclose a detailed description of the Conflict of Interest to the City in a written statement to the Contract Administrator; and
- (c) provide the City with the proposed means to avoid or mitigate, to the greatest extent practicable, any perceived, potential or actual Conflict of Interest and shall submit any additional information to the City that the City considers necessary to properly assess the perceived, potential or actual Conflict of Interest.

B12.4 Without limiting B13.3, the City may, in its sole discretion, waive any and all perceived, potential or actual Conflicts of Interest. The City's waiver may be based upon such terms and conditions as the City, in its sole discretion, requires to satisfy itself that the Conflict of Interest has been appropriately avoided or mitigated, including requiring the Bidder to put into place such policies, procedures, measures and other safeguards as may be required by and be acceptable to the City, in its sole discretion, to avoid or mitigate the impact of such Conflict of Interest.

B12.5 Without limiting B13.3, and in addition to all contractual or other rights or rights at law or in equity or legislation that may be available to the City, the City may, in its sole discretion:

- (a) disqualify a Bidder that fails to disclose a perceived, potential or actual Conflict of Interest of the Bidder or any of its employees proposed for the Work;

- (b) require the removal or replacement of any employees proposed for the Work that has a perceived, actual or potential Conflict of Interest that the City, in its sole discretion, determines cannot be avoided or mitigated;
- (c) disqualify a Bidder or employees proposed for the Work that fails to comply with any requirements prescribed by the City pursuant to B13.4 to avoid or mitigate a Conflict of Interest; and
- (d) disqualify a Bidder if the Bidder, or one of its employees proposed for the Work, has a perceived, potential or actual Conflict of Interest that, in the City's sole discretion, cannot be avoided or mitigated, or otherwise resolved.

B12.6 The final determination of whether a perceived, potential or actual Conflict of Interest exists shall be made by the City, in its sole discretion.

B13. QUALIFICATION

B13.1 The Bidder shall:

- (a) undertake to be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba; and
- (b) be financially capable of carrying out the terms of the Contract; and
- (c) have all the necessary experience, capital, organization, and equipment to perform the Work in strict accordance with the terms and provisions of the Contract.

B13.2 The Bidder and any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:

- (a) be responsible and not be suspended, debarred or in default of any obligations to the City. A list of suspended or debarred individuals and companies is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgt/debar.stm>

B13.3 The Bidder and/or any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:

- (a) have successfully carried out work similar in nature, scope and value to the Work; and
- (b) be fully capable of performing the Work required to be in strict accordance with the terms and provisions of the Contract; and
- (c) have a written workplace safety and health program if required pursuant to The Workplace Safety and Health Act (Manitoba);
- (d) upon request of the Contract Administrator, provide the Security Clearances in accordance with PART F - ;
- (e) have successfully completed over 5000 meters of previous closed circuit television (CCTV) inspection on sewers 1500 mm and larger for condition assessment purposes (CCTV of new infrastructure for acceptance purposes shall not be deemed as representative experience).

B13.4 Further to B12.3(c), the Bidder shall, within five (5) Business Days of a request by the Contract Administrator, provide proof satisfactory to the Contract Administrator that the Bidder/Subcontractor has a workplace safety and health program meeting the requirements of The Workplace Safety and Health Act (Manitoba), by providing:

- (a) Written confirmation of a safety and health certification meeting SAFE Work Manitoba's SAFE Work Certified Standard (e.g., COR™ and SECOR™) or
 - (i) a copy of their valid Manitoba COR certificate and Letter of Good Standing (or Manitoba equivalency) as issued under the Certificate of Recognition (COR) Program administered by the Construction Safety Association of Manitoba or by the Manitoba Heavy Construction Association's WORKSAFELY™ COR™ Program; or

- (ii) a copy of their valid Manitoba SECOR™ certificate and Letter of Good Standing (or Manitoba equivalency) as issued under the Small Employer Certificate of Recognition Program (SECOR™) administered by the Construction Safety Association of Manitoba or by the Manitoba Heavy Construction Association's WORKSAFELY™ COR™ Program or
 - (b) a report or letter to that effect from an independent reviewer acceptable to the City. (A list of acceptable reviewers and the review template are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgt/>.
- B13.5 The Bidder shall submit, within three (3) Business Days of a request by the Contract Administrator, proof satisfactory to the Contract Administrator of the qualifications of the Bidder and of any proposed Subcontractor.
- B13.6 The Bidder shall provide, on the request of the Contract Administrator, full access to any of the Bidder's equipment and facilities to confirm, to the Contract Administrator's satisfaction, that the Bidder's equipment and facilities are adequate to perform the Work.
- B14. BID SECURITY**
- B14.1 The Bidder shall provide bid security in the form of:
- (a) a bid bond, in the amount of at least ten percent (10%) of the Total Bid Price, and agreement to bond of a company registered to conduct the business of a surety in Manitoba, in the form included in the Bid Submission (Form G1: Bid Bond and Agreement to Bond); or
 - (b) an irrevocable standby letter of credit, in the amount of at least ten percent (10%) of the Total Bid Price, and undertaking issued by a bank or other financial institution registered to conduct business in Manitoba and drawn on a branch located in Winnipeg, in the form included in the Bid Submission (Form G2: Irrevocable Standby Letter of Credit and Undertaking); or
 - (c) a certified cheque or draft payable to "The City of Winnipeg", in the amount of at least fifty percent (50%) of the Total Bid Price, drawn on a bank or other financial institution registered to conduct business in Manitoba.
- B14.1.1 If the Bidder submits alternative bids, the bid security shall be in the amount of the specified percentage of the highest Total Bid Price submitted.
- B14.1.2 All signatures on bid securities shall be original.
- B14.1.3 The Bidder shall sign the Bid Bond.
- B14.1.4 The Surety shall sign and affix its corporate seal on the Bid Bond and the Agreement to Bond.
- B14.2 The bid security of the successful Bidder and the next two lowest evaluated responsive and responsible Bidders will be released by the City when a Contract for the Work has been duly executed by the successful Bidder and the performance security furnished as provided herein. The bid securities of all other Bidders will be released when a Contract is awarded.
- B14.2.1 Where the bid security provided by the successful Bidder is in the form of a certified cheque or draft pursuant to B13.1(c), it will be deposited and retained by the City as the performance security and no further submission is required.
- B14.2.2 The City will not pay any interest on certified cheques or drafts furnished as bid security or subsequently retained as performance security.
- B14.3 The bid securities of all Bidders will be released by the City as soon as practicable following notification by the Contract Administrator to the Bidders that no award of Contract will be made pursuant to the Bid Opportunity.

B15. OPENING OF BIDS AND RELEASE OF INFORMATION

- B15.1 Bids will be opened publicly, after the Submission Deadline has elapsed, in the office of the Corporate Finance Department, Materials Management Division, or in such other office as may be designated by the Manager of Materials.
- B15.1.1 Bidders or their representatives may attend.
- B15.2 Following the Submission Deadline, the names of the Bidders and their Total Bid Prices (unevaluated, and pending review and verification of conformance with requirements) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgt/default.stm>
- B15.3 After award of Contract, the name(s) of the successful Bidder(s), their address(es) and the Contract amount(s) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgt/default.stm>
- B15.4 The Bidder is advised that any information contained in any Bid may be released if required by The Freedom of Information and Protection of Privacy Act (Manitoba), by other authorities having jurisdiction, or by law or by City policy or procedures (which may include access by members of City Council).
- B15.4.1 To the extent permitted, the City shall treat as confidential information, those aspects of a Bid Submission identified by the Bidder as such in accordance with and by reference to Part 2, Section 17 or Section 18 or Section 26 of The Freedom of Information and Protection of Privacy Act (Manitoba), as amended.

B16. IRREVOCABLE BID

- B16.1 The Bid(s) submitted by the Bidder shall be irrevocable for the time period specified in Paragraph 11 of Form A: Bid.
- B16.2 The acceptance by the City of any Bid shall not release the Bids of the next two lowest evaluated responsive Bidders and these Bidders shall be bound by their Bids on such Work until a Contract for the Work has been duly executed and the performance security furnished as herein provided, but any Bid shall be deemed to have lapsed unless accepted within the time period specified in Paragraph 11 of Form A: Bid.

B17. WITHDRAWAL OF BIDS

- B17.1 A Bidder may withdraw his/her Bid without penalty by giving written notice to the Manager of Materials at any time prior to the Submission Deadline.
- B17.1.1 Notwithstanding C23.3, the time and date of receipt of any notice withdrawing a Bid shall be the time and date of receipt as determined by the Manager of Materials.
- B17.1.2 The City will assume that any one of the contact persons named in Paragraph 3 of Form A: Bid or the Bidder's authorized representatives named in Paragraph 13 of Form A: Bid, and only such person, has authority to give notice of withdrawal.
- B17.1.3 If a Bidder gives notice of withdrawal prior to the Submission Deadline, the Manager of Materials will:
- (a) retain the Bid until after the Submission Deadline has elapsed;
 - (b) open the Bid to identify the contact person named in Paragraph 3 of Form A: Bid and the Bidder's authorized representatives named in Paragraph 13 of Form A: Bid; and
 - (c) if the notice has been given by any one of the persons specified in B16.1.3(b), declare the Bid withdrawn.

B17.2 A Bidder who withdraws his/her Bid after the Submission Deadline but before his/her Bid has been released or has lapsed as provided for in B15.2 shall be liable for such damages as are imposed upon the Bidder by law and subject to such sanctions as the Chief Administrative Officer considers appropriate in the circumstances. The City, in such event, shall be entitled to all rights and remedies available to it at law, including the right to retain the Bidder's bid security.

B18. EVALUATION OF BIDS

B18.1 Award of the Contract shall be based on the following bid evaluation criteria:

- (a) compliance by the Bidder with the requirements of the Bid Opportunity, or acceptable deviation there from (pass/fail);
- (b) qualifications of the Bidder and the Subcontractors, if any, pursuant to B12 (pass/fail);
- (c) Total Bid Price;
- (d) economic analysis of any approved alternative pursuant to B7.

B18.2 Further to B17.1(a), the Award Authority may reject a Bid as being non-responsive if the Bid is incomplete, obscure or conditional, or contains additions, deletions, alterations or other irregularities. The Award Authority may reject all or any part of any Bid, or waive technical requirements or minor informalities or irregularities, if the interests of the City so require.

B18.3 Further to B17.1(b), the Award Authority shall reject any Bid submitted by a Bidder who does not demonstrate, in his/her Bid or in other information required to be submitted, that he/she is responsible and qualified.

B18.4 Further to B17.1(c), the Total Bid Price shall be the sum of the quantities multiplied by the unit prices for each item shown on Form B: Prices.

B18.4.1 Further to B17.1(a), in the event that a unit price is not provided on Form B: Prices, the City will determine the unit price by dividing the Amount (extended price) by the approximate quantity, for the purposes of evaluation and payment.

B19. AWARD OF CONTRACT

B19.1 The City will give notice of the award of the Contract or will give notice that no award will be made.

B19.2 The City will have no obligation to award a Contract to a Bidder, even though one or all of the Bidders are determined to be responsible and qualified, and the Bids are determined to be responsive.

B19.2.1 Without limiting the generality of B18.2, the City will have no obligation to award a Contract where:

- (a) the prices exceed the available City funds for the Work;
- (b) the prices are materially in excess of the prices received for similar work in the past;
- (c) the prices are materially in excess of the City's cost to perform the Work, or a significant portion thereof, with its own forces;
- (d) only one Bid is received; or
- (e) in the judgment of the Award Authority, the interests of the City would best be served by not awarding a Contract.

B19.3 Where an award of Contract is made by the City, the award shall be made to the responsible and qualified Bidder submitting the lowest evaluated responsive Bid, in accordance with B17.

B19.3.1 Following the award of contract, a Bidder will be provided with information related to the evaluation of his/her Bid upon written request to the Contract Administrator.

PART C - GENERAL CONDITIONS

C0. GENERAL CONDITIONS

- C0.1 The *General Conditions for Construction* (Revision 2006 12 15) are applicable to the Work of the Contract.
- C0.1.1 The *General Conditions for Construction* are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt/gen_cond.stm
- C0.2 A reference in the Bid Opportunity to a section, clause or subclause with the prefix “**C**” designates a section, clause or subclause in the *General Conditions for Construction*.

PART D - SUPPLEMENTAL CONDITIONS

GENERAL

D1. GENERAL CONDITIONS

D1.1 In addition to the *General Conditions for Construction*, these Supplemental Conditions are applicable to the Work of the Contract.

D2. SCOPE OF WORK

D2.1 The Work to be done under the Contract shall consist of inspections and re-inspections of combined, wastewater, land drainage, storm relief and interceptor sewers and their corresponding manholes and structures located at various districts throughout the City of Winnipeg.

D2.2 The major components of the Work are as follows:

- (a) Wastewater Inspection Work Program
 - (i) Cleaning of all wastewater sewers smaller than 450mm.
 - (ii) Cleaning of all manhole and structures where the host pipe has been cleaned.
 - (iii) CCTV Inspection of all sewers.
 - (iv) Inspection of all manholes and control structures.
- (b) Re-Inspection Work Program
 - (i) Cleaning of all combined sewers smaller than 900mm.
 - (ii) Cleaning of all wastewater sewers smaller than 450mm.
 - (iii) Cleaning of all manhole and structures where the host pipe has been cleaned.
 - (iv) CCTV Inspection of all sewers.
 - (v) Inspection of all manholes and control structures.
- (c) Land Drainage Sewer Inspection Work Program
 - (i) Cleaning of all Land Drainage sewers smaller than 900mm.
 - (ii) Cleaning of all manholes and structure where the host pipe has been cleaned.
 - (iii) CCTV Inspection of all sewers.
 - (iv) Inspection of all manholes and structures.
- (d) Storm Relief Sewer Inspection Work Program
 - (i) Cleaning of all Storm Relief sewers smaller than 900mm.
 - (ii) Cleaning of all manhole and structures where the host pipe has been cleaned.
 - (iii) CCTV Inspection of all sewers and Sonar Inspection of all sewers 900mm diameter and larger.
 - (iv) Inspection of all manholes and control structures.
- (e) Interceptor Sewer Inspection Work Program
 - (i) Cleaning of all Interceptor sewers smaller than 900mm.
 - (ii) Cleaning of all manhole and structures where the host pipe has been cleaned.
 - (iii) CCTV and Sonar Inspection of all sewers and Laser Inspection of all sewers 900mm diameter and larger.
 - (iv) Inspection of all manholes and control structures.
- (f) Siphon Sewer Inspection Work Program
 - (i) CCTV and/or Sonar Inspection of all sewers.
 - (ii) Inspection of all manholes and control structures.

D3. DEFINITIONS

D3.1 When used in this Bid Opportunity:

- (a) "NASSCO" means "National Association of Sewer Service Companies" which is accepted North American standard for sewer condition coding and assessment.

D4. CONTRACT ADMINISTRATOR

D4.1 The Contract Administrator is AECOM Canada Ltd. , represented by:

Christopher Mitchell, BSc Hons.
Asset Management Specialist

Telephone No. 204 928 9259

E-mail address: chris.mitchell@aecom.com

D4.2 At the pre-construction meeting, Mr. Mitchell will identify additional personnel representing the Contract Administrator and their respective roles and responsibilities for the Work.

D5. CONTRACTOR'S SUPERVISOR

D5.1 At the pre-construction meeting, the Contractor shall identify his/her designated supervisor and any additional personnel representing the Contractor and their respective roles and responsibilities for the Work.

D6. OWNERSHIP OF INFORMATION, CONFIDENTIALITY AND NON DISCLOSURE

D6.1 The Contract, all deliverables produced or developed, and information provided to or acquired by the Contractor are the property of the City and shall not be appropriated for the Contractors own use, or for the use of any third party.

D6.2 The Contractor shall not make any public announcements or press releases regarding the Contract, without the prior written authorization of the Contract Administrator.

D6.3 The following shall be confidential and shall not be disclosed by the Contractor to the media or any member of the public without the prior written authorization of the Contract Administrator;

- (a) information provided to the Contractor by the City or acquired by the Contractor during the course of the Work;
- (b) the Contract, all deliverables produced or developed; and
- (c) any statement of fact or opinion regarding any aspect of the Contract.

D6.4 A Contractor who violates any provision of D6 may be determined to be in breach of Contract.

D7. NOTICES

D7.1 Except as provided for in C23.2.2, all notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications to the Contractor shall be sent to the address or facsimile number identified by the Contractor in Paragraph 2 of Form A: Bid.

D7.2 All notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications to the City, except as expressly otherwise required in D7.3, D7.4 or elsewhere in the Contract, shall be sent to the attention of the Contract Administrator identified in D4.1.

D7.3 Notwithstanding C21., all notices of appeal to the Chief Administrative Officer shall be sent to the attention of the Chief Financial Officer at the following:

The City of Winnipeg

Attn: Chief Financial Officer
Office of the Chief Administrative Officer
Susan A. Thompson Building
2nd Floor, 510 Main Street
Winnipeg MB R3B 1B9

- D7.4 All notices, requests, nominations, proposals, consents, approvals, statements, authorizations, documents or other communications required to be submitted or returned to the City Solicitor shall be sent to the following facsimile number:

The City of Winnipeg
Legal Services Department
Attn: Director of Legal Services
Facsimile No.: 204 947-9155

- D7.5 Bids Submissions must not be submitted to the above facsimile number. Bids must be submitted in accordance with B8.**

D8. FURNISHING OF DOCUMENTS

- D8.1 Upon award of the Contract, the Contractor will be provided with five (5) complete sets of drawings, of Architectural E (36" x 48") size, detailing sewer inspection and flow types, asset numbers with upstream and downstream manholes and nodes. Flow types will not be separated out onto separate drawings. If the Contractor requires additional printed sets of drawings of smaller sizes, they will be supplied to him/her at cost. Electronic Portable Document Format (PDF) Drawings will also be supplied to the Contractor upon award via the SharePoint site.

SUBMISSIONS

D9. AUTHORITY TO CARRY ON BUSINESS

- D9.1 The Contractor shall be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba, or if the Contractor does not carry on business in Manitoba, in the jurisdiction where the Contractor does carry on business, throughout the term of the Contract, and shall provide the Contract Administrator with evidence thereof upon request.

D10. SAFE WORK PLAN

- D10.1 The Contractor shall provide the Contract Administrator with a Safe Work Plan at least five (5) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.
- D10.2 The Safe Work Plan should be prepared and submitted in the format shown in the City's template which is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgt/Safety/default.stm>
- D10.3 Notwithstanding B12.4 at any time during the term of the Contract, the City may, at its sole discretion and acting reasonably, require an updated COR Certificate or Annual Letter of good Standing. A Contractor, who fails to provide a satisfactory COR Certificate or Annual Letter of good Standing, will not be permitted to continue to perform any Work.

D11. INSURANCE

- D11.1 The Contractor shall provide and maintain the following insurance coverage:

- (a) commercial general liability insurance, in the amount of at least two million dollars (\$2,000,000.00) inclusive, with The City of Winnipeg added as an additional insured, with a cross-liability clause, such liability policy to also contain contractual liability, unlicensed motor vehicle liability, non-owned automobile liability and products and completed operations, to remain in place at all times during the performance of the Work and throughout the warranty period;
- (b) if applicable, Automobile Liability Insurance covering all motor vehicles, owned and operated and used or to be used by the Contractor directly or indirectly in the performance of the Work. The Limit of Liability shall not be less than \$2,000,000 inclusive for loss or damage including personal injuries and death resulting from any one accident or occurrence.

D11.2 Deductibles shall be borne by the Contractor.

D11.3 The Contractor shall provide the City Solicitor with a certificate(s) of insurance, in a form satisfactory to the City Solicitor, at least two (2) Business Days prior to the commencement of any Work but in no event later than the date specified in C4.1 for the return of the executed Contract.

D11.4 The Contractor shall not cancel, materially alter, or cause each policy to lapse without providing at least thirty (30) Calendar Days prior written notice to the Contract Administrator.

D12. PERFORMANCE SECURITY

D12.1 The Contractor shall provide and maintain performance security until the expiration of the warranty period in the form of:

- (a) a performance bond of a company registered to conduct the business of a surety in Manitoba, in the form attached to these Supplemental Conditions (Form H1: Performance Bond), in the amount of fifty percent (50%) of the Contract Price; or
- (b) an irrevocable standby letter of credit issued by a bank or other financial institution registered to conduct business in Manitoba and drawn on a branch located in Winnipeg, in the form attached to these Supplemental Conditions (Form H2: Irrevocable Standby Letter of Credit), in the amount of fifty percent (50%) of the Contract Price; or
- (c) a certified cheque or draft payable to "The City of Winnipeg", drawn on a bank or other financial institution registered to conduct business in Manitoba, in the amount of fifty percent (50%) of the Contract Price.

D12.1.1 Where the performance security is in the form of a certified cheque or draft, it will be deposited by the City. The City will not pay any interest on certified cheques or drafts furnished as performance security.

D12.2 If the bid security provided in his/her Bid was not a certified cheque or draft pursuant to B13.1(c), the Contractor shall provide the City Solicitor with the required performance security within seven (7) Calendar Days of notification of the award of the Contract by way of letter of intent and prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.

D13. SUBCONTRACTOR LIST

D13.1 The Contractor shall provide the Contract Administrator with a complete list of the Subcontractors whom the Contractor proposes to engage (Form J: Subcontractor List) at least two (2) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.

D14. EQUIPMENT LIST

D14.1 The Contractor shall provide the Contract Administrator with a complete list of the equipment which the Contractor proposes to utilize (Form K: Equipment List) at least two (2) Business

Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.

D15. DETAILED WORK SCHEDULE

- D15.1 The Contractor shall provide the Contract Administrator with a detailed work schedule at least two (2) Business Days prior to the commencement of any Work on the Site but in no event later than the date specified in C4.1 for the return of the executed Contract.
- D15.2 The detailed work schedule shall consist of the following:
- (a) a critical path method (C.P.M.) schedule for the Work;
 - (b) a Gantt chart for the Work based on the C.P.M. schedule;
 - (c) a Traffic Control Plan that identifies locations and approximate timing locations and approximate timing of proposed lane closures and parking restrictions; and
 - (d) a detailed deployment schedule for the Work at each site.
- all acceptable to the Contract Administrator.
- D15.3 Further to D15.2(a), the C.P.M. schedule shall clearly identify the start and completion dates of all of the following activities/tasks making up the Work as well as showing those activities/tasks on the critical path:
- (a) CCTV inspection schedule.
- D15.4 Further to D15.2(b), the Gantt chart shall show the time on a weekly basis, required to carry out the Work of each trade, or specification division. The time shall be on the horizontal axis, and the type of trade shall be on the vertical axis.

SCHEDULE OF WORK

D16. COMMENCEMENT

- D16.1 The Contractor shall not commence any Work until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
- D16.2 The Contractor shall not commence any Work on the Site until:
- (a) the Contract Administrator has confirmed receipt and approval of:
 - (i) evidence of authority to carry on business specified in D9;
 - (ii) evidence of the workers compensation coverage specified in C6.15;
 - (iii) the Safe Work Plan specified in D10;
 - (iv) evidence of the insurance specified in D11;
 - (v) the performance security specified in D12;
 - (vi) the Subcontractor list specified in D13;
 - (vii) the equipment list specified in D14; and
 - (viii) the detailed work schedule specified in D15.
 - (b) the Contractor has attended a pre-construction meeting with the Contract Administrator, or the Contract Administrator has waived the requirement for a pre-construction meeting.
- D16.3 The Contractor shall commence the Work on the Site within seven (7) Working Days of receipt of the letter of intent.

D17. WORKING DAYS

- D17.1 Further to C1.1(jj), the Contract Administrator's determination of whether or not atmospheric and Site conditions are such that a Working Day is deemed to have elapsed may be based at one time on one type of work while at another time a Working Day may be based on another type of work. When more than one type of major work is involved, the quantity of equipment that must be able to work in order to meet the requirements of a Working Day may vary considerably from that specified in the General Conditions.
- D17.2 In the event that incidental work is behind schedule which, in the opinion of the Contract Administrator, should have been or could have been carried out by the Contractor in conjunction with or immediately following work of a major type, the City hereby reserves the right to charge Working Days on the incidental work until such time as it is up to schedule.
- D17.3 When the major type of work involves restoration of the site to the condition it was prior to rainfall, Working Days shall not be charged.
- D17.4 The Contract Administrator will furnish the Contractor with a daily record for each major type of work showing various information concerning the equipment, the time it worked, could have worked and Working Days charged. This report is to be signed each day by an authorized representative of the Contractor.
- D17.5 Further to D19, D20 and D21, the Contractor will be permitted one (1) suspension of on-site construction, agreed with the Contract Administrator, after the completion of all Critical Stages to allow a delay within the Contract until after Fall Drawdown of the Red River at St. Andrew's Lock and Dam as necessary. This delay is to allow a return to Site where conditions are conducive to facilitate maximum exposure and inspection that meets the intent of the Contract and CW2145 for the Storm Relief System that is directly attributed to the River. Working Days will not be charged during site suspension period where the Site must be made secure, roadways completely operational, and all existing facilities and work in progress be protected from weather or other potentially harmful effects. Changes to Contract Critical Stages or completion dates resulting from suspension of Working Days, will not be considered.
- D17.5.1 Working Days will be assessed for every day except for the following:
- (a) As per D16.3, Days prior to the Contractor starting work on a stage of the Contract. Failure of the Contractor to commence work as indicated, in the opinion of the Contract Administrator, may result in the assessment of Working Days equivalent to the estimated costs incurred to the City;
 - (b) Days not worked due to Force Majeure.
- D17.6 Inspection of the Newton Avenue Siphon (MA70021128), will be performed within the month of September 2018 as mutually agreed by The Bidder, the City of Winnipeg, and the Civil Works Contractor (for Pipeline Modifications, cleaning and support), based on availability of all parties, and procurement of materials and equipment. The Contract Administrator will schedule a meeting with all parties prior to the intended inspections.

D18. HOURS OF WORK

- D18.1 All Work shall be carried out between the hours of 07:00 and 22:00 Monday to Friday and between 09:00 and 21:00 Saturday.
- D18.2 No Work shall be performed outside the hours stated in D18.1 or on Sunday or Statutory or Civic holidays without written permission from the Contract Administrator. Approval will only be granted if it is in the best interests of the City to do so. Any Work for Saturday, Sunday or holidays will be counted as a Working Day.

D19. CRITICAL STAGES

- D19.1 The Contractor shall achieve critical stages of the Work in accordance with the following requirements:
- (a) Critical Stage 1 – Submit Sewer CCTV video and corresponding Panoramo Manhole inspections with corresponding sewer and manhole defect coding for the Re-Inspection Inspection Types within Forty-Nine (49) consecutive Working Days of the commencement of the Work as specified in D16.

D20. SUBSTANTIAL PERFORMANCE

- D20.1 The Contractor shall achieve Substantial Performance within One Hundred and Two (102) consecutive Working Days of the commencement of the Work as specified in D16.
- D20.2 When the Contractor considers the Work to be substantially performed, the Contractor shall arrange, attend and assist in the inspection of the Work with the Contract Administrator for purposes of verifying Substantial Performance. Any defects or deficiencies in the Work noted during that inspection shall be remedied by the Contractor at the earliest possible instance and the Contract Administrator notified so that the Work can be re-inspected.
- D20.3 The date on which the Work has been certified by the Contract Administrator as being substantially performed to the requirements of the Contract through the issue of a certificate of Substantial Performance is the date on which Substantial Performance has been achieved.

D21. TOTAL PERFORMANCE

- D21.1 The Contractor shall achieve Total Performance within One Hundred and Twelve (112) consecutive Working Days of the commencement of the Work as specified in D16.
- D21.2 When the Contractor or the Contract Administrator considers the Work to be totally performed, the Contractor shall arrange, attend and assist in the inspection of the Work with the Contract Administrator for purposes of verifying Total Performance. Any defects or deficiencies in the Work noted during that inspection shall be remedied by the Contractor at the earliest possible instance and the Contract Administrator notified so that the Work can be re-inspected.
- D21.3 The date on which the Work has been certified by the Contract Administrator as being totally performed to the requirements of the Contract through the issue of a certificate of Total Performance is the date on which Total Performance has been achieved.

D22. LIQUIDATED DAMAGES

- D22.1 If the Contractor fails to achieve Critical Stages, Substantial Performance or Total Performance in accordance with the Contract by the days fixed herein for same, the Contractor shall pay the City the following amounts per Working Day for each and every Working Day following the days fixed herein for same during which such failure continues:
- (a) Critical Stage 1 – three hundred fifty dollars (\$350);
 - (b) Substantial Performance – one thousand six hundred dollars (\$1,600);
 - (c) Total Performance – eight hundred dollars (\$800).
- D22.2 The amounts specified for liquidated damages in D22.1 are based on a genuine pre-estimate of the City's losses in the event that the Contractor does not achieve critical stages, Substantial Performance or Total Performance by the days fixed herein for same.
- D22.3 The City may reduce any payment to the Contractor by the amount of any liquidated damages assessed.

CONTROL OF WORK

D23. JOB MEETINGS

- D23.1 Regular bi-weekly job meetings will be held at the Site. These meetings shall be attended by a minimum of one representative of the Contract Administrator, one representative of the City and one representative of the Contractor. Each representative shall be a responsible person capable of expressing the position of the Contract Administrator, the City and the Contractor respectively on any matter discussed at the meeting including the Work schedule and the need to make any revisions to the Work schedule. The progress of the Work will be reviewed at each of these meetings.
- D23.2 The Contract Administrator reserves the right to cancel any job meeting or call additional job meetings whenever he/she deems it necessary.

D24. PRIME CONTRACTOR – THE WORKPLACE SAFETY AND HEALTH ACT (MANITOBA)

- D24.1 Further to C6.24, the Contractor shall be the Prime Contractor and shall serve as, and have the duties of the Prime Contractor in accordance with The Workplace Safety and Health Act (Manitoba).

D25. THE WORKPLACE SAFETY AND HEALTH ACT (MANITOBA) – QUALIFICATIONS

- D25.1 Further to B12.4, the Contractor/Subcontractor must, throughout the term of the Contract, have a Workplace Safety and Health Program meeting the requirements of The Workplace Safety and Health Act (Manitoba). At any time during the term of the Contract, the City may, at its sole discretion and acting reasonably, require updated proof of compliance, as set out in B12.4.

MEASUREMENT AND PAYMENT

D26. PAYMENT

- D26.1 Further to C12, the City may at its option pay the Contractor by direct deposit to the Contractor's banking institution.

WARRANTY

D27. WARRANTY

- D27.1 Warranty is as stated in C13.
- D27.2 The Contractor shall maintain backup copies of all video and inspection data for the duration of the Warranty Period.

FORM H1: PERFORMANCE BOND
(See D12)

KNOW ALL MEN BY THESE PRESENTS THAT

_____ ,
(hereinafter called the "Principal"), and

_____ ,
(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee"), in the sum of

_____ dollars (\$_____)

of lawful money of Canada to be paid to the Obligee, or its successors or assigns, for the payment of which sum the Principal and the Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has entered into a written contract with the Obligee for

BID OPPORTUNITY NO. 203-2018

2018 SEWER INSPECTIONS

which is by reference made part hereof and is hereinafter referred to as the "Contract".

NOW THEREFORE the condition of the above obligation is such that if the Principal shall:

- (a) carry out and perform the Contract and every part thereof in the manner and within the times set forth in the Contract and in accordance with the terms and conditions specified in the Contract;
- (b) perform the Work in a good, proper, workmanlike manner;
- (c) make all the payments whether to the Obligee or to others as therein provided;
- (d) in every other respect comply with the conditions and perform the covenants contained in the Contract; and
- (e) indemnify and save harmless the Obligee against and from all loss, costs, damages, claims, and demands of every description as set forth in the Contract, and from all penalties, assessments, claims, actions for loss, damages or compensation whether arising under "The Workers Compensation Act", or any other Act or otherwise arising out of or in any way connected with the performance or non-performance of the Contract or any part thereof during the term of the Contract and the warranty period provided for therein;

THEN THIS OBLIGATION SHALL BE VOID, but otherwise shall remain in full force and effect. The Surety shall not, however, be liable for a greater sum than the sum specified above.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM H2: IRREVOCABLE STANDBY LETTER OF CREDIT
(PERFORMANCE SECURITY)**
(See D12)

(Date)

The City of Winnipeg
Legal Services Department
185 King Street, 3rd Floor
Winnipeg MB R3B 1J1

RE: PERFORMANCE SECURITY - BID OPPORTUNITY NO. 203-2018
2018 SEWER INSPECTIONS

Pursuant to the request of and for the account of our customer,

(Name of Contractor)

(Address of Contractor)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate

_____ Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

Subject to the condition hereinafter set forth, this Standby Letter of Credit will expire on

(Date)

It is a condition of this Standby Letter of Credit that it shall be deemed to be automatically extended from year to year without amendment from the present or any future expiry date, unless at least 30 days prior to the present or any future expiry date, we notify you in writing that we elect not to consider this Standby Letter of Credit to be renewable for any additional period.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)

FORM K: EQUIPMENT
(See D14)

2018 SEWER INSPECTIONS

<p>1. Category/type: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p>
<p>2. Category/type: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p>
<p>3. Category/type: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p>

FORM K: EQUIPMENT
(See D14)

2018 SEWER INSPECTIONS

<p>4. Category/type:</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p>
<p>5. Category/type:</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p>
<p>6. Category/type:</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p> <p>Make/Model/Year: _____ Serial No.: _____</p> <p>Registered owner: _____</p>

PART E - SPECIFICATIONS

GENERAL

E1. APPLICABLE SPECIFICATIONS AND DRAWINGS

E1.1 These Specifications shall apply to the Work.

E1.2 *The City of Winnipeg Standard Construction Specifications* in its entirety, whether or not specifically listed on Form B: Prices, shall apply to the Work.

E1.2.1 *The City of Winnipeg Standard Construction Specifications* is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgt/Spec/Default.stm> .

E1.2.2 The version in effect three (3) Business Days before the Submission Deadline shall apply.

E1.2.3 Further to C2.4(d), Specifications included in the Bid Opportunity shall govern over *The City of Winnipeg Standard Construction Specifications*.

E1.3 The following are applicable to the Work:

<u>Appendix No.</u>	<u>Title</u>
A	Sewer Inspections Work Program
B	Fugitive Emission Material Safety Data Sheet – Hydrogen Sulphate Gas
C	Sutherland Interceptor Drawings: 102 Higgins and Sutherland Easement.pdf 105 Sutherland 900mm MH's.pdf 107 MH at Main and Sutherland.pdf 519 Sutherland Secondary Special MH's.pdf 10513 CPR Crossing.pdf
D	Main Street 41-02-3483-011-01 - Main Street, Higgins to Sutherland Underpass Sewer configuration.pdf
E	Siphon crossings: MA70001098 - 516_Siphon at Gateway Industries 1200mm.pdf MA70017839 - Pacific and Ellen - C-264_Aqueduct at Ellen.pdf MA70017851 - Pacific and Sherbrook - C-265_Aqueduct at Sherbrook.pdf MA70017855 - Pacific and Arlington - C-267_Aqueduct at Arlington.pdf MA70021128 - Newton Drawing – Base Plan.pdf MA70021128 - Newton Siphon Inspection D-14389.pdf

<u>Drawing No.</u>	<u>Drawing Name/Title</u>
	Cover Sheet
	2018 Sewer Inspections - Key Plan
SI-01	2018 Sewer Inspections - Map 1
SI-02	2018 Sewer Inspections - Map 2
SI-03	2018 Sewer Inspections - Map 3
SI-04	2018 Sewer Inspections - Map 4
SI-05	2018 Sewer Inspections - Map 5
SI-06	2018 Sewer Inspections - Map 6
SI-07	2018 Sewer Inspections - Map 7
D-8211	Water Supply Hose Traffic Ramp
SD-019	Backflow Protection Arrangement

E2. CONFINED SPACE ENTRY

- E2.1 The Contractor shall be aware that Hydrogen Sulphide Gas is present in all underground structures connected to the City's sewer systems and has been known to accumulate in concentrations sufficient to cause serious harm or death to personnel who are not using adequate Personal Protective Equipment.
- E2.2 The Contractor's attention is drawn to the Province of Manitoba Workplace Safety and Health Act ("the Act"), and the Regulations and Guidelines there-under pertaining to Confined Entry Work and in particular the requirements for conducting hazard/risk assessments and providing personal protective equipment (PPE).
- E2.2.1 Further to E2.2, the Contractor shall use an approved and properly maintained Supplied Air Breathing Apparatus when entering and working in sewers, manholes and catch basins.

E3. WATER SUPPLY

- E3.1 Further to specifications CW 1120, section 3.1, CW 2140 and CW 2145, water supply for the Work may be taken from City of Winnipeg hydrants in accordance with the following:
- Water shall be taken from "white-cap" hydrants only. The location of "white-cap" hydrants are shown on the drawings and labelled "WCH".
 - Submit a list of proposed "white-cap" hydrant locations to the City of Winnipeg Water Services Division (WSD) for approval. If a proposed hydrant location is not approved, the Contractor shall submit an alternate hydrant location for approval.
 - Only hydrants approved by WSD shall be used for water supply.
 - The Contractor shall supply and use a Backflow Protection Arrangement as shown on Standard Drawing SD-019 when taking water from City hydrants. Alternatively, the Contractor may rent the Backflow Protection Arrangement from the Water Services Division (WSD) if available. All costs associated with the supply of the Backflow Protection Arrangement or rental of same from WSD will be included in the cost of sewer and manhole cleaning. WSD will supply a meter and locks for the Backflow Protection Arrangement.
 - The Contractor is permitted to turn approved hydrants on and off provided the Contractor has received training by the Water Services Division and the turn-ons and turn-offs are done in the presence of the Contract Administrator.
 - Hydrants approved for use shall be considered to be "in the Contractor's control" from the time the City has turned the hydrant on until the Contractor has notified the City the hydrant is no longer being used and the meter box has been removed.
 - Between November 1 and April 30 of any year the Contractor shall take all necessary precautions to prevent freezing of hydrants and related appurtenances for hydrants in their control and shall be responsible to pump out hydrants turned off by Emergency Services. Heating and hoarding of hydrants will be required by the Contractor. All costs associated

with heating and hoarding shall be included in the price of "Sewer Cleaning" and no separate measurement or payment will be made.

- (h) If a hydrant or appurtenance is damaged due to freezing or improper turn-on or turn-off procedures while in the Contractor's control, WSD will assess the damage and determine if WSD will repair the damage or if the Contractor will be responsible to repair the damage. Costs for repairs completed by WSD will be deducted from payments owing the Contractor. Repairs completed by the Contractor will be at the Contractor's expense.
- (i) Erect and maintain signage (bump signs) warning oncoming traffic of hose crossings to the satisfaction of the Contract Administrator and the Manual of Temporary Traffic Control. Construct ramps as shown on attached Drawing D-8211.
- (j) Direct hook-up of sewer flushing equipment to a hydrant is not permitted unless approved by the Contract Administrator
- (k) WSD may instruct the Contractor to make other arrangements for hydrant turn-ons and turn-offs.

E3.2 Further to Section 3.7 of CW 1120, charges incurred for the permit and water meters shall be paid for by the Contractor when taken out. The Contractor shall forward the invoice to the Contract Administrator for reimbursement. The billing for water usage sent to the Contractor shall be forwarded to the Contract Administrator for payment. The Bid Opportunity number shall be noted on each permit.

E4. SEWER AND ASSOCIATED MANHOLE CLEANING

E4.1 This specification amends and supplements specification CW 2140.

E4.1.1 Sewer Inspection Work Program

- (a) Further to Clause 3.5.2, the Contractor shall remove 95% of all loose floating, solid or semi-solid debris for:
 - (i) All Wastewater Sewers smaller than 450mm;
 - (ii) All Combined, Storm Relief, Interceptor and Land Drainage Sewers smaller than 900mm.
- (b) Further to Clause 3.5.2, the following sewers shall be inspected without pre-cleaning unless directed otherwise by the Contract Administrator. Where cleaning is required for the completion of the inspections, cleaning will be in accordance to E5:
 - (i) All Wastewater Sewers 450mm and greater;
 - (ii) All Combined, Storm Relief, Interceptor and Land Drainage Sewers 900mm and greater.

E4.1.2 Further to Section 3.5, the Contractor shall operate the equipment so that the pressurized nozzle continues to move at all times. The pressurized nozzle shall be turned off or reduced anytime it is stationary or delayed in order to prevent damage to the sewer.

E4.1.3 Further to Section 3.5, the Contractor shall remove the upstream manhole cover during sewer cleaning.

E4.1.4 Further to Clause 3.5.3, grease shall be removed and paid for as described in E9.

E4.1.5 Further to Clause 3.11.1, roots will not be considered as solid debris and shall be removed and paid for as described in E9.

E4.1.6 Further to Clause 3.5.4, the Contractor shall be made aware of the locations on the Drawings labelled as Synergen Trouble Spots. These locations are recorded in the City's database as areas which require regular maintenance.

E4.1.7 Further to Section 3.5, the distance required for the nozzle to travel in the sewer shall be limited to one manhole-to-manhole sewer section unless approved by the Contract Administrator.

- E4.1.8 Further to Clause 3.9.2, no decanting shall occur within 3 sewer sections upstream of a lift station. If decanting is required it shall be done immediately downstream of the lift station.
- E4.1.9 Replace Clause 3.11.1 with:
Cut and remove solid debris from the sewers for the limits identified by the Contract Administrator from the post cleaning sewer inspection.
- E4.1.10 Replace Clause 4.1.5 with:
75% of the payment will be made upon submittal of the corresponding video inspection. The remaining 25% of the payment will be made upon final acceptance of the sewer cleaning as determined by the review of the corresponding video inspection.

E5. MISCELLANEOUS SEWER CLEANING

- E5.1 Perform Miscellaneous Sewer Cleaning as required by the Contract Administrator.
- E5.2 Clean sewers and other unforeseen locations using all equipment, personnel, traffic control and supporting vehicles, activities and operations employed in the performance of the Work.
- E5.3 Miscellaneous sewer cleaning will be measured on a time basis and paid for at the Contract Unit Price for "Miscellaneous Sewer Cleaning". The amount to be paid will be the total number of hours spent cleaning Miscellaneous Sewers and other miscellaneous locations in this Contract, accepted and measured by the Contract Administrator. Time spent for debris disposal and mobilization/demobilization to and from the site will be included in the Contract Unit Price for "Miscellaneous Sewer Cleaning"..

E6. MISCELLANEOUS MANHOLE CLEANING

- E6.1 For the purpose of the Work, Miscellaneous Manholes include; access manholes, control structures, flush tank and overflow chambers, as identified on the drawings and as listed in Form B: Prices.
- E6.2 Perform Miscellaneous Manhole Cleaning as required by the Contract Administrator.
- E6.3 Clean manholes using all equipment, personnel, traffic control and supporting vehicles, activities and operations employed in the performance of the Work.
- E6.4 Miscellaneous manhole cleaning will be measured on a unit basis and paid for at the Contract Unit Price for "Miscellaneous Manhole Cleaning". The amount to be paid will be the total number of Miscellaneous Manholes cleaned in this Contract, accepted and measured by the Contract Administrator. Time spent for debris disposal and mobilization/demobilization to and from the site will be included in the Contract Unit Price for "Miscellaneous Manhole Cleaning".

E7. SEWER INSPECTION

- E7.1 This specification amends and supplements specification CW 2145.
- E7.1.1 Replace Section 3.4 with:
(a) Ensure each operator is fully trained and certified in all aspects of sewer and manhole inspections and capable of making accurate observations and recording all conditions that may be encountered in the sewers and manholes.
(b) Inspection shall be performed by certified operators in accordance with the National Association of Sewer Service Companies (NASSCO) having attained and retained their "Pipeline Assessment Certification Program" (PACP) and "Manhole Assessment Certification Program" (MACP) certification.
- E7.1.2 Replace Section 3.5 with:

- (a) Perform sewer condition coding in accordance with the requirements of the NASSCO PACP and to version 7.0.0 of the manual or greater in general accordance with E7.1.1 of this specification and with the following additional requirements.

Pipe Header Section	Field No.	Field Name	NASSCO Mandatory	REQUIRED (Yes / No)?
General Information	1	Surveyed By (<i>Operator / PACP User Name</i>)	Yes	Yes
	2	Certificate Number	Yes	Yes
	3	Reviewed By	No	No
	4	Reviewer Certificate Number	No	No
	5	Owner	No	Yes
	6	Customer	No	Yes
	7	P/O Number (<i>Contract No.</i>)	No	Yes
	8	Work Order	No	Yes
	9	Media Label	No	Yes
	10	Project	No	Yes
	11	Date	Yes	Yes
	12	Time	No	Yes
	13	Sheet Number	Yes	Yes
	14	Weather	No	Yes
	15	Pre-Cleaning	Yes	Yes
	16	Date Cleaned	No	No
	17	Flow Control	No	No
	18	Purpose of Survey	No	Yes
	19	Direction of Survey	Yes	Yes
	20	Inspection Technology Used	No	Yes
	21	Inspection Status	Yes	Yes
	22	Consequence of Failure	No	No
	23	Pressure Value	No	No

Location	24	Drainage Area	No	Yes
	25	Pipe Segment Reference (<i>Asset ID</i>)	No	Yes
	26	Street (<i>Name and Number</i>)	Yes	Yes
	27	City	Yes	Yes
	28	Location Code	No	Yes
	29	Location Details	No	Yes

Pipe	30	Pipe Use	Yes	Yes
	31	Height (<i>Diameter</i>)	Yes	Yes
	32	Width	Yes	Yes
	33	Shape	Yes	Yes
	34	Material	Yes	Yes
	35	Lining Method	No	No
	36	Coating Method	No	No
	37	Pipe Joint Length	No	Yes

Pipe Header Section	Field No.	Field Name	NASSCO Mandatory	REQUIRED (Yes / No)?
	38	Total Length (Steel Tape Measurement)	No	Yes
	39	Length Surveyed	No	Yes
	40	Year Constructed	No	No
	41	Year Renewed	No	No

Measurements	Field No.	Field Name	NASSCO Mandatory	REQUIRED (Yes / No)?
	42	Upstream MH No.	Yes	Yes
	43	Upstream MH Rim to Invert	No	No
	44	Upstream MH Rim to Grade	No	Yes
	45	Upstream MH Grade to Invert	No	No
	46	Upstream MH Northing	No	No
	47	Upstream MH Easting	No	No
	48	Upstream MH Elevation	No	No
	49	Downstream MH No.	Yes	Yes
	50	Downstream MH Rim to Invert	No	Yes
	51	Downstream MH Rim to Grade	No	No
	52	Downstream MH Grade to Invert	No	No
	53	Downstream MH Northing	No	No
	54	Downstream MH Easting	No	No
	55	Downstream MH Elevation	No	No
	56	MH Coordinate System	No	No
	57	MH Vertical Datum	No	No
	58	GPS Accuracy	No	No
	59	Additional Information	No	Yes*

Yes* - when required.

(b) Record place names in accordance with Clause 3.9.4 of the CW 2145.

E7.1.3 Further to Section 3.7.4, operators failing to provide copies of their NASSCO certification and / or meet the accuracy requirements on two occasions will not be permitted to code on the remainder of the Contract until they can demonstrate to the Contract Administrator that they can code in accordance with the requirements of the NASSCO PACP and MACP version 7.0.0 of the manual or greater.

E7.1.4 Further to Section 3.13, a paper or “hard copy” of the inspection reports are not required and the following digital format submissions shall be provided:

- (a) The Contractor shall maintain backup copies of all digital video and inspection data submissions for the duration of the Warranty Period as stated in C13.
- (b) The Contractor shall provide three (3), 2.5 inch portable hard disk drives (HDD) , complete with all operating software, power adaptors and USB cables, delivered on a weekly rotation exchange that contains completed sewer and manhole inspection video with viewing software and sewer and manhole condition coding data to the Contract Administrator. Sewer and manhole condition coding shall be submitted as a PACP.mdb and MACP.mdb files accordingly. Retained HDD's will be returned at the bi-weekly meeting.
- (c) The Contractor shall supply separately two (2) duplicated, 2.5 inch portable HDD's, complete with all operating software, power adaptors and USB cables, containing all video inspections and coding data to the City upon completion of the project.

- (d) The Contractor shall supply separately one (1) set of archival grade digital versatile discs, DVD-R format in accordance with E7.1.7 to the City upon completion of the project.
- (e) All HDD's shall be sized appropriately to accommodate all above mentioned files and have dual USB 3.0 (preferable) and USB 2.0 compatibility with a minimum data transfer rate of 480 MB/s.

E7.1.5 The Contract drawings are based on information contained in the City's GIS database. If the Contractor has trouble interpreting the drawings, or if they believe them to be wrong, the Contract Administrator shall be approached for assistance/clarification.

- (a) The Contractor shall assist the Contract Administrator in making any required measurements for the correction of errors found on the Drawings.

E7.1.6 Replace Clause 3.8.1 with:

Provide a minimum of 400 lines of resolution around the periphery of the picture for digital MPEG video playback.

E7.1.7 Replace Clause 3.11.1 with:

Capture the inspections in digital format in colour from the live video source on archival grade digital versatile discs, DVD-R format and HDD to the following minimum requirements. Adjust requirements as required to achieve 400 lines of resolution specified in Clause E7.1.6 of this Specification.

- .1 XDVD MPEG-2 or MPEG-4 format (MPEG-4 preferred).
- .2 Picture Size: NTSC 720 x 480 @ 29.97 frames per second.
- .3 Data/Bit Rate: 6.0 Mbit/sec.

E7.1.8 Replace Clause 3.17.7.6, with:

Record the distance from the centre of the manhole to the cable calibration location at the start of the inspection and adjust the distance reading so that zero is at the centre of the start manhole. This distance is known as the cable calibration distance. The cable calibration location is the intersection point between the camera's widest horizontal viewing angle and the pipe's side periphery (03 or 09 o'clock) when the camera is level and looking forward.

E7.1.9 Replace Clause 3.6 with:

- (a) Perform NASSCO MACP V7.0.0 or greater manhole condition Level 2 inspection and coding in general accordance with E7.1.1 of this specification and with the following additional requirements.

The following fields shall be used when completing the "Header" details in the manhole inspection header form. By default, Field 5 the "Owner" is City of Winnipeg and Field 6, the "Customer" will be the Contract Administrator for 203-2018, AECOM.

Field 38 – 43 data shall be collected using a hand-held GPS device to achieve Nearest (N) or sub-meter (M) accuracies dependent upon available satellite coverage.

Manhole Header Section	Field No.	Field Name	NASSCO Mandatory	REQUIRED (Yes / No)?
General Information	1	Surveyed By (Operator / MACP User Name)	Yes	Yes
	2	Certificate Number	Yes	Yes
	3	Reviewed By	No	No
	4	Reviewer Certificate Number	No	No
	5	Owner	No	Yes
	6	Customer	No	Yes

Manhole Header Section	Field No.	Field Name	NASSCO Mandatory	REQUIRED (Yes / No)?
	7	P/O Number (Contract No.)	No	Yes
	8	Work Order	No	Yes
	9	Media Label	No	Yes
	10	Project	No	Yes
	11	Date	Yes	Yes
	12	Time	No	Yes
	13	Sheet Number	Yes	Yes
	14	Weather	No	Yes
	15	Pre-Cleaning	Yes	Yes
	16	Date Cleaned	No	No
	17	Purpose of Survey	Yes	Yes
	18	Inspection Level	Yes	Yes
	19	Inspection Status	Yes	Yes
	20	Consequence of Failure	No	No

Location	21	Drainage Area	No	Yes
	22	Manhole/Access Point Number (Asset ID)	Yes	Yes
	23	Street (Name and Number)	Yes	Yes
	24	City	Yes	Yes
	25	Location Code	Yes	Yes
	26	Surface Type	Yes	Yes
	27	Inflow Potential from Runoff	No	No
	28	Location Details	No	Yes

Manhole	29	MH Use (Use of Access Point/Structure)	Yes	Yes
	30	Access Type	Yes	Yes
	31	Year Constructed	No	No
	32	Year Renewed	No	No
	33	Evidence of Surcharge	Yes	Yes

Measurements	34	Rim to Invert (Outgoing)	Yes	Yes
	35	Rim to Grade (Outgoing)	Yes	Yes
	36	Grade to Invert (Outgoing)	Yes	Yes
	37	Rim to Grade Exposed	No	No
	38	Northing (Y Coordinate)	No	Yes
	39	Easting (X Coordinate)	No	Yes
	40	Elevation (Z Coordinate)	No	Yes
	41	Coordinate System (Nearest Meter)	No	Yes
	42	Vertical Datum (Elevation)	No	Yes
	43	GPS Accuracy	No	Yes
	44	Additional Information	No	No

The following fields shall be used when completing the “Manhole Component Observation Section” details in the manhole component observation form.

Manhole Component Section	Field No.	Field Name	NASSCO Mandatory	REQUIRED (Yes / No)?
Cover	45	Cover Type	Yes	Yes
	46	Cover Shape	Yes	Yes
	47	Cover Size	Yes	Yes
	48	Centre Cover Size	No	No
	49	Cover Size Width	Yes	Yes
	50	Cover Material	Yes	No
	51	Hole Diameter (Vent)	Yes	No
	52	Hole Number (Number of Vent Holes)	Yes	No
	53	Cover Bearing Surface Diameter	Yes	No
	54	Cover Bearing Surface Width	Yes	No
	55	Cover/Frame Fit	Yes	Yes
	56	Cover Condition	Yes	Yes
Cover Insert	57	Insert Type	Yes	No
	58	Cover Insert Condition	Yes	No
Manhole Cover Adjustment Ring	59	Adjustment Ring Type	Yes	Yes
	60	Adjustment Ring Material	Yes	Yes
	61	Ring Condition (Adjustment Ring)	Yes	Yes
	62	Adjustment Ring Height	No	No
Frame	63	Frame Material	Yes	Yes
	64	Frame Bearing Surface Width	Yes	No
	65	Frame Bearing Surface Depth	Yes	No
	66	Frame Clear Opening Diameter	Yes	No
	67	Frame Clear Opening Width	Yes	No
	68	Frame Condition	Yes	Yes
	69	Seal Condition	Yes	Yes
	70	Frame Offset Distance	Yes	Yes
	71	Frame Seal Inflow	Yes	Yes
	72	Frame Depth	No	No
Chimney	73	Chimney Present	Yes	Yes
	74	Chimney First Material	Yes	Yes
	75	Chimney Second Material	No	No
	76	Chimney I/I	No	No
	77	Chimney Clear Opening	No	No
	78	Chimney Depth	Yes	Yes
	79	Chimney Lining Interior (Coating)	No	No
	80	Chimney Lining Exterior (Coating)	No	No
	81	Chimney Condition	Yes	Yes

Manhole Component Section	Field No.	Field Name	NASSCO Mandatory	REQUIRED (Yes / No)?
Cone	82	Cone Type	Yes	Yes
	83	Cone Material	Yes	Yes
	84	Cone Depth	Yes	Yes
	85	Cone Lining Interior	No	No
	86	Cone Lining Exterior	No	No
	87	Cone Condition	Yes	Yes
Wall	88	Wall Diameter (Length)	No	No
	89	Wall by Size (Width)	No	No
	90	Wall Material	Yes	Yes
	91	Wall Depth	Yes	Yes
	92	Wall Lining Interior (Coating)	No	No
	93	Wall Lining Exterior (Coating)	No	No
	94	Wall Condition	Yes	Yes
Bench	95	Bench Present	Yes	Yes
	96	Bench Material	Yes	Yes
	97	Bench Lining (Coating)	No	No
	98	Bench Condition	Yes	Yes
Channel	99	Channel Installed	Yes	Yes
	100	Channel Material	Yes	Yes
	101	Channel Type	Yes	Yes
	102	Channel Exposure	Yes	Yes
	103	Channel Condition	Yes	Yes
Manhole Steps	104	Step Number	Yes	Yes
	105	Step Material	Yes	Yes
Additional Component Information	106	Additional Component Information	No	Yes*
Pipe Connections	107	Pipe Number	Yes	Yes
	108	Clock Position	Yes	Yes
	109	Rim to Invert	Yes	Yes
	110	Direction	Yes	Yes
	111	Material	Yes	Yes
	112	Shape	Yes	Yes
	113	Height (Diameter)	Yes	Yes
	114	Width	Yes	Yes
	115	Pipe Condition	Yes	Yes
	116	Pipe Seal Condition	Yes	Yes
	117	Pipe Type	Yes	Yes

Manhole Component Section	Field No.	Field Name	NASSCO Mandatory	REQUIRED (Yes / No)?
	118	Structure ID (Pipe/Lateral Segment Reference)	No	No
	119	Pipe Comments	No	No

Yes* - when required.

(b) Record place names in accordance with Clause 3.9.4 of CW2145.

E7.1.10 The sewer inspected distance shall represent the distance from the center of the start to the center of the end manhole, access or control structure unless incomplete as per Section 3.19.2.

E7.1.11 Further to Section 3.19.2, incomplete Surveys shall also be communicated via the SharePoint Site indicating the date and time of the attempt, reasoning, efforts and actions set out by Section 3.19 and reviewed with the Contract Administrator on a weekly basis.

E7.1.12 Further to Section 3.19.2, incomplete Surveys that are due to GIS error reporting shall also be communicated via the SharePoint Site indicating which host sewer was used for the inspection, detailing all other assets that are merged into the host inspection.

E7.1.13 Further to Section 3.22.1, clear water infiltration observations shall also be communicated via the SharePoint Site, providing asset number, location, date and time of the observation, description with attached screen captures to help facilitate Section 3.19.

E7.1.14 Submittals

(a) In-pipe Inspection Emergency Plan

(i) The Contractor shall submit an Emergency Plan that outlines proposed methods for recovering in-line inspection equipment that has become lodged, lost or uncontrollable within the sewer network. For information, the Contractor's attention is called to Clauses 3.2.1 and 4.7 of CW 2145.

E7.1.15 Further to Section 3.17 and subject to E8.2.1 a hand held waterproof "Go Pro" © or alternative approved by the Contract Administrator may be used to perform inspections within the large diameter (1500mm in height or larger) Land Drainage System (LDS) Inspections where current debris levels exceed E8.2.1 inhibiting traditional CCTV inspections in accordance with the following:

(a) Camera to be waterproof and of similar quality or better as per Section 3.11;

(b) Hand held adequate intrinsically safe even lighting shall be used and panned simultaneously with the camera as necessary;

(c) A measuring wheel or similar measuring device shall be used in accordance with E7.1.9 to facilitate defect positioning. Where flow or debris inhibits accurate use of a tape measure, a laser pointing device or paint sprayed chainage distances shall be applied above the spring line at 2m intervals on the interior pipe wall face for distance correlation.

(d) Operator shall attempt to maintain a camera position center to the pipe, walking downstream, pausing to pan observed defects and cross referenced with the distance attained using zoom functions as necessary, centering the camera back to the forward observing position to continue the survey; and

(e) Attempt to complete the inspection for the entire LDS pipe to the downstream node.

E7.1.16 Hand held Inspections will be measured on a length basis for each LDS and paid for at the Contract Unit Price for the pipes corresponding diameter range within the "Sewer Inspections" section. Length to be paid for will be the total steel tape measured length of Sewer inspected in accordance with this specification, accepted and measured by the Contract Administrator.

E7.2 Existing Conditions

E7.2.1 LDS:

- (a) The identified sewers are located in the Parkdale (32% of LDS inventory) and Westwood (68% of LDS inventory) service areas of the City.
- (b) The sewers are mostly located within City of Winnipeg right-of-ways, although some are located on private property.
- (c) The LDS exhibit markedly different flow patterns relating directly with weather conditions and attenuated flow levels from local ditches or watercourses that will present potential water level and flow issues, but it is expected that in-line inspections are feasible under dry weather flow conditions but are under the influence of river levels and are not likely gated. The Contractor shall carry out CCTV inspections at times that facilitate obtaining the maximum visible image above the flow surface.
- (d) The LDS system services road and ditches, conveying rainfall and snow melt runoff and, as with all other pipe conveyance flow types, is subjected to infiltration and exfiltration. Operational issues will see debris runoff from the highway and other environments that will lead to inconsistent debris build up having obstructions or blockages of foreign objects that could be hard to clean or traverse. Cleaning shall however take place for almost 87% of the LDS inventory and for the remaining 13%, for sewers 900mm diameter and larger, will not be cleaned and shall require traversing over existing debris levels.

E7.2.2 Interceptor Inspections - Main Street and Sutherland Interceptor Sewers:

- (a) Last inspected in 2010, these Interceptor sewers shall require re-inspection using CCTV, Sonar and Laser (MSI) inspection technologies.
- (b) The sewers are mostly located in the northern areas of the City covering districts from Bannatyne and Syndicate to Armstrong service areas of the City.
- (c) Cleaning shall take place for only 10% of the Interceptor inventory and for the 90%, for sewers 900mm diameter and larger, will not be cleaned and shall require traversing over existing debris levels.
- (d) The sewers convey sewage to the North End Water Pollution Control Centre (NEWPCC).
- (e) The sewers are mostly located within City of Winnipeg right-of-ways, although some are located on private property.
- (f) Hydraulic analysis has not been undertaken for these sewers, but it is expected that in-line inspections are feasible under dry weather flow conditions. The Contractor shall carry out inspections, however, at times that facilitate obtaining the maximum visible image above the flow surface which are typically at the diurnal low flow periods each day or night.

E7.2.3 Storm Relief Sewers (SRS):

- (a) The SRS which have no prior inspection on record, are located primarily within the Colony service area of the combined sewer districts (CSD) of the City. Four sewer segments reside within the Cornish CSD of the City. The SRS system is deep and below typical river elevations seen during recent summers. Unlike the combined and wastewater sewer systems, most of the SRS system is not regularly dewatered and therefore shall require CCTV and Sonar Inspections; no Laser inspections are required.
- (b) The sewers convey storm flows from the combined sewer network for storage and in turn spill diluted flows either back into the combined sewer network or to the local watercourse.
- (c) 45% of the inventory will not be cleaned due to its diameter where a greater level of effort will be required to successfully inspect the SRS given the potential for high silt and debris levels that were found during previous year's Contracts (siltation levels of 50% or greater were found within the 2014-2017 SRS inspection programs).
- (d) The sewers are mostly located within City of Winnipeg right-of-ways, although some are located on private property and in a number of cases are local to watercourses.

- (e) Hydraulic analysis has not been undertaken for these sewers, but it is expected that in-line inspections will have to be determined when river levels are at their lowest and under dry weather flow conditions such as after Fall draw-down of the Red River or during Winter ice level conditions. The Contractor shall carry out inspections in accordance with D17.5 at times that facilitate obtaining the maximum visible image above the flow surface.
- (f) Options to involve City Operations to pump SRS levels down may be requested though subject to crews' availability. Colony combined sewer district has a dual flap and positive gate on the trunk sewer. The McDermot SRS has a small dewatering pump at the outfall where City Operations could potentially be used to dewater the system. Estimated retention volumes within each SRS has been calculated and presented as graphs that relate to adjacent river water / ice levels that could provide guidance and are available upon request by the Contract Administrator.
- (g) Nine (9) Flush tank chambers exist within the SRS inspection type where chamber access is restricted due to its configuration, weirs and apparatus. Inspections downstream of the chambers have limited access and are configured usually having 90° bends that may only allow push camera technologies to facilitate a complete inspection. Limited, to no access from the downstream location is available due to the tee configurations, thus presenting a challenging inspection and as such are itemised separately.

E8. SEWER INSPECTION EQUIPMENT

E8.1 Sewer Inspection Equipment

- E8.1.1 In-Line sewer inspection equipment shall be comprised of a self-propelled track-mounted platform bearing multiple inspection sensors / technologies that can undertake simultaneous remote inspection in sewers of all diameter ranges.
- E8.1.2 In areas where a self-propelled track-mounted platform is not possible to use during the inspections, the inspections shall be performed using a float or skid system. The Contractor shall notify the Contract Administrator prior to the use of a float or skid platform.

E8.2 In-Line Inspection Platform

- E8.2.1 Minimum requirements of the in-line inspection platform include:
 - (a) Independently controlled drive tracks that enable the platform to manoeuvre around bends and climb over debris up to 300mm in height.
 - (b) Operable under partially or fully submerged flow conditions, for distances up to 500m upstream or downstream from a single access point.
 - (c) Operable in sewers of various cross-section, and constructed of standard pipe materials including brick, clay, concrete, PVC, HDPE, and steel.
 - (d) Tethered to facilitate extraction of the platform from the sewer, without causing damage to the sewer infrastructure, in the event the equipment fails or otherwise becomes uncontrollable within the sewer.
 - (e) Equipped with sufficient high intensity lighting to illuminate the sewer for visual inspection at the widest horizontal viewing angle and the pipe's side periphery.

E8.3 In-Line Inspection Sensors / Technologies

- E8.3.1 Minimum requirements of the inspection sensors / technologies include:
 - (a) CCTV Video Inspection
 - (i) Equipment shall conform to CW 2145, except as modified herein.
 - (ii) Equipment shall be capable of continuously capturing digital video from first generation recordings with no frame loss, regardless of the progression of the inspection.

- (iii) Equipment shall be used to acquire continuous digital video images of the sewer for the entire length being inspected.
 - ◆ Perform sewer condition coding in accordance with the requirements of the NASSCO PACP V7.0.0 or greater.
 - ◆ Perform condition coding using operators who are certified in accordance with the National Association of Sewer Service Companies (NASSCO) having attained and retained their “Pipeline Assessment Certification Program” (PACP) certification.
 - ◆ Ensure each operator is fully trained in all aspects of sewer inspection and capable of making accurate observations and recording all conditions that may be encountered in the sewers.
 - ◆ Operators failing to meet the accuracy requirements on two occasions will not be permitted to code on the remainder of the contract until they can demonstrate to the Contract Administrator that they can code in accordance with the requirements of the NASSCO PACP V7.0.0 manual or greater.
 - ◆ Incorporate a suitable distance-reading device to measure the location of the equipment in the pipe, to an accuracy of $\pm 0.5\%$ of the length of the inspection.
- (b) Three Dimensional (3D) LASER Scanning Inspection
 - (i) “Three Dimensional (3D) Light Amplification by Stimulated Emission of Radiation Scanning” (LASER) is a technique to determine the surface profile of mainline pipes using a three dimensional (3D) LASER on the entire circumference above fluid level of the pipe which does not need to be attached to the CCTV inspection equipment.
 - (ii) LASER scanning equipment shall provide an accurate determination of pipe geometry (features and defects) above the fluid level.
 - (iii) Minimum equipment requirements are:
 - ◆ The provision of LASER scanning Internal Diameter and Deflection graphs will be used to quantify internal pipe wall material loss/gain or deformation (ovality and deflection) at a given location. Pipe cross-sections obtained from high resolution scans will be used to provide quantitative information regarding internal pipe diameter, including ovality. Precision Scans are produced with multi-colour indication depicting deviations from as built conditions as well as localized material gain and/or loss.
 - ◆ The LASER shall be Class 1; eye-safe for operator safety.
 - ◆ Surface corrosion measurements accurate to 5mm at 3 metres in 1220mm (48 inch) pipes and larger.
 - ◆ Precision ovality / deflection detailed range LASER measurement scans accurate to $\pm 1\%$.
 - ◆ LASER scanning shall be conducted on identified Sewer pipe entities and be conducted from access point to access point. LASER equipment shall be moved through the pipeline on a transport vehicle capable of supporting the LASER inspection equipment above the water level.
 - ◆ LASER scans shall produce a point cloud with a maximum distance between points of 10 mm in the transverse direction and 40 mm in the longitudinal direction. The rate of scan shall not exceed 9 m / minute.
- (c) SONAR Scanning Inspection
 - (i) Sound Navigation and Ranging (SONAR) scanning equipment shall accurately measure the depth to sediment or pipe surface below the fluid level at regular intervals throughout the inspection.
 - (ii) SONAR scanning shall be conducted on identified Sewer pipe entities and be conducted from access point to access point.

- (iii) Minimum equipment requirements are:
- ◆ SONAR equipment must be programmable multi-frequency profiling SONAR specifically adapted to using sound waves to locate and map subaqueous sewer irregularities by creating continuous SONAR images recorded in “real time” mode.
 - ◆ SONAR equipment shall be digital, and support a range of frequencies from 600 kHz to 2.25 MHz to minimize noise.
 - ◆ The range resolution measurement error shall be no greater than 2.0mm from distances of 1 to 4m, and no greater than 10.2mm from distances of beyond 5m.
 - ◆ The minimum detectable range for the SONAR unit shall be 150mm.
 - ◆ SONAR range resolution measurement error no greater than 2mm from a distance of 1 to 4m and no greater than 10mm from distances of beyond 5m.

E9. REMOVAL OF EXCESSIVE GREASE AND/OR ROOTS

- E9.1 Grease and or roots that cannot be removed through typical cleaning efforts shall be cut and removed from the sewer as directed by the Contract Administrator.
- E9.2 Use hydraulically driven saw or blade cutters to remove grease and roots. Flushing the sewer or the use of “spin nozzles” to remove grease will not be permitted.
- E9.2.1 Remove grease and or roots to within 15 millimetres of the inside surface of the sewer.
- E9.2.2 Monitor the entire removal operation and while the removal equipment is travelling within the pipe to reach the work area by closed circuit television (CCTV).
- E9.3 The removal of grease and or roots from within a single manhole-to-manhole sewer segment will be considered as one (1) pay item regardless of the amount of grease and or roots removed from within that sewer segment.
- E9.3.1 Measurement will be on a unit basis and paid for at the Contract Unit Price for “Removal of Excessive Grease and or Roots per Sewer Segment”. The number of units to be paid for will be the total amount of manhole-to-manhole sewer segments in which grease and or roots have been removed in accordance with this Specification, accepted and measured by the Contract Administrator.

E10. TRAFFIC CONTROL AND MAINTENANCE OF ACCESS

- E10.1 Further to Section 3.7 of CW 1130 of the General Requirements the Contractor shall be responsible to redirect and maintain traffic with appropriate signing in accordance with The City of Winnipeg, “Manual of Temporary Traffic Control in Work Areas on City Streets” at all times. The “Manual of Temporary Traffic Control in Work Areas on City Streets” can be found online at:http://winnipeg.ca/publicworks/trafficControl/pdf/Manual_of_Temp_Traffic_Control_2015_Rev1.pdf.
- E10.2 Work shall not be carried out on Regional Streets between 07:00 to 09:00 hours and 15:30 to 17:30 hours Monday to Friday unless approved by the Contract Administrator.
- E10.3 Should the City of Winnipeg require that Work on Regional Streets be carried out at night, on Sundays or on public holidays, the Contractor shall comply without additional compensation being considered to meet these requirements.
- E10.4 Regional Streets are listed in the Appendix of the City’s Manual of Temporary Traffic Control which is available at http://winnipeg.ca/publicworks/trafficControl/pdf/Manual_of_Temp_Traffic_Control_2015_Rev1.pdf

- E10.5 Further to Section 3.8 of CW 1130 of the General Requirements parking restriction signing on Regional Streets will be done by The City of Winnipeg, Traffic Services Branch.
- E10.6 The Contractor will be responsible for parking restriction signing required to perform the Work on non-regional and local residential streets. "No Parking" signs will be provided for the Contractor's use.
- E10.7 Erect signs no sooner than 24 hours before the Work commences at a particular location.
- E10.8 Record the license plate numbers of vehicles already parked within the limits where the parking restriction signs are placed and fax the information to Winnipeg Police Services, Traffic Branch at 986-6998.
- E10.9 Promptly remove parking restriction signs once the Work at that location is completed. Signs shall not be left in place over a weekend if no Work will be done at that location.
- E10.10 Return signs immediately upon completion of the Work.
- E10.11 Further to Section 3.6 of CW 1130 of the General Requirements, maintain safe pedestrian crossing at intersections at all times. Only one pedestrian crossing at an intersection is to be blocked at any one time. If more than one pedestrian crossing is blocked at an intersection at the same time the Contractor shall provide flag persons to safely escort pedestrians across the intersection.
- E10.12 Do not park company or private vehicles inside the signed work zone in a manner that will block sightlines for vehicles and pedestrians approaching and crossing intersections.
- E10.13 If, in the opinion of the Contract Administrator, the placement of the Contractor's equipment creates an inordinate effect on pedestrian and (or) vehicular traffic, the Contractor shall relocate equipment until favourable traffic conditions return.

E11. NOTICES TO RESIDENTS

- E11.1 Further to CW 2140 Section 3.5 and CW 2145, the Contractor shall deliver notices provided by the Contract Administrator to residents on the affected sewer lines by 16:00 hours 2 days prior to the use of flushing equipment for either sewer cleaning or sewer inspection.
- E11.2 The notices will be in effect for a 3 day period which the Contractor will indicate with dates stamped on the envelope. The Contractor shall make every effort to complete the affected sewer lines within the notification window.
- E11.3 The Contractor shall update the project SharePoint site for each day on which letters to residents were delivered. Access and initial training to the project SharePoint site will be provided by AECOM. SharePoint will be used for project information sharing purposes as specified in E14.
- E11.4 All costs associated with delivering notices shall be included in the price bid for "Sewer Cleaning" and "Sewer Inspection" and no separate measurement or payment will be made.

E12. DAMAGE TO CITY AND PRIVATE PROPERTY

- E12.1 All damage to City and private property caused by cleaning or inspection operations is the responsibility of the Contractor. The Contractor shall repair all damaged property to the satisfaction of the Contract Administrator. All costs associated with these repairs shall be at the Contractors own expense.
- E12.2 Notify the Contract Administrator immediately when damage to property occurs.
- E12.3 The Contractor shall provide written reports to the Contract Administrator for each property attended for investigation of damage. Reports shall include photographs of all damage, dates and times, verbal or written agreements with property owner and all actions taken or proposed

to rectify the damage. Reports shall be submitted to the Contract Administrator within 24 hours of attending the property.

- E12.4 Sewers may be located in easements through private property or City owned parklands and right-of-ways where no paved access may exist. It will be the Contractors responsibility to identify these sewers and arrange for access and to restore any surface damage to private and City owned property to the satisfaction of the Contract Administrator
- E12.5 Sewer backup or “blow-back” on private property resulting from cleaning or inspection activities is not acceptable and shall be avoided at all costs. It is expected that where this possibility exists the Contractor shall take appropriate measures such as making modifications to cleaning equipment and/or taking additional time to clean such sewers.
- E12.5.1 Clean-up of affected residences shall be done by cleaning professionals. Under no circumstances are cleaning equipment operators to enter residences unless they are neat and presentable and the Contract Administrator has received a Criminal Record Search for that individual.
- E12.5.2 Where actual sewage or “grey water” has flooded private property the Contractor shall immediately clean and disinfect all affected areas as well as flush all weeping tile. The Contractor shall immediately hire an independent IICRC certified water damage or flood restoration contractor to assess any damage to contaminated building materials such as drywall, insulation, carpets, weeping tile or sub-floors, and immediately make any required repairs.
- E12.5.3 If a residence is uninhabitable as a result of a sewer back-up the Contractor shall pay for reasonable hotel accommodations and meals for all affected residents.
- E12.6 The Contractor shall provide the Contract Administrator with a 24-hour contact number to arrange for immediate clean-up and repair of private property.

E13. DIGITAL PANORAMIC MANHOLE INSPECTIONS

- E13.1 Notwithstanding CW 2145, inspect manholes using digital panoramic manhole inspection system such as the IBAK PANORAMO SI, or equivalent meeting the following criteria:
- (a) The inspection camera system must be 100% digital. Any analog or NTSC video camera will be deemed unacceptable.
 - (b) Perform manhole condition coding in accordance with the requirements of the NASSCO MACP V7.00 or greater.
 - (c) Perform condition coding using operators who are certified in accordance with the National Association of Sewer Service Companies (NASSCO) having attained and retained their “Manhole Assessment Certification Program” (MACP) certification.
 - (d) Operators failing to meet the accuracy requirements on two occasions will not be permitted to code on the remainder of the contract until they can demonstrate to the Contract Administrator that they can code in accordance with the requirements of the NASSCO MACP V7.0.0 manual or greater.
 - (e) The inspection camera system must have two independently or simultaneously controlled digital cameras, one facing in the downward direction and one facing in the upward direction. Each camera must have a minimum of 185 degree field of view.
 - (f) The inspection camera system must provide sufficient illumination of the interior of the manhole to obtain proper exposure without introducing any motion blur. The light shall be positioned to distribute the light evenly onto the structure walls. The lighting must be able to illuminate manholes without the need of any auxiliary lighting.
 - (g) The inspection system shall produce individual images or frames with no more than 0.001 inches (0.025mm) of movement during image or frame exposure to produce crisp, clear images. Inspections showing evidence of scratched lenses or protective glass plate or similar due to poor handling and application shall be rejected.

- (h) The inspection camera must provide a minimum of 3000 line of vertical resolution in the side view and a minimum of 500 lines in the perspective view.
- (i) Contractor is responsible for reviewing collected data, coding observations, however the City must have the ability to view the digital film file in the way that the contractor can view them, including full control of the virtual pan and tilt.
- (j) The digital film files must include an unfolded view of the manhole with a minimum of 3000 lines of vertical resolution.
- (k) The digital film files must include the capability to produce a three dimensional representation of the manhole structure. This data shall be used to perform geometric measurements. This file shall be exportable to common CAD programs for further analysis.
- (l) The digital file files must include a distortion-free virtual pan and tilt allowing the review of the manhole structure from any angle from any depth. The virtual pan and tilt must be able to view 360 degrees in any direction. The virtual pan and tilt must consist of views from the top and bottom camera, any virtual pan and tilts that artificially create this view from a single camera will be deemed unacceptable due to distorted images on the direct side view.
- (m) The virtual pan and tilt and unfolded views must be able to be viewable by the City with all the required software included.
- (n) All chambers that exhibit weir wall or spill pipe weir levels as observed within the field or identified, but not limited to control structures or manholes identified within the Construction Drawings, must be recorded as an MGO and its measurement from manhole rim to weir crest recorded within the remarks field.
- (o) Sections 3.17.8.5, 3.17.8.6, and 3.17.8.7 are not applicable when utilizing digital panoramic methods.
- (p) Further to Clause 3.11.5 provide file names within the 360Player.exe software, manholes to be in alpha numeric order to ensure efficient reference.
- (q) Manhole condition coding shall be submitted to the Contract Administrator as per E7.1.4(b).

E14. PROJECT INFORMATION SHARING

- E14.1 Project information sharing will be done using Microsoft SharePoint, referred to herein as SharePoint. SharePoint is a web based collaboration tool that allows designated users to view, upload, and edit information depending on permissions granted.
- E14.2 SharePoint will be used by all stakeholders (WWD, AECOM, and the Contractor) to effectively centralize and manage project information such as, but not limited to; Daily Reports, Weekly Reports, Progress Payments, Meeting Minutes, Schedule, Construction Progress, Alerts, Site Trouble Spots, Letters to Residents, Complaints Reporting, Urgent Repairs, Hydrant Locations, Notices to Residents, Incomplete Inspection Records, Water Infiltration Notification etc.
- E14.3 Access and permissions will be granted by AECOM as approved by WWD. Initial training and support on the use of SharePoint will be provided by AECOM.

E15. MANHOLES WITH LIMITED ACCESS

- E15.1 Manholes are defined as per E6.1.
- E15.2 Manholes with limited access are those that have different degrees of access issues, ranging from no vehicular access to full vehicular access. In addition, some manholes are located on private property and require coordination with the individual landowners to facilitate establishing access and, in some cases, may be subject to certain regulatory requirements while working on the owner's property (e.g. work within a railway right-of-way).
 - E15.2.1 While the City of Winnipeg has right of entry to all locations along the Sewer Network, the Contractor shall comply with all regulatory requirements associated with work required to

be carried out on all property not owned by the City of Winnipeg and all reasonable requests and requirements of private landowners.

E15.2.2 All coordination to establish access, for the performance of all Work, and for any restoration required post-inspection to re-establish conditions to a condition equal to or better than their pre-inspection condition shall be provided by the Contractor.

E15.3 Manholes labelled as having Limited Access include but not limited to the following:

Table E1: Limited Access Manholes

MH	Location	Issue(s) associated with access
MH20011984	The Forks (Variety Heritage Adventure Park)	Grassed lawn with no vehicular access
MH70010366	The Forks (Peace Meeting Site)	Footpath with no vehicular access
MH70010364	Human Rights Museum, Pioneer Bv	Limited vehicular access
MH70010365	Human Rights Museum, Pioneer Bv	Limited vehicular access
MH70021610	Provencher Bridge	Footpath with no vehicular access
MH70021611	Provencher Bridge	Footpath with no vehicular access
MH20017148	Lily St (Centennial Concert Hall)	Footpath with no vehicular access
MH20017096	Lily St (Centennial Concert Hall)	Footpath with no vehicular access
MH20017168	Lily St (Centennial Concert Hall)	Footpath with no vehicular access
MH20017435	Princess Street (railway tracks)	MH located on CN railtrack, reversal required.
MH40010469	Rougeau Av (MB Housing)	Footpath with no vehicular access
MH70037207	Heartstone Dr	Rear of property with no vehicular access
MH70037209	Rear of Cedargrove Crescent	Parkland with no vehicular access
MH20017439	Main St	Grassed lawn with no vehicular access
MH20017020	Henry Av	Grassed lawn with no vehicular access
MH20016806	Logan Av (Dufferin & Isabel Park)	Fenced grassed school yard with no vehicular access
MH20017180	Ross Av (Paulin St Parking)	Private parking lot
MH70000611	Ross Av	Footpath with no vehicular access
MH70000613	Ross Av	Footpath with no vehicular access
MH70000613	Ross Av	Footpath with no vehicular access
MH20016836	Logan Av (Western Glove Works)	Private parking lot
MH20016840	Logan Av (Western Glove Works)	Private parking lot
MH20016841	Logan Av (Western Glove Works)	Private parking lot
MH70040823	Gwendoline St	Private parking lot (fenced)
MH20017757	Pacific Av	Private parking lot (fenced)
MH70028495	Pacific Av	Private parking lot (fenced)
MH20017748	Ross Av	Private parking lot (fenced)
MH20016303	Elgin Av (W lane @ Tecumseh St)	Private parking lot (fenced)
MH20016406	Elgin Av	Private parking lot (fenced)
MH70016005	Alexander Av	Private parking lot (fenced)
MH20016249	Winnipeg Av (lane)	Between building/parkades
MH70000221	Bannatyne Av	MH located in front of loading area of Health Sciences Centre

MH	Location	Issue(s) associated with access
MH70004819	Bannatyne Av	Along Cancer Care
MH20016452	Bannatyne Av	Along Cancer Care
MH70005252	Bannatyne Av	Along Cancer Care
MH70004821	Sherbrook St	Main entrance to Health Sciences Centre + Parkade
MH20016482	Sherbrook St	Main entrance to Health Sciences Centre + Parkade
MH20016460	Sherbrook St	Main entrance to Health Sciences Centre + Parkade
MH20012321	Gateway Ind., Point Douglas Av	Fenced private land
MH70000472	Gateway Ind., Point Douglas Av	Fenced private land
MH70000473	Gateway Ind., Point Douglas Av	Fenced private land
MH20012320	Gateway Ind., Point Douglas Av	Fenced private land
MH00014102	Buchanan Marine, Higgins Av	Limited vehicular access
MH70000474	Buchanan Marine, Higgins Av	Grassed lawn with limited vehicular access
MH70028727	St Johns Park	Grassed lawn with limited vehicular access
MH20004342	Sumach St (W lane)	MH located behind and between houses, no back lane
MH20003666	Rouge Rd (W lane Canoe Bay Park)	Grassed lawn with limited vehicular access
MH20004259	Westwood Collegiate track	Grassed lawn with no vehicular access
MH20004260	Sansome Park (KWCC)	Grassed lawn with no vehicular access
MH20004249	Sansome Park (KWCC)	Grassed lawn with no vehicular access
MH20004248	Sansome Park (KWCC)	Grassed lawn with no vehicular access
CB70038487	Bedson St (Winnipeg Mennonite Elementary)	Private parking lot
CB70038488	Bedson St (Winnipeg Mennonite Elementary)	Private parking lot
MH20002559	Country Club Bv (St Charles Country Club)	Grassed lawn with limited vehicular access
MH20002556	Country Club Bv (St Charles Country Club)	Grassed lawn with limited vehicular access
MH20002973	Browning Bv (westwood Browning Park)	Grassed lawn with limited vehicular access
For any questions regarding limited access manholes, please contact AECOM.		

E15.4 Any costs associated with establishing access to manholes (both limited access manholes and others), including any permits or fees associated with acquiring access, shall be the responsibility of the Contractor and shall be included in the Contractor's unit rates for sewer and manhole inspections.

E16. SIPHON SEWER INSPECTIONS

E16.1 This specification amends and supplements specification CW 2145.

E16.2 Sewer asset MA70001098 exhibits 30.78m of 1200mm Concrete Circular Interceptor Siphon requires Sonar only Inspection. Asset is located below the CN rail line at Point Douglas Avenue and Higgins; see City of Winnipeg Drawing No. 516 within Appendix E.

E16.3 Sewer assets MA70017839, MA70017851, MA70017855 comprise of 2no. 450mm and 1no. 600mm Cast Iron Circular Combined Sewer pipework that have been constructed with a backfall to accommodate its undercrossing of the 1200mm Branch 1 Aqueduct. All assets require CCTV and Sonar inspections; see City of Winnipeg Drawing C-264, C-265 and C-267 within Appendix E.

- E16.4 Sewer asset MA70021128, the Newton siphon river crossing comprises of a 350mm HDPE Series 60 (metric) (328.42mm ID) circular 295m length force main that requires Sonar only inspection. The Newton siphon is 1 of 2 force mains currently servicing the Linden and Hawthorn Pumping Stations. Work will commence after configuration, modification and cleaning of the siphon having establish a tagline for Sonar deployment by others. Refer to D17.6 for scheduling. Liaison with the Contractor Administrator shall determine an approved inspection date. See provisional drawing MA70021128 and the City of Winnipeg Drawing D-14389 within Appendix E.
- E16.5 Any additional materials and efforts to complete the CCTV inspection will be included in the unit rate for "Siphon Inspections".
- E16.6 Inspections for the Siphon sewers will be measured on a length basis and paid for at the Contract Unit Price for "Siphon Inspections". Length to be paid for will be the total length of sewer inspected in accordance with this specification, accepted and measured by the Contract Administrator.

PART F - SECURITY CLEARANCE

F1. SECURITY CLEARANCE

- F1.1 Each individual proposed to perform the following portions of the Work:
- (a) any Work on private property;
 - (b) communicating with residents and homeowners in person or by telephone;
- F1.1.1 Each Individual shall be required to obtain a Police Information Check from the police service having jurisdiction at his/her place of residence. Or
- (a) BackCheck, forms to be completed can be found on the website at: <http://www.backcheck.net/> ; or
 - (b) Commissionaires (Manitoba Division), forms to be completed can be found on the website at: <https://www.commissionaires.ca/en/manitoba/home> .
- F1.2 Prior to the award of Contact, and during the term of the Contract if additional or replacement individuals are proposed to perform Work, the Contractor shall supply the Contract Administrator with a Police Information Check obtained not earlier than one (1) year prior to the Submission Deadline, or a certified true copy thereof, for each individual proposed to perform such Work.
- F1.3 Any individual for whom a Police Information Check is not provided, or for whom a Police Information Check indicates any convictions or pending charges related to property offences or crimes against another person will not be permitted to perform any Work specified in F1.1.
- F1.4 Any Police Information Check obtained thereby will be deemed valid for the duration of the Contract subject to a repeated records search as hereinafter specified.
- F1.5 Notwithstanding the foregoing, at any time during the term of the Contract, the City may, at its sole discretion and acting reasonably, require an updated Police Information Check. Any individual who fails to provide a satisfactory Police Information Check as a result of a repeated Police Information Check will not be permitted to continue to perform any Work specified in F1.1.