#### FORM A: BID (See B8)

1.	Contract Title	2018 Alley Renewals – Co	ntract 3	
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder a	as it appears on Invoice (if different fro	m above)
		Street		
		Sileet		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		The Bidder is:		
	(Choose one)	a sole proprietor		
		a partnership a corporation		
		carrying on business unde	r the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	izes the following contact persthe Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms use ascribed to them in the Ge	d in the Contract shall have neral Conditions.	e the meanings
5.	Offer		to perform the Work in acco Price, in Canadian funds, set	

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Brighton Court / Kildare Alley - Bounded b Wayota Street and Southampton Place		rt, Kilda			
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19, E13.	m³	840.0		
A.2	Sub-Grade Compaction	CW 3110-R19, E13.	m²	1590.0		
<b>A.3</b>	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1100.0		
۸.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	135.0		
<b>\</b> .5	Grading of Boulevards	CW 3110-R19	m²	50.0		
۸.6	Separation Geotextile Fabric	CW 3130-R4	m²	1590.0		
<b>A.</b> 7	Surfacing Material	CW 3150-R4, E12.				
i)	Granular		tonne	80.0		
	ROADWORKS - RENEWALS					
٨.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	1350.0		
ii)	Asphalt Pavement		m²	25.0		
٨.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	330.0		
۹.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	5.0		
A.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	60.0		
۹.12	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
٦.13	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
A.14	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
A.15	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	40.0		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	2-201	REF.	0	QUANTITY	0	
A.16	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	50.0		
A.17	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	10.0		
	ROADWORKS - NEW CONSTRUCTION					
A.18	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	1350.0		
A.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	85.0		
ii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	30.0		
A.20	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	2.3		
A.21	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	4.0		
A.22	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	222.3		
A.23	Land Drainage Sewer Inspection	CW2145-R4				
i)	300 mm, PVC		m	222.3		
A.24	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm (PVC) Connecting Pipe					
a)	Connecting to 1350 mm (Concrete) Sewer		each	1.0		
A.25	Abandoning Existing Catch Pit	CW 2130-R12	each	1.0		
A.26	Removal of Existing Catch Pit	CW 2130-R12	each	1.0		
A.27	Installation of Subdrains	CW 3120-R4	m	48.0		

### FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	ADJUSTMENTS					
A.28	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1.0		
A.29	Catch Basin Risers	CW 2130-R12, E11.				
i)	Pre-cast Concrete Risers		vert. m	0.67		
A.30	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	5.0		
A.31	Adjustment of Valve Boxes	CW 3210-R8	each	1.0		
A.32	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1.0		
	LANDSCAPING					
A.33	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	15.0		
ii)	width > or = 600 mm		m²	35.0		
Α	Brighton Court / Kildare Alley - Bounded b	y Brighton Cou	ırt, Kilda	re Avenue,		
	Wayota Street and Southampton Place	Subtotal:				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
	Duratura Blace (Molecles Assessed Alles	REF.		QUANTITY		
В	<u>Dundurn Place / Wolseley Avenue Alley - E</u> <u>Wolseley Avenue, Walnut Street and Maryl</u>		<u>naurn Pi</u>	ace,		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R19, E13.	m³	880.0		
B.2	Sub-Grade Compaction	CW 3110-R19, E13.	m²	1670.0		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1160.0		
B.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	140.0		
B.5	Grading of Boulevards	CW 3110-R19	m²	65.0		
B.6	Separation Geotextile Fabric	CW 3130-R4	m²	1670.0		
B.7	Surfacing Material	CW 3150-R4, E12.				
i)	Granular		tonne	100.0		
	ROADWORKS - RENEWALS					
B.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	1390.0		
ii)	Asphalt Pavement		m²	170.0		
B.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	95.0		
B.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	5.0		
B.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	120.0		
B.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	40.0		
B.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
B.14	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
B.15	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.16	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	45.0		
B.17	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	45.0		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	20.0		
B.18	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	50.0		
	ROADWORKS - NEW CONSTRUCTION					
B.19	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	1390.0		
B.20	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	30.0		
ii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	15.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.21	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	3.0		
B.22	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-025		each	1.0		
B.23	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	95.0		
B.24	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	200 mm					
a)	Class 2 Backfill		each	2.0		
B.25	Land Drainage Sewer Inspection	CW2145-R4				
i)	300 mm, PVC		m	95.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.26	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1.0		
ii)	AP-008 - Standard Grated Cover for Standard Frame		each	1.0		
B.27	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm (PVC) Connecting Pipe					
a)	Connecting to 225 mm (Unknown) Sewer		each	1.0		
B.28	Installation of Subdrains	CW 3120-R4	m	48.0		
B.29	Outlet Flow Restrictor	SD-025B, E15.				
i)	100 mm		each	1.0		
	ADJUSTMENTS					
B.30	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1.0		
B.31	Catch Basin Risers	CW 2130-R12, E11.				
i)	Pre-cast Concrete Risers		vert. m	0.78		
B.32	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	4.0		
B.33	Adjustment of Valve Boxes	CW 3210-R8	each	1.0		
B.34	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1.0		
	LANDSCAPING					
B.35	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	20.0		
ii)	width > or = 600 mm		m²	40.0		
В	B Dundurn Place / Wolseley Avenue Alley - Bounded by Dundurn Place, Wolseley Avenue, Walnut Street and Maryland Street					

## FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	Furby Street / Langside Street Alley - Bour Street, Sara Avenue and Westminster Aven	ided by Furby S	Street, La			
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R19, E13.	m³	695.0		
C.2	Sub-Grade Compaction	CW 3110-R19, E13.	m²	1110.0		
C.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	770.0		
ii)	100 mm - Limestone		tonne	255.0		
C.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	95.0		
C.5	Grading of Boulevards	CW 3110-R19	m²	40.0		
C.6	Separation Geotextile Fabric	CW 3130-R4	m²	1110.0		
C.7	Supply and Install Geogrid	CW 3135-R1	m²	365.0		
C.8	Surfacing Material	CW 3150-R4, E12.				
i)	Granular	E12.	tonne	95.0		
	ROADWORKS - RENEWALS					
C.9	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	920.0		
ii)	Asphalt Pavement		m²	150.0		
C.10	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	170.0		
C.11	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Type B)		m²	15.0		
C.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	5.0		
C.13	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	56.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.14	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	20.0		
C.15	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
C.16	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
C.17	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
C.18	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	20.0		
C.19	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	25.0		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	8.0		
C.20	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5.0		
C.21	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	5.0		
C.22	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	45.0		
	ROADWORKS - NEW CONSTRUCTION					
C.23	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	920.0		
C.24	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	5.0		
ii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	5.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.25	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	2.2		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
C.26	Catch Basin	REF. CW 2130-R12		QUANTITY		
				2.0		
i)	SD-025, 1800 mm deep		each	3.0		
C.27	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
	Trenchless Installation, Class B Type Sand		m	146.5		
C.28	Bedding, Class 2 Backfill Land Drainage Sewer Inspection	CW2145-R4				
		0112110111		440.5		
i)	300 mm, PVC		m	146.5		
C.29	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm (PVC) Connecting Pipe					
a)	Connecting to 300 mm (CLAY) Sewer		each	1.0		
C.30	Installation of Subdrains	CW 3120-R4	m	36.0		
C.31	Outlet Flow Restrictor	SD-025B, E15.				
i)	100 mm		each	1.0		
	ADJUSTMENTS					
C.32	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1.0		
C.33	Catch Basin Risers	CW 2130-R12, E11.				
i)	Pre-cast Concrete Risers		vert. m	0.75		
C.34	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	4.0		
C.35	Adjustment of Valve Boxes	CW 3210-R8	each	1.0		
C.36	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1.0		
	LANDSCAPING					
C.37	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	15.0		
ii)	width > or = 600 mm		m²	25.0		
С	Furby Street / Langside Street Alley - Bour Street, Sara Avenue and Westminster Ave		Street, La	angside_	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	Home Street / Ethelbert Street Alley - Bour		Street, E			
U	Street, Preston Avenue and Westminster A	<u>lvenue</u>	ı	Ī		
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19, E13.	m³	850.0		
D.2	Sub-Grade Compaction	CW 3110-R19, E13.	m²	1555.0		
D.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	1075.0		
D.4	Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	130.0		
D.5	Grading of Boulevards	CW 3110-R19	m²	65.0		
D.6	Separation Geotextile Fabric	CW 3130-R4	m²	1555.0		
D.7	Surfacing Material	CW 3150-R4, E12.				
i)	Granular		tonne	85.0		
	ROADWORKS - RENEWALS					
D.8	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	1285.0		
ii)	Asphalt Pavement		m²	25.0		
D.9	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	195.0		
D.10	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8	3	20.0		
i)	150 mm Concrete Pavement (Type B)		m²	20.0		
D.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10.0		
D.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	70.0		
D.13	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
ı	5) 5 sq.m. to 20 sq.m.		m²	25.0		
D.14	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
D.15	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
D.16	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.17	Concrete Curb Removal	CW 3240-R10		307.111111		
i)	Barrier Separate		m	40.0		
D.18	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	40.0		
D.19	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5.0		
D.20	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	15.0		
D.21	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	15.0		
D.22	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	20.0		
	ROADWORKS - NEW CONSTRUCTION					
D.23	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	1285.0		
D.24	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	15.0		
ii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	5.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.25	Catch Basin	CW 2130-R12				
i)	SD-025, 1200 mm deep		each	2.0		
ii)	SD-025, 1800 mm deep		each	1.0		
D.26	Remove and Replace Existing Catch Basin	CW 2130-R12				
i)	SD-025		each	2.0		

ITEM		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.27		Land Drainage Sewer	CW 2130-R12				
i)		200 mm, PVC					
		Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	13.7		
ii)		300 mm, PVC					
	a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	113.8		
D.28		Land Drainage Sewer Inspection	CW2145-R4				
i)		200 mm, PVC		m	13.7		
ii)		300 mm, PVC		m	113.8		
D.29		Connecting to Existing Sewer	CW 2130-R12				
i)		300 mm (PVC) Connecting Pipe					
	a)	Connecting to 250 mm (PVC) Sewer		each	1.0		
	b)	Connecting to 225 mm (Clay) Sewer		each	1.0		
D.30		Installation of Subdrains	CW 3120-R4	m	54.0		
D.31		Outlet Flow Restrictor	SD-025B, E15.				
i)		100 mm		each	1.0		
		ADJUSTMENTS					
D.32		Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1.0		
D.33		Catch Basin Risers	CW 2130-R12, E11.				
i)		Pre-cast Concrete Risers		vert. m	0.56		
D.34		Lifter Rings (AP-010)	CW 3210-R8				
i)		51 mm		each	5.0		
D.35		Adjustment of Valve Boxes	CW 3210-R8	each	1.0		
D.36		Adjustment of Curb Stop Boxes	CW 3210-R8	each	1.0		
		LANDSCAPING					
D.37		Sodding	CW 3510-R9				
i)		width < 600 mm		m²	20.0		
ii)		width > or = 600 mm		m²	45.0		
D		Home Street / Ethelbert Street Alley - Bour Street, Preston Avenue and Westminster A		Street, Et	thelbert	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	Lenore Street / Evanson Street Alley - Bou Street, Westminster Avenue and Wolseley	nded by Evans	on Stree			
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R19,	m³	965.0		
E.2	Sub-Grade Compaction	E13. CW 3110-R19, E13.	m²	1495.0		
E.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm - Limestone		tonne	1040.0		
ii)	100 mm - Limestone		tonne	405.0		
E.4	Supplying and Placing Base Course Material	CW 3110-R19	m³	127.0		
E.5	Grading of Boulevards	CW 3110-R19	m²	75.0		
E.6	Separation Geotextile Fabric	CW 3130-R4	m²	1495.0		
E.7	Supply and Install Geogrid	CW 3135-R1	m²	585.0		
E.8	Surfacing Material	CW 3150-R4, E12.				
i)	Granular	E12.	tonne	105.0		
	ROADWORKS - RENEWALS					
E.9	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	1250.0		
ii)	Asphalt Pavement		m²	30.0		
E.10	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	150 mm Concrete Pavement (Reinforced)		m²	125.0		
E.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	15.0		
E.12	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	60.0		
E.13	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m²	40.0		
E.14	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
E.15	Supply of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		

UNIT PRIC		CDEC	LINIT	ADDDOV	LINIT DDICE	AMOUNT
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.16	Removal of Precast Sidewalk Blocks	CW 3235-R9	m²	5.0		
E.17	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	48.0		
E.18	Concrete Curb Installation	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	42.0		
ii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229A,B,C	m	8.0		
E.19	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5.0		
E.20	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	15.0		
E.21	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	15.0		
	ROADWORKS - NEW CONSTRUCTION					
E.22	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	1250.0		
E.23	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i	Construction of Lip Curb (75 mm ht, Integral)	SD-202A	m	15.0		
ii)	Construction of Lip Curb (40 mm ht, Integral)	SD-202B	m	5.0		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
E.24	Manhole	CW 2130-R12				
i)	SD-010, 1200 mm diameter base		vert. m	1.74		
E.25	Catch Basin	CW 2130-R12				
i)	SD-025, 1800 mm deep		each	3.0		
E.26	Land Drainage Sewer	CW 2130-R12				
i)	300 mm, PVC					
a)	Trenchless Installation, Class B Type Sand Bedding, Class 2 Backfill		m	155.1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.27	Land Drainage Sewer Inspection	CW2145-R4				
i)	300 mm, PVC		m	155.1		
E.28	Frames & Covers	CW3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1.0		
ii)	AP-008 - Standard Grated Cover for Standard Frame		each	1.0		
E.29	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Catch Basin Lead		each	1.0		
E.30	Installation of Subdrains	CW 3120-R4	m	36.0		
E.31	Outlet Flow Restrictor	SD-025B, E15.				
i)	100 mm		each	1.0		
	ADJUSTMENTS					
E.32	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1.0		
E.33	Catch Basin Risers	CW 2130-R12, E11.				
i)	Pre-cast Concrete Risers		vert. m	0.44		
E.34	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	4.0		
E.35	Adjustment of Valve Boxes	CW 3210-R8	each	1.0		
E.36	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1.0		
	LANDSCAPING					
E.37	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	25.0		
ii)	width > or = 600 mm		m²	50.0		
E	Lenore Street / Evanson Street Alley - Bou Street, Westminster Avenue and Wolseley		on Stree	t, Lenore	Subtotal:	

## FORM B: PRICES

(SEE B9)

	REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	est Alley - Melr	ose Ave			
EARTH AND BASE WORKS					
Excavation	CW 3110-R19, E13.	m³	135.0		
Sub-Grade Compaction	CW 3110-R19, E13.	m²	250.0		
Crushed Sub-base Material	CW 3110-R19				
50 mm		tonne	175.0		
Supplying and Placing Limestone Base Course Material	CW 3110-R19	m³	20.0		
Separation Geotextile Fabric	CW 3130-R4	m²	250.0		
Surfacing Material	CW 3150-R4,				
Granular	E 12.	tonne	5.0		
ROADWORKS - RENEWALS					
Pavement Removal	CW 3110-R19				
Concrete Pavement		m²	230.0		
Asphalt Pavement		m²	65.0		
Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
150 mm Concrete Pavement (Reinforced)		m²	5.0		
Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
150 mm Concrete Pavement (Type B)		m²	45.0		
Drilled Dowels	CW 3230-R8				
19.1 mm Diameter		each	5.0		
Drilled Tie Bars	CW 3230-R8				
20 M Deformed Tie Bar		each	20.0		
Miscellaneous Concrete Slab Installation	CW 3235-R9				
Monolithic Curb and Sidewalk	SD-228B	m²	20.0		
Miscellaneous Concrete Slab Renewal	CW 3235-R9				
Monolithic Curb and Sidewalk	SD-228B	m²	30.0		
	Pandora Avenue West, Winona Street and EARTH AND BASE WORKS Excavation Sub-Grade Compaction Crushed Sub-base Material 50 mm Supplying and Placing Limestone Base Course Material Separation Geotextile Fabric Surfacing Material Granular ROADWORKS - RENEWALS Pavement Removal Concrete Pavement Asphalt Pavement Slab Replacement - Early Opening (72 hour) 150 mm Concrete Pavement (Reinforced) Partial Slab Patches - Early Opening (72 hour) 150 mm Concrete Pavement (Type B) Drilled Dowels 19.1 mm Diameter Drilled Tie Bars 20 M Deformed Tie Bar Miscellaneous Concrete Slab Installation Monolithic Curb and Sidewalk Miscellaneous Concrete Slab Renewal	Melrose Avenue West / Pandora Avenue West Alley - Melr Pandora Avenue West, Winona Street and Bond Street  EARTH AND BASE WORKS  Excavation  Sub-Grade Compaction  CW 3110-R19, E13. Crushed Sub-base Material  Curshed Sub-base Material  Supplying and Placing Limestone Base CW 3110-R19  Course Material  Separation Geotextile Fabric  CW 3150-R4, E12.  Granular  ROADWORKS - RENEWALS  Pavement Removal  Concrete Pavement  Asphalt Pavement  Slab Replacement - Early Opening (72 hour)  Comma Concrete Pavement (Reinforced)  Partial Slab Patches - Early Opening (72 hour)  150 mm Concrete Pavement (Type B)  Drilled Dowels  19.1 mm Diameter  Drilled Tie Bars  20 M Deformed Tie Bar  Miscellaneous Concrete Slab Installation  Monolithic Curb and Sidewalk  Miscellaneous Concrete Slab Renewal  CW 3235-R9  Miscellaneous Concrete Slab Renewal  CW 3235-R9	Metrose Avenue West / Pandora Avenue West Alley - Metrose Avenue Pandora Avenue West, Winona Street and Bond Street         EARTH AND BASE WORKS       CW 3110-R19, m3 E13.         Excavation       CW 3110-R19, m2 E13.         Crushed Sub-base Material       CW 3110-R19         50 mm       tonne         Supplying and Placing Limestone Base Course Material       CW 3110-R19         Separation Geotextile Fabric       CW 3130-R4         Surfacing Material       CW 3150-R4, E12.         Granular       tonne         ROADWORKS - RENEWALS       CW 3110-R19         Pavement Removal       CW 3110-R19         Concrete Pavement       m²         Asphalt Pavement       m²         Islab Replacement - Early Opening (72 hour)       CW 3230-R8         150 mm Concrete Pavement (Reinforced)       m²         Partial Slab Patches - Early Opening (72 hour)       CW 3230-R8         - Early Opening (72 hour)       T50 mm Concrete Pavement (Type B)       m²         Drilled Dowels       CW 3230-R8         19.1 mm Diameter       each         Drilled Tie Bars       CW 3230-R8         20 M Deformed Tie Bar       each         Miscellaneous Concrete Slab Installation       CW 3235-R9         Miscellaneous Concrete Slab Renewal       CW	Melrose Avenue West / Pandora Avenue West alley - Melrose Avenue West, Pandora Avenue West, Winona Street and Bond Street           EARTH AND BASE WORKS         CW 3110-R19, E13.         m³ 135.0 E13.           Sub-Grade Compaction         CW 3110-R19, E13.         m² 250.0 E13.           Crushed Sub-base Material         CW 3110-R19 m² 20.0         course Material           Supplying and Placing Limestone Base Course Material         CW 3110-R19 m³ 20.0         course Material           Separation Geotextile Fabric         CW 3130-R4 m² 250.0         course Material           Granular         CW 3150-R4, E12.         tonne 5.0           ROADWORKS - RENEWALS         course Material         cw 3110-R19 m² 20.0           Concrete Pavement Removal         cw 3110-R19 m² 20.0         concrete Pavement m² 5.0           Asphalt Pavement         m² 20.0         concrete Pavement m² 65.0           Slab Replacement - Early Opening (72 hour)         cw 3230-R8 m² 5.0           150 mm Concrete Pavement (Reinforced)         m² 5.0           Partial Slab Patches carly Opening (72 hour)         cw 3230-R8 m² 45.0           Early Opening (72 hour)         m² 45.0           Drilled Dowels         cw 3230-R8 each 5.0           19.1 mm Diameter         each 5.0           Drilled Tie Bars         cw 3230-R8 each 20.0           40 M Deformed	Metrose Avenue West / Pandora Avenue West Alley - Metrose Avenue West.           Pandora Avenue West, Winona Street and Bond Street           EARTH AND BASE WORKS           Excavation         CW 3110-R19, E13.           Sub-Grade Compaction         CW 3110-R19, E13.           Crushed Sub-base Material         CW 3110-R19           50 mm         tonne         175.0           Supplying and Placing Limestone Base Course Material         CW 3110-R19         m³         20.0           Course Material         CW 3130-R4         m²         250.0           Surfacing Material         CW 3150-R4, E12.         E12.         tonne         5.0           ROADWORKS - RENEWALS         CW 3110-R19         m²         230.0           Roaphalt Pavement         m²         230.0         m²         65.0           Slab Replacement - Early Opening (72 hour)         CW 3230-R8         m²         5.0           Partial Slab Patches - Early Opening (72 hour)         CW 3230-R8         m²         45.0           Porilled Dowels         CW 3230-R8         each         5.0           Drilled Dowels         CW 3230-R8         each         5.0           19.1 mm Diameter         each         5.0           Drilled Tie Bars         CW 3230-R8         each

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.14	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	5.0		
F.15	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	20.0		
	ROADWORKS - NEW CONSTRUCTION					
F.16	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 150 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	210.0		
	ADJUSTMENTS					
F.17	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1.0		
F.18	Adjustment of Valve Boxes	CW 3210-R8	each	1.0		
F.19	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1.0		
F	Melrose Avenue West / Pandora Avenue W Pandora Avenue West, Winona Street and		ose Ave	enue West,	Subtotal:	

### FORM B: PRICES

(SEE B9)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
	SUMMARY					
	Brighton Court / Kildare Alley - Bounded by	Brighton Cou	rt, Kilda	<u>re Avenue, </u>		
Α	Wayota Street and Southampton Place				Subtotal:	
В	<b>Dundurn Place / Wolseley Avenue Alley - B</b>	ounded by Dur	ndurn Pl	ace, Wolseley		
В	Avenue, Walnut Street and Maryland Street				Subtotal:	
С	Furby Street / Langside Street Alley - Boun	ded by Furby S	Street, La	angside_		
	Street, Sara Avenue and Westminster Aven	ue			Subtotal:	
D	Home Street / Ethelbert Street Alley - Boun	ded by Home S	treet, Et	helbert		
D	Street, Preston Avenue and Westminster A	<u>venue</u>			Subtotal:	
E	Lenore Street / Evanson Street Alley - Bour	nded by Evanso	on Stree	t, Lenore		
	Street, Westminster Avenue and Wolseley	<u>Avenue</u>			Subtotal:	
F	Melrose Avenue West / Pandora Avenue W	est Alley - Melr	ose Ave	nue West,		
Г	Pandora Avenue West, Winona Street and	Bond Street			Subtotal:	
TOTAL BI	D PRICE (GST extra)		(	in figures)		
	· · · · ·					

(Seal)

Template Version: C420180115 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS	STHAT	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten p described, for the payment of which sum	d and firmly bound unto <b>THE CITY OF WINNIPE</b> ercent (10%) of the Total Bid Price set out in the E the Principal and Surety bind themselves, their he ointly and severally, firmly by these presents.	Bid hereinafte
WHEREAS the Principal has submitted a	Bid to the Obligee for	
BID OPPORTUNITY NO. 29-2018		
2018 Alley Renewals – Contract 3		
as more fully set out in the Bid Opportunit	y.	
if said Bid is accepted and the Principal, it the said Obligee and furnishes the require	obligation is such that if the Bid of the Principal is no n accordance with the terms of the Bid, enters into a ed performance security for guaranteeing the faithfu id, but otherwise shall remain in full force and effect	Contract with
IN WITNESS WHEREOF the Principal an	d Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	_ (Seal)
	(Name of Surety)	

Ву:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for **BID OPPORTUNITY NO. 29-2018** 2018 Alley Renewals - Contract 3 in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_ day of \_\_\_\_\_\_ , 20\_\_\_\_\_ . (Name of Surety) By: (Attorney-in-Fact) (Seal)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B13)

(Date)	
Corpora Materia 185 Kin	ty of Winnipeg ate Finance Department als Management Division ng Street, Main Floor eg MB R3B 1J1
RE:	BID SECURITY – BID OPPORTUNITY NO. 29-2018
	2018 Alley Renewals – Contract 3
Pursua	nt to the request of and for the account of our customer,
(Name of	f Bidder)
WE HE	of Bidder)  REBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demand Letter of paymer	tandby Letter of Credit may be drawn on by you at any time and from time to time upon written d for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for nt without inquiring whether you have a right as between yourself and our customer to make such d and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	s)
and we	confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B13)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on June 10, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	(Name of bank or financial institution)				
Per:					
	(Authorized Signing Officer)				
Per:					
	(Authorized Signing Officer)				