

FORM A: BID
(See B8)

1. Contract Title Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works

2. Bidder _____
Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different) _____
Street or P.O. Box

City Province Postal Code

(Choose one) The Bidder is:
 a sole proprietor
 a partnership
 a corporation

carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B12.1, the Bidder encloses bid security in the form of:

(Choose one)

- a bid bond (Form G1: Bid Bond and Agreement to Bond)
- an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
- a certified cheque or draft

and agrees that it shall be held by the City in accordance with the Contract.

7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.

8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.

9. Contract The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	Dated
_____	_____
_____	_____
_____	_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

12. Indigenous Self-Declaration The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.

- YES, 51% Indigenous ownership
- NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>Arlington Street from St. Matthews Avenue to Sargent Avenue</u>					
	EARTH AND BASE WORKS					
A.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	80		
A.2	Grading of Boulevards	CW 3110-R19	m ²	770		
	ROADWORKS - RENEWALS					
A.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	25		
A.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m ²	1490		
ii)	Monolithic Curb and Sidewalk	SD-228B	m ²	35		
A.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	11		
A.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
A.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
A.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	25		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	8		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	35		
A.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	12		
A.10	Construction of Asphalt Patches	CW 3410-R12	m ²	25		
A.11	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
	ADJUSTMENTS					
A.12	Adjustment of Curb Stop Boxes	CW 3210-R8	each	40		
A.13	Curb Stop Extensions	CW 3210-R8	each	28		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.14	LANDSCAPING	CW 3510-R9				
	Sodding					
	i) width < 600 mm		m ²	530		
	ii) width > or = 600 mm	m ²	270			
A	<u>Arlington Street from St. Matthews Avenue to Sargent Avenue</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B	<u>Academy Road (South Side) from Elm Street to Waverley Street</u>					
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	35		
B.2	Grading of Boulevards	CW 3110-R19	m ²	70		
	ROADWORKS - RENEWALS					
B.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	45		
B.4	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Monolithic Curb and Sidewalk		m ²	500		
B.5	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m ²	500		
B.6	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	4		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	20		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	30		
B.7	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	2		
B.8	Construction of Asphalt Patches	CW 3410-R12	m ²	40		
B.9	Detectable Warning Surface Tiles	CW 3326-R3	each	6		
	ROADWORKS - NEW CONSTRUCTION					
B.10	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m ²	38		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.11	Frames & Covers	CW 3210-R8				

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
ADJUSTMENTS						
B.12	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
B.13	Adjustment of Curb Stop Boxes	CW 3210-R8	each	1		
B.14	Curb Inlet Box Covers (AP-020)	CW 3210-R8	each	2		
B.15	Curb Inlet Frames	CW 3210-R8	each	2		
B.16	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R8	each	2		
B.17	Curb Stop Extensions	CW 3210-R8	each	1		
LANDSCAPING						
B.18	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	45		
ii)	width > or = 600 mm		m ²	25		
MISCELLANEOUS						
B.19	Tree Stump Grinding (Diameter 0.2m-1.5m)	E15	each	6		
B	<u>Academy Road (South Side) from Elm Street to Waverley Street</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>Taylor Avenue (North Side) from Nathaniel Street to Guelph Street</u>					
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	110		
C.2	Grading of Boulevards	CW 3110-R19	m ²	350		
	ROADWORKS - RENEWALS					
C.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	90		
C.4	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	1030		
C.5	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m ²	410		
ii)	100 mm Concrete Sidewalk with Blockouts for Paving Stones	E13	m ²	1360		
C.6	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		
C.7	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		
C.8	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		
C.9	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	145		
C.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	95		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	50		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	65		
C.11	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	8		
C.12	Construction of Asphalt Patches	CW 3410-R12	m ²	70		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.13	Detectable Warning Surface Tiles	CW 3326-R3	each	7		
ROADWORKS - NEW CONSTRUCTION						
C.14	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m ²	125		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
C.15	Frames & Covers	CW 3210-R8				
i)	AP-011 - Barrier Curb and Gutter Frame		each	1		
ii)	AP-012 - Barrier Curb and Gutter Cover		each	1		
ADJUSTMENTS						
C.16	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
C.17	Adjustment of Valve Boxes	CW 3210-R8	each	13		
C.18	Valve Box Extensions	CW 3210-R8	each	4		
C.19	Adjustment of Curb Stop Boxes	CW 3210-R8	each	11		
C.20	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	1		
C.21	Curb Stop Extensions	CW 3210-R8	each	4		
LANDSCAPING						
C.22	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	210		
ii)	width > or = 600 mm		m ²	140		
C	<i>Taylor Avenue (North Side) from Nathaniel Street to Guelph Street</i>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	<u>Carlton Street from Assiniboine Avenue to Broadway</u>					
	EARTH AND BASE WORKS					
D.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	60		
D.2	Grading of Boulevards	CW 3110-R19	m ²	570		
	ROADWORKS - RENEWALS					
D.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	20		
D.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m ²	1175		
ii)	150 mm Reinforced Sidewalk					
a)	5 sq.m. to 20 sq.m.		m ²	20		
D.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	10		
D.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		
D.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		
D.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	5		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	5		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
D.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	45		
D.10	Construction of Asphalt Patches	CW 3410-R12	m ²	50		
	ADJUSTMENTS					
D.11	Adjustment of Valve Boxes	CW 3210-R8	each	7		
D.12	Valve Box Extensions	CW 3210-R8	each	2		

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.13	Adjustment of Curb Stop Boxes	CW 3210-R8	each	16		
D.14	Curb Stop Extensions	CW 3210-R8	each	4		
LANDSCAPING						
D.15	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	320		
ii)	width > or = 600 mm		m ²	250		
D	<u>Carlton Street from Assiniboine Avenue to Broadway</u>					

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>Carlton Street (East Side) from Graham Avenue to Portage Avenue</u>					
	EARTH AND BASE WORKS					
E.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	24		
	ROADWORKS - RENEWALS					
E.2	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	21		
E.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m ²	190		
ii)	100 mm Sidewalk		m ²	15		
iii)	Monolithic Curb and Sidewalk		m ²	120		
E.4	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m ²	330		
E.5	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	70		
E.6	Concrete Curb Installation	CW 3240-R10				
i)	Safety Curb (330 mm reveal ht)	SD-206B	m	20		
E.7	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	13		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	15		
E.8	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	5		
E.9	Construction of Asphalt Patches	CW 3410-R12	m ²	5		
	ROADWORKS - NEW CONSTRUCTION					
E.10	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m ²	40		
E	<u>Carlton Street (East Side) from Graham Avenue to Portage Avenue</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	<u>Edmonton Street (West Side) from Assiniboine Avenue to 50m South of Broadway</u>					
	EARTH AND BASE WORKS					
F.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	30		
F.2	Grading of Boulevards	CW 3110-R19	m ²	275		
	ROADWORKS - RENEWALS					
F.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	6		
F.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	Greater than 20 sq.m.		m ²	605		
F.5	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	5		
F.6	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		
F.7	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		
F.8	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	5		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	2		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	10		
F.9	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	12		
	ADJUSTMENTS					
F.10	Adjustment of Valve Boxes	CW 3210-R8	each	4		
F.11	Valve Box Extensions	CW 3210-R8	each	2		
F.12	Adjustment of Curb Stop Boxes	CW 3210-R8	each	8		
F.13	Curb Stop Extensions	CW 3210-R8	each	2		
	LANDSCAPING					

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.14	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	175		
ii)	width > or = 600 mm		m ²	100		
F	<u>Edmonton Street (West Side) from Assiniboine Avenue to 50m South of Broadway</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	<u>Kennedy Street from St. Mary Avenue to Graham Avenue</u>					
	EARTH AND BASE WORKS					
G.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	80		
G.2	Grading of Boulevards	CW 3110-R19	m ²	50		
	ROADWORKS - RENEWALS					
G.3	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type B)		m ²	5		
G.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	10		
G.5	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	110		
G.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m ²	85		
ii)	Monolithic Curb and Sidewalk		m ²	950		
G.7	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m ²	1140		
G.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	1		
G.9	Supply of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		
G.10	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	2		
G.11	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	3		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	20		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	65		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G.12	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	15		
G.13	Construction of Asphalt Patches	CW 3410-R12	m ²	160		
G.14	Detectable Warning Surface Tiles	CW 3326-R3	each	8		
ROADWORKS - NEW CONSTRUCTION						
G.15	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m ²	130		
ii)	Holland Paver - Blue	E11	m ²	2		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
G.16	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
ADJUSTMENTS						
G.17	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
G.18	Adjustment of Valve Boxes	CW 3210-R8	each	6		
G.19	Valve Box Extensions	CW 3210-R8	each	2		
G.20	Adjustment of Curb Stop Boxes	CW 3210-R8	each	3		
G.21	Curb Inlet Frames	CW 3210-R8	each	1		
G.22	Adjustment of Curb and Gutter Frames	CW 3210-R8	each	1		
G.23	Curb Stop Extensions	CW 3210-R8	each	2		
LANDSCAPING						
G.24	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	50		
G	<i>Kennedy Street from St. Mary Avenue to Graham Avenue</i>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H	<u>St. Mary Avenue (South Side) from Memorial Boulevard to Vaughan Street</u>					
	EARTH AND BASE WORKS					
H.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	15		
H.2	Grading of Boulevards	CW 3110-R19	m ²	15		
	ROADWORKS - RENEWALS					
H.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m ²	170		
H.4	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m ²	205		
H.5	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	60		
H.6	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	21		
H.7	Construction of Asphalt Patches	CW 3410-R12	m ²	30		
	ROADWORKS - NEW CONSTRUCTION					
H.8	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m ²	28		
	ADJUSTMENTS					
H.9	Curb Inlet Box Covers (AP-020)	CW 3210-R8	each	1		
H.10	Curb Inlet Frames	CW 3210-R8	each	1		
H.11	Adjustment of Curb Inlet with New Inlet Box	CW 3210-R8	each	1		
	LANDSCAPING					
H.12	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	15		
H	<u>St. Mary Avenue (South Side) from Memorial Boulevard to Vaughan Street</u>				Subtotal:	

 Name of Bidder

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	<u>York Avenue (South Side) from Kennedy Street to Edmonton Street</u>					
	EARTH AND BASE WORKS					
I.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	20		
	ROADWORKS - RENEWALS					
I.2	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	10		
I.3	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Removal of Paving Stones	E12	m ²	182		
ii)	100 mm Sidewalk		m ²	80		
I.4	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	Monolithic Curb and 100 mm Concrete Sidewalk with Blockouts for Paving Stones	E10	m ²	265		
I.5	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	80		
I.6	Concrete Curb Renewal	CW 3240-R10				
i)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	4		
ii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	8		
I.7	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m ²	3		
I.8	Construction of Asphalt Patches	CW 3410-R12	m ²	30		
	ROADWORKS - NEW CONSTRUCTION					
I.9	Interlocking Paving Stones	CW 3330-R5				
i)	Endicott Clay Paver - Dark Ironspot	E11	m ²	33		
	ADJUSTMENTS					
I.10	Adjustment of Valve Boxes	CW 3210-R8	each	1		
I.11	Valve Box Extensions	CW 3210-R8	each	1		

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I.12	MISCELLANEOUS Tree Removal (Diameter 90mm-160mm)	E14	m	5		
I	<u>York Avenue (South Side) from Kennedy Street to Edmonton Street</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
J	<u>Detectable Warning Surface Tile Installation</u>					
	EARTH AND BASE WORKS					
J.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	6		
J.2	Grading of Boulevards	CW 3110-R19	m ²	25		
	ROADWORKS - RENEWALS					
J.3	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	110		
J.4	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	105		
b)	Greater than 20 sq.m.		m ²	25		
J.5	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	5		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	15		
iii)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C,D	m	65		
J.6	Construction of Asphalt Patches	CW 3410-R12	m ²	20		
J.7	Detectable Warning Surface Tiles	CW 3326-R3	each	14		
	ADJUSTMENTS					
J.8	Adjustment of Valve Boxes	CW 3210-R8	each	2		
	LANDSCAPING					
J.9	Sodding	CW 3510-R9				
i)	width < 600 mm		m ²	10		
ii)	width > or = 600 mm		m ²	15		
J	<u>Detectable Warning Surface Tile Installation</u>				Subtotal:	

FORM B: PRICES
 (SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
SUMMARY						
A	<u>Arlington Street from St. Matthews Avenue to Sargent Avenue</u>				Subtotal:	
B	<u>Academy Road (South Side) from Elm Street to Waverley Street</u>				Subtotal:	
C	<u>Taylor Avenue (North Side) from Nathaniel Street to Guelph Street</u>				Subtotal:	
D	<u>Carlton Street from Assiniboine Avenue to Broadway</u>				Subtotal:	
E	<u>Carlton Street (East Side) from Graham Avenue to Portage Avenue</u>				Subtotal:	
F	<u>Edmonton Street (West Side) from Assiniboine Avenue to 50m South of Broadway</u>				Subtotal:	
G	<u>Kennedy Street from St. Mary Avenue to Graham Avenue</u>				Subtotal:	
H	<u>St. Mary Avenue (South Side) from Memorial Boulevard to Vaughan Street</u>				Subtotal:	
I	<u>York Avenue (South Side) from Kennedy Street to Edmonton Street</u>				Subtotal:	
J	<u>Detectable Warning Surface Tile Installation</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____

 Name of Bidder

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B12)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

_____ (hereinafter called the "Principal") and

_____ (hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

BID OPPORTUNITY NO. 31-2018

Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works

as more fully set out in the Bid Opportunity.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance security for guaranteeing the faithful performance of the Contract, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B12)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

BID OPPORTUNITY NO. 31-2018

Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and Associated Works

in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity.

It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 1 of 2)
(See B12)**

(Date)

The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1

RE: BID SECURITY – BID OPPORTUNITY NO. 31-2018

Downtown & Regional Sidewalk Renewals, Detectable Warning Surface Tile Installation, and
Associated Works

Pursuant to the request of and for the account of our customer,

(Name of Bidder)

(Address of Bidder)

WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding
in the aggregate

Canadian dollars.

This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.

The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.

Partial drawings are permitted.

We engage with you that all demands for payment made within the terms and currency of this Standby Letter of Credit will be duly honoured if presented to us at:

(Address)

and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

**FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING
(BID SECURITY) (Page 2 of 2)
(See B12)**

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 7, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)

Per: _____
(Authorized Signing Officer)

Per: _____
(Authorized Signing Officer)