### FORM A: BID (See B8)

1.	Contract Title	Empress Street Project- Pavement Rehabilitation of Emp Eastway and Westway	oress Street,
2.	Bidder	Name of Bidder	
		Usual Business Name of Bidder as it appears on Invoice (if different from	om above)
		Street	
		City Province	Postal Code
		Email Address of Bidder	
		Facsimile Number	
	(Mailing address if different)	Street or P.O. Box	
		City Province	Postal Code
	(0	The Bidder is:	
	(Choose one)	a sole proprietor	
		a partnership	
		a corporation	
		carrying on business under the above name.	
3.	Contact Person	The Bidder hereby authorizes the following contact per the Bidder for purposes of the Bid.	son to represent
		Contact Person Title	· · · · · · · · · · · · · · · · · · ·
		Telephone Number Facsimile Number	
4.	Definitions	All capitalized terms used in the Contract shall have ascribed to them in the General Conditions.	e the meanings
5.	Offer	The Bidder hereby offers to perform the Work in accommodate Contract for the Total Bid Price, in Canadian funds, set Prices, appended hereto.	

6.	Bid Security	In accordance with B12.1, the Bidder encloses bid security in the form of:
		a bid bond (Form G1: Bid Bond and Agreement to Bond)
	(Choose one)	an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% Indigenous ownership
		☐ NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	WESTWAY - EMPRESS STREET TO EMPR	ESS STREET E	AST - A	SPHALT		
	EARTH AND BASE WORKS					
.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	10		
2	Grading of Boulevards	CW 3110-R19	m²	75		
.3	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	3		
	ROADWORKS - RENEWALS					
4	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	70		
5	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	5		
ii)	200 mm Concrete Pavement (Type B)		m²	200		
iii)	200 mm Concrete Pavement (Type C)		m²	10		
iv)	200 mm Concrete Pavement (Type D)		m²	50		
.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
ii)	28.6 mm Diameter		each	150		
7	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	15		
ii)	20 M Deformed Tie Bar		each	250		
iii)	25 M Deformed Tie Bar		each	200		
.8	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	260		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
<b>\.</b> 9	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk c/w Paving Stone Band (Paving Band Paid Separately)	SD-228A	m²	450		
ii)	Bullnose	SD-227C	m²	15		
A.10	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
A.11	Concrete Curb Removal	CW 3240-R10				
i)	Barrier		m	20		
A.12	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	170		
ii)	Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	10		
iii)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	50		
iv)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	25		
v)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	35		
A.13	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a	Type IA		tonne	250		
ii)	Tie-ins and Approaches					
a	Type IA		tonne	25		
.14	Construction of Asphalt Patches	CW 3410-R12	m²	30		
A.15	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	1350		
ii)	50 - 100 mm Depth (Asphalt)		m²	100		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.16	Interlocking Paving Stones	CW 3335-R1				
i)	Median		m²	70		
ii)	Banding Strip		m²	30		
A.17	Lean Concrete Base	CW 3335-R1	m²	70		
	JOINT AND CRACK SEALING					
A.18	Reflective Crack Maintenance	CW 3250-R7	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.19	Manholes	CW 2130-R12				
i)	SD-010		vert m	1.8		
۸.20	Land Drainage Sewers	CW 2130-R12				
i)	450 mm, PVC					
á	n) In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	6.0		
ŀ	7) Trenchless		m	37.1		
A.21	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	2		
A.22	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
á	n) In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	8.0		
k	Trenchless		m	7.0		
A.23	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	3		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
۹.24	Connecting to Existing Manhole	CW 2130-R12				
i)	450 mm Land Drainage Sewer		each	1		
A.25	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm Catch Basin Lead					
a)	Connecting to 450 mm Concrete Storm Relief Sewer		each	2		
A.26	Removal of Existing Catch Basins	CW 2130-R12	each	2		
٦.27	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1		
A.28	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or smaller)		each	2		
۸.29	Sewer Inspection	CW 2145-R3				
i)	450 mm Land Drainage Sewer		m	43.1		
	ADJUSTMENTS					
۸.30	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	3		
A.31	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.3		
A.32	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	3		
A.33	Patching Existing Manholes	CW 2130-R12	vert. m	1.0		
۸.34	Adjustment of Valve Boxes	CW 3210-R8	each	4		
.35	Valve Box Extensions	CW 3210-R8	each	1		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
I I LIVI	DESCRIPTION	REF.	OIVII	QUANTITY	ONIT I NICL	AMOUNT
	LANDSCAPING					
A.36	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	10		
ii)	width > or = 600 mm		m²	65		
A	WESTWAY - EMPRESS STREET TO EMPR	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	EASTWAY - EMPRESS STREET TO EMPRI REHABILITATION	ESS STREET E	AST - AS	<u>SPHALT</u>		
	EARTH AND BASE WORKS					
B.1	Supplying and Placing Base Course Material	CW 3110-R19	m³	10		
B.2	Grading of Boulevards	CW 3110-R19	m²	50		
B.3	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	2		
	ROADWORKS - RENEWALS					
B.4	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	200		
B.5	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	20		
B.6	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	140		
iii)	200 mm Concrete Pavement (Type C)		m²	20		
iv)	200 mm Concrete Pavement (Type D)		m²	40		
B.7	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	1		
B.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
ii)	28.6 mm Diameter		each	200		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.9	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	20		
ii)	20 M Deformed Tie Bar		each	150		
iii)	25 M Deformed Tie Bar		each	250		
3.10	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	80		
B.11	Miscellaneous Concrete Slab Installation	CW 3235-R9				
i)	100 mm Sidewalk c/w Paving Stone Band (Paving Band Paid Separately)	SD-228A	m²	600		
ii)	Bullnose	SD-227C	m²	5		
B.12	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
3.13	Concrete Curb Removal	CW 3240-R10				
i)	Barrier		m	20		
3.14	Concrete Curb Installation	CW 3240-R10				
i)	Barrier (100 mm reveal ht, Dowelled)	SD-205	m	150		
ii)	Modified Barrier (100 mm reveal ht, Dowelled)	SD-203B	m	10		
iii)	Barrier (150 mm reveal ht, Dowelled)	SD-205	m	35		
iv)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	40		
v)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	50		
3.15	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	350		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	30		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.16	Construction of Asphalt Patches	CW 3410-R12	m²	120		
B.17	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	1700		
ii)	50 - 100 mm Depth (Asphalt)		m²	100		
3.18	Remove Existing Interlocking Paving Stones	E9	m²	100		
3.19	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	20		
3.20	Interlocking Paving Stones	CW 3335-R1				
i)	Median		m²	30		
ii)	Banding Strip		m²	40		
3.21	Lean Concrete Base	CW 3335-R1	m²	30		
	JOINT AND CRACK SEALING					
3.22	Reflective Crack Maintenance	CW 3250-R7	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
3.23	Manholes	CW 2130-R12				
i)	SD-010		vert m	4.1		
3.24	Land Drainage Sewers	CW 2130-R12				
i)	300 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	4.0		
b)	Trenchless		m	16.2		
ii)	450 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	6.0		
b)	Trenchless		m	22.3		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.25	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	1		
B.26	Catch Pit	CW 2130-R12				
i)	SD-023		each	2		
B.27	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	5.1		
B.28	Drainage Connection Pipe	CW 2130-R12	m	6.0		
B.29	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	5		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	5		
B.30	Connecting to Existing Manhole	CW 2130-R12				
i)	450 mm Land Drainage Sewer		each	1		
B.31	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	2		
B.32	Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
B.33	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or smaller)		each	2		
B.34	Sewer Inspection	CW 2145-R3				
i)	300 mm Land Drainage Sewer		m	20.2		
ii)	450 mm Land Drainage Sewer		m	28.3		
	ADJUSTMENTS					
B.35	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	5		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.36	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	0.3		
B.37	Lifter Rings (AP-010)	CW 3210-R8				
5.01	Lines runge (run e re)	011 0210110				
i)	51 mm		each	5		
''	31 111111		Cacii	3		
D 00	Detablica Evictica Marchalas	CW 0400 D40		4.0		
B.38	Patching Existing Manholes	CW 2130-R12	vert. m	1.0		
B.39	Adjustment of Valve Boxes	CW 3210-R8	each	3		
B.40	Valve Box Extensions	CW 3210-R8	each	2		
	LANDSCADING					
	LANDSCAPING					
B.41	Sodding	CW 3510-R9				
	_					
i)	width < 600 mm		m²	10		
,						
ii)	width > or = 600 mm		m²	40		
",	Widat - Of = 000 mm		'''	40		
В	EASTWAY - EMPRESS STREET TO EMPR	ESS STREET E	<u> AST - AS</u>	SPHALT_	Subtotal:	
	<u>REHABILITATION</u>				Subiolai.	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	EMPRESS STREET - PORTAGE AVENUE T AVENUE - ASPHALT REHABILITATION	TO SOUTH OF J	IACK BL	<u>ICK</u>		
	EARTH AND BASE WORKS					
0.1	Excavation	CW 3110-R19	m³	100		
0.2	Supplying and Placing Base Course Material	CW 3110-R19	m³	20		
2.3	Grading of Boulevards	CW 3110-R19	m²	1500		
<b>C.4</b>	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	10		
	ROADWORKS - RENEWALS					
C.5	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m²	200		
ii)	Asphalt Pavement		m²	65		
2.6	Slab Replacement - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	400		
C.7	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	20		
ii)	200 mm Concrete Pavement (Type B)		m²	650		
iii)	200 mm Concrete Pavement (Type C)		m²	20		
iv)	200 mm Concrete Pavement (Type D)		m²	225		
2.8	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	90		
ii)	Construction of Concrete Safety Medians	SD-226B	m²	120		

els ameter ameter Bars	CW 3230-R8	each	150		
ameter		each	150		
			100		
Sare .		each	750		
5013	CW 3230-R8				
med Tie Bar		each	100		
med Tie Bar		each	1000		
med Tie Bar		each	900		
ous Concrete Slab Removal	CW 3235-R9				
b		m²	90		
dewalk		m²	1800		
ous Concrete Slab Installation	CW 3235-R9				
dewalk	SD-228A	m²	175		
	SD-228A	m²	2300		
, ,,	SD-227C	m²	15		
Warning Surface Tiles	CW 3326-R3	each	16		
urb Removal	CW 3240-R10				
		m	1375		
urb Installation	CW 3240-R10				
mm reveal ht, Dowelled)	SD-205	m	75		
mm reveal ht, Dowelled)	SD-205	m	50		
mm reveal ht, Dowelled)	SD-205	m	650		
	med Tie Bar med Tie Bar med Tie Bar ous Concrete Slab Removal b dewalk ous Concrete Slab Installation dewalk dewalk c/w Paving Stone Band and Paid Separately)  Warning Surface Tiles ourb Removal  ourb Installation our man reveal ht, Dowelled) our man reveal ht, Dowelled) our man reveal ht, Dowelled)	med Tie Bar  med Tie Bar  bus Concrete Slab Removal  b  dewalk  bus Concrete Slab Installation  dewalk  CW 3235-R9  SD-228A  SD-228A  SD-228A  SD-227C  Warning Surface Tiles  CW 3326-R3  curb Removal  CW 3240-R10  SD-205  S mm reveal ht, Dowelled)  SD-205	med Tie Bar  med Tie Bar  med Tie Bar  cus Concrete Slab Removal  b  m²  dewalk  cus Concrete Slab Installation  dewalk  cus Concrete Slab Installation  dewalk  cus Concrete Slab Installation  CW 3235-R9  SD-228A  m²  SD-228A  m²  SD-228A  m²  SD-227C  m²  Warning Surface Tiles  curb Removal  CW 3240-R10  m  curb Installation  CW 3240-R10  m  SD-205  m  SD-205  m	med Tie Bar         each         1000           med Tie Bar         each         900           bus Concrete Slab Removal         CW 3235-R9         m²         90           dewalk         m²         1800           dewalk         SD-228A         m²         175           dewalk c/w Paving Stone Band and Paid Separately)         SD-228A         m²         2300           Warning Surface Tiles         CW 3326-R3         each         16           Curb Removal         CW 3240-R10         m         1375           curb Installation         CW 3240-R10         m         75           5 mm reveal ht, Dowelled)         SD-205         m         75           5 mm reveal ht, Dowelled)         SD-205         m         50	med Tie Bar         each         1000           med Tie Bar         each         900           bus Concrete Slab Removal         CW 3235-R9         m²         90           dewalk         m²         1800           dewalk         SD-228A         m²         175           dewalk c/w Paving Stone Band and Paid Separately)         SD-228A         m²         2300           SD-227C         m²         15           Warning Surface Tiles         CW 3240-R10         m         1375           burb Removal         CW 3240-R10         m         1375           curb Installation         CW 3240-R10         m         75           5 mm reveal ht, Dowelled)         SD-205         m         75           5 mm reveal ht, Dowelled)         SD-205         m         50

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
iv)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	180		
v)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229A,B,C	m	100		
vi)	Splash Strip (150 mm reveal ht, Monolithic Barrier Curb, 750 mm width)	SD-223A	m	530		
C.16	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	1750		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	100		
C.17	Construction of Asphalt Patches	CW 3410-R12	m²	10		
C.18	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	6200		
ii)	50 - 100 mm Depth (Asphalt)		m²	2000		
C.19	Remove Existing Interlocking Paving Stones	E9	m²	5		
C.20	Regrading Existing Interlocking Paving Stones	CW 3330-R5	m²	10		
C.21	Interlocking Paving Stones	CW 3335-R1				
i)	Banding Strip		m²	160		
	JOINT AND CRACK SEALING					
C.22	Reflective Crack Maintenance	CW 3250-R7	m	2500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.23	Catch Basin	CW 2130-R12				
i)	SD-024, 1200 mm deep		each	7		
ii)	SD-024, 1800 mm deep		each	8		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.24	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	100.0		
b)	Trenchless		m	45.0		
C.25	Replacing Existing Manhole and Catch Basin Frames & Covers	CW 2130-R12				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	10		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	10		
C.26	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		
C.27	Connecting to Existing Sewer	CW 2130-R12				
i)	250 mm Catch Basin Lead					
a)	Connecting to 600 mm Concrete Storm Relief Sewer		each	3		
b)	Connecting to 750 mm Concrete Storm Relief Sewer		each	8		
C.28	Connecting New Sewer Service to Existing Sewer Service	CW 2130-R12				
i)	250 mm		each	2		
C.29	Removal of Existing Catch Basins	CW 2130-R12	each	11		
C.30	Removal of Existing Catch Pit	CW 2130-R12	each	1		
C.31	Abandoning Existing Drainage Inlets	CW 2130-R12	each	5		
C.32	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or smaller)		each	12		
	ADJUSTMENTS					
C.33	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	11		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.34	Replacing Existing Risers	CW 2130-R12		QUANTITY		
i)	Pre-cast Concrete Risers		vert. m	2.0		
C.35	Lifter Rings (AP-010)	CW 3210-R8				
i)	51 mm		each	11		
C.36	Patching Existing Manholes	CW 2130-R12	vert. m	2.0		
C.37	Adjustment of Valve Boxes	CW 3210-R8	each	6		
C.38	Valve Box Extensions	CW 3210-R8	each	4		
C.39	Adjustment of Existing Manitoba Hydro Manholes	E8	each	8		
	LANDSCAPING					
C.40	Salvage and Regrade Existing Random Stone Rip-Rap	E10	m²	25		
C.41	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	1400		
ii)	width > or = 600 mm		m²	100		
С	EMPRESS STREET - PORTAGE AVENUE T AVENUE - ASPHALT REHABILITATION	TO SOUTH OF .	IACK BL	.ICK	Subtotal:	

The City of Winnipeg Bid Opportunity No. 38-2018 Template Version: C420180115-RW

### FORM B: PRICES (SEE B9)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	WESTWAY - EMPRESS STREET TO EMPREHABILITATION	ESS STREET E	AST - A	<u>SPHALT</u>	Subtotal:	
В	EASTWAY - EMPRESS STREET TO EMPRE	ESS STREET E	AST - AS	SPHALT_	Subtotal:	
С	EMPRESS STREET - PORTAGE AVENUE T - ASPHALT REHABILITATION	O SOUTH OF J	IACK BL	ICK AVENUE	Subtotal:	
TOTAL BI	ID PRICE (GST extra)			(in figures)		

(Seal)

Template Version: C420171218 - RW

### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B12)

	BID BOND	
KNOW ALL MEN BY THESE PRESENTS T	THAT	
(hereinafter called the "Principal") and		
the "Obligee") in the sum of ten percent (10°	d firmly bound unto <b>THE CITY OF WINNIPEG</b> (here %) of the Total Bid Price set out in the Bid hereinaft and Surety bind themselves, their heirs, executors, and ly, firmly by these presents.	er described,
WHEREAS the Principal has submitted a Bi	id to the Obligee for	
BID OPPORTUNITY NO. 38-2018		
Empress Street Project- Pavement Rehabili	tation of Empress Street, Eastway and Westway	
as more fully set out in the Bid Opportunity.		
if said Bid is accepted and the Principal, in a the said Obligee and furnishes the required	ligation is such that if the Bid of the Principal is not accordance with the terms of the Bid, enters into a performance security for guaranteeing the faithful, but otherwise shall remain in full force and effect.	Contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)
	(Name of Surety)	

By:

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B12)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for **BID OPPORTUNITY NO. 38-2018** Empress Street Project- Pavement Rehabilitation of Empress Street, Eastway and Westway in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_, 20\_\_\_\_\_\_. (Name of Surety)

(Seal) (Attorney-in-Fact)

# FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B12)

(Date)
The City of Winnipeg Corporate Finance Department Materials Management Division 185 King Street, Main Floor Winnipeg MB R3B 1J1
RE: BID SECURITY – BID OPPORTUNITY NO. 38-2018
Empress Street Project- Pavement Rehabilitation of Empress Street, Eastway and Westway
Pursuant to the request of and for the account of our customer,
(Name of Bidder)
(Address of Bidder)
WE HEREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding in the aggregate
Canadian dollars.
This Standby Letter of Credit may be drawn on by you at any time and from time to time upon written demand for payment made upon us by you. It is understood that we are obligated under this Standby Letter of Credit for the payment of monies only and we hereby agree that we shall honour your demand for payment without inquiring whether you have a right as between yourself and our customer to make such demand and without recognizing any claim of our customer or objection by the customer to payment by us.
The amount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upon it by you or by formal notice in writing given to us by you if you desire such reduction or are willing that it be made.
Partial drawings are permitted.
We engage with you that all demands for payment made within the terms and currency of this Standby Lette of Credit will be duly honoured if presented to us at:
(Address)
and we confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

## FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B12)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on May 22, 2018.

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name	of bank or financial institution)
Per:	(Authorized Signing Officer)
Per:	(Authorized Signing Officer)