



FUSE SCHEDULE			
TB	IDENTIFIER	SIZE	RATED CURRENT (A) FA
TB09	5P	5x20mm	1
	6P	5x20mm	1
	7P	5x20mm	1
	8P	5x20mm	1

NOTES
 1. CONNECT FLYING LEADS CABLE OVERALL SHIELD TO TERMINAL 1S.



00	ISSUED FOR TENDER, BID OPP. 475-2018	2018/05/09	TC	BC
NO.	REVISIONS	DATE	DESIGN	CHECK

SNC-LAVALIN

SNC-LAVALIN INC.
 148 Nature Park Way
 Winnipeg, MB, Canada R3P 0X7
 204-786-8080

DESIGNED BY: T. CHURCH
 CHECKED BY: B. CLEVEN
 DRAWN BY: S. HAILU
 APPROVED BY: B. CLEVEN
 SCALE: NTS
 ISSUED FOR CONSTRUCTION
 DATE: 2018/02/01
 BY: [Signature]
 DATE: [Signature]

CONSULTANT NO.:

ENGINEER'S SEAL

**PRELIMINARY
 NOT TO BE
 USED FOR
 CONSTRUCTION**

THE CITY OF WINNIPEG
 WATER AND WASTE DEPARTMENT

METRO ROUTE 20 UNDERPASS PUMPING STATION
 2018 UPGRADES
 WIRING DIAGRAM
 CONTROL PANEL CP-U81
 ANALOG INPUTS

CITY DRAWING NUMBER: 1-0309U-A0005
 SHEET: 001
 REV: 00
 SIZE: A1