FORM A: BID (See B9)

1.	Contract Title		UNK SEWER AND LDS SEPA SIE SEWER RELIEF WORKS	
2.	Bidder	Name of Bidder		
		Usual Business Name of Bidder	as it appears on Invoice (if different fro	om above)
		Street		
		City	Province	Postal Code
		Email Address of Bidder		
		Facsimile Number		
	(Mailing address if different)	Street or P.O. Box		
		City	Province	Postal Code
		GST Registration Number (if app	licable)	
	(Choose one)	The Bidder is:		
		a sole proprietor		
		a partnership		
		a corporation		
		carrying on business unde	r the above name.	
3.	Contact Person	The Bidder hereby author the Bidder for purposes of	rizes the following contact per the Bid.	son to represent
		Contact Person	Title	
		Telephone Number	Facsimile Number	
4.	Definitions	All capitalized terms use	ed in the Contract shall hav	e the meanings

ascribed to them in the General Conditions and D4.

5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.
6.	Bid Security	In accordance with B14.1, the Bidder encloses bid security in the form of:
	(Choose one)	a bid bond (Form G1: Bid Bond and Agreement to Bond)
		an irrevocable standby letter of credit (Form G2: Irrevocable Standby Letter of Credit and Undertaking)
		a certified cheque or draft
		and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	The Bidder agrees that the Bid Opportunity in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of one hundred and twenty (120) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

CIVIII	PRICES	CDEC		ADDDOV		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Α	Wilton Street - Grant Avenue to Taylor Avenue					
A.1	Excavation of Existing Concrete Caisson	E17	l.s.	1		
A.2	Trenchless Sewer Construction	CW2130 / E13				
a) i)	300 mm PVC SDR35 Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill		m	15		
b)	600 mm PVC SDR35 Trench installation, Class B Type 3 Bedding, Class 3 Backfill (temporary connection between new LDS and exist. CS)		m	2		
	1500 mm (C76 - 3) Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.04-Plug)		m	255		
d) i)	1650 mm (C76 - 3) Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.03-04)		m	85		
e) i)	1800 mm (C76 - 3) Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.02-03)		m	91		
f) i)	1800 mm (C76 - 4) Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.01-02)		m	58		
A.3	Catch Basin Lead	CW2130 / E15				
,	250 mm PVC SDR35 Trenchless installation, Class B Sand Bedding, Class 3 Backfill		m	37		
A.4	Connecting to Existing Catch Basin and Catch Pit	CW2130	oosh			
a)	250 mm PVC SDR35		each	6		
A.5	Connection of CB Lead to LDS Pipe	CW2130 / E15	each	9		
A.6 a) i)	Manholes Standard (SD-010) 1200 mm diameter - 1.22 m High Base (MH.27)	CW2130	vt.m	3		

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	Large Diameter Manholes 2400 mm diameter - 2.44 m High Base & 1200 mm dia. riser (MH.05-06) 3000 mm diameter - 2.44 m High Base plus 0.910 m Barrel & 1200 mm dia. riser	E14	vt.m vt.m	10 5		
	(MH.04) Large Diameter Drop Manholes 3000 mm diameter - 2.44 m High Base, 1.83 m Barrel & 1200 mm dia. riser (MH.02)	E14	vt.m	7		
ii)	3000 mm diameter - 2.44 m High Base, 0.91m Barrel & 1200 mm dia. riser (MH.03)		vt.m	5		
d)	Manhole / Transition Chamber (MH-01)	E17	l.s.	1		
A.7	Installation of Manhole Risers in Open Excavation	CW2130				
a)	1200 mm		vt.m	17		
A.8	Connection to Existing Manhole (connection between new 1800 mm LDS and Exist. CS Manhole) 600 mm PVC SDR35	CW2130	each	1		
a) A.9	Plugging and Abandoning Existing	CW2130	each	ı		
a)	Sewers Plugging Existing Sewers and Sewer Services Smaller than 300 mm		each	6		
A.10	Abandoning Existing Sewer with Cement- Stabilized Flowable Fill	CW2130				
a)	300 mm and larger		m³	8		
A.11	Existing Catch Basin Cleaning and Inspection	E19	each	13		
A.12	Existing Sewer Cleaning and Inspection	E19	m	135		
A.13 a) b) c) d) e) f)	Sewer Inspection (New Sewers) 300 mm PVC SDR35 600 mm PVC SDR35 1500 mm (C76 - 3) 1650 mm (C76 - 3) 1800 mm (C76 - 3) 1800 mm (C76 - 4)	CW2145	m m m m m	15 2 255 85 91 58		

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.14	Pre/Post Construction Sewer Inspection of Existing 1500 mm CS (1st. MH West of Wilton St. to 1st. MH East of Wilton	CW2145				
a)	St.) 1500 mm CS		m	680		
A.15	Concrete Pipe Three Edge Bearing Test	CW2130				
a)	1500 mm (C76-3)		each	1		
b)	1650 mm (C76-3)		each	1		
c)	1800 mm (C76-3)		each	1		
d)	1800 mm (C76-4)		each	1		
a)	Watermain Replacement 150 mm Trenchless installation, Class B sand bedding, Class 3 backfill	CW2110	m	15		
A.17	Watermain Valve	CW2110				
a)	150 mm		each	2		
A.18	Supply and Installation of Miscellaneous Metals	E29	l.s.	1		
Α	Wilton Street - Grant Avenue to Taylor Avenue	<u>enue</u>		SUB	ΓΟΤΑL	

В	Ebby Ave Wilton St. to Guelph St.				
B.1	Trenchless Sewer Construction	CW2130 /			
		E13			
a) ;\	300 mm PVC SDR35 Trenchless installation, Class B Type 3		m	41	
"	Bedding, Class 3 Backfill (CB to MH.16 &		""	41	
	CB to MH.25 & exist LDS to New Sewer)				
b)	300 mm (C76 - 3)				
	Trenchless installation, Class B Type 3		m	60	
	Bedding, Class 3 Backfill (MH.25 to MH.03)				
c) "	375 mm PVC SDR35			00	
1)	Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.16 to MH.17)		m	83	
	Bedding, Olass & Backilli (Will 1. 10 to Will 1. 17)				
,	375 mm (C76 - 3) Trenchless installation, Class B Type 3		m	89	
"	Bedding, Class 3 Backfill (MH.17 to MH.03)		111	09	
	(is in its)				

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

DESCRIPTION	SPEC.	LINIT	APPROX.	LINIT DDICE	AMOUNT
DESCRIPTION	REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
Catch Basin Lead					
250 mm PVC SDR35 Trenchless installation, Class B Sand Bedding, Class 3 Backfill	E15	m	40		
CB Lead Risers	CW2130 /				
250 mm PVC SDR35	2.0	vt.m	6		
Connecting to Existing Catch Basin and Catch Pit	CW2130				
250 mm PVC SDR35		each	8		
Connection of CB Lead to LDS Pipe	CW2130 /	each	7		
Manholes Standard (SD-010) 1200 mm diameter - 1.22m High Base (MHs.16 & 17)	CW2130	vt.m	8		
Standard Drop Manhole (SD-010D) 1500 mm diameter (MH.25)		vt.m	4		
Plugging and Abandoning Existing Sewers Plugging Existing Sewers and Sewer Services Smaller than 300 mm	CW2130	each	8		
Abandoning Existing Sewer with Cement-	CW2130				
Stabilized Flowable Fill 300 mm and larger		m³	2		
Existing Catch Basin Cleaning and Inspection	E19	each	8		
Existing Sewer Cleaning and Inspection	E19	m	30		
Sewer Inspection (New Sewers) 300 mm PVC SDR35 300 mm (C76 - 3) 375 mm PVC SDR35	CW2145	m m m	41 60 83		
		m		L	
	250 mm PVC SDR35 Trenchless installation, Class B Sand Bedding, Class 3 Backfill CB Lead Risers 250 mm PVC SDR35 Connecting to Existing Catch Basin and Catch Pit 250 mm PVC SDR35 Connection of CB Lead to LDS Pipe Manholes Standard (SD-010) 1200 mm diameter - 1.22m High Base (MHs.16 & 17) Standard Drop Manhole (SD-010D) 1500 mm diameter (MH.25) Plugging and Abandoning Existing Sewers Plugging Existing Sewers and Sewer Services Smaller than 300 mm Abandoning Existing Sewer with Cement-Stabilized Flowable Fill 300 mm and larger Existing Catch Basin Cleaning and Inspection Existing Sewer Cleaning and Inspection Sewer Inspection (New Sewers) 300 mm PVC SDR35 300 mm (C76 - 3)	Catch Basin Lead 250 mm PVC SDR35 Trenchless installation, Class B Sand Bedding, Class 3 Backfill CB Lead Risers 250 mm PVC SDR35 Connecting to Existing Catch Basin and Catch Pit 250 mm PVC SDR35 Connection of CB Lead to LDS Pipe Manholes Standard (SD-010) 1200 mm diameter - 1.22m High Base (MHs.16 & 17) Standard Drop Manhole (SD-010D) 1500 mm diameter (MH.25) Plugging and Abandoning Existing Sewers Plugging Existing Sewers and Sewer Services Smaller than 300 mm Abandoning Existing Sewer with Cement-Stabilized Flowable Fill 300 mm and larger Existing Catch Basin Cleaning and Inspection Existing Sewer Cleaning and Inspection Existing Sewer Cleaning and Inspection Sewer Inspection (New Sewers) 300 mm PVC SDR35 300 mm PVC SDR35 300 mm PVC SDR35 375 mm PVC SDR35	Catch Basin Lead CW2130 / E15 Z50 mm PVC SDR35 Trenchless installation, Class B Sand Bedding, Class 3 Backfill CB Lead Risers Z50 mm PVC SDR35 Connecting to Existing Catch Basin and Catch Pit C50 mm PVC SDR35 Connection of CB Lead to LDS Pipe Manholes Standard (SD-010) 1200 mm diameter - 1.22m High Base (MHs.16 & 17) Standard Drop Manhole (SD-010D) 1500 mm diameter (MH.25) Plugging and Abandoning Existing Sewers Plugging Existing Sewers and Sewer Services Smaller than 300 mm Abandoning Existing Sewer with Cement-Stabilized Flowable Fill 300 mm and larger Existing Catch Basin Cleaning and Inspection Existing Sewer Cleaning and Inspection Existing Sewer Cleaning and Inspection Existing Sewer Cleaning and Inspection Existing Newer Cleaning And	Catch Basin Lead	Catch Basin Lead

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

	DESCRIPTION	SPEC.	LINUT	APPROX.	UNIT PRICE	
ITEM	DESCRIPTION	REF.	UNIT	QUANTITY	UNIT PRICE	AMOUNT
С	Hector Ave Hector Bay East to Guelph S				1	
C.1	Trenchless Sewer Construction	CW2130 / E13				
,	300 mm PVC SDR35 Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (exist. 300 mm to MH.20, CB to MH.14)		m	24		
	375 mm PVC SDR35 Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.14 to MH.15)		m	66		
	450 mm (C76 - 4) Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.15 to MH.04)		m	106		
,	600 mm PVC SDR35 Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.19 to MH.20 & MH.20 to MH.21)		m	87		
,	750 mm (C76 - 4) Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.21 to MH.24, MH.24 to MH.04)		m	154		
C.2	Catch Basin Lead	CW2130 / E15				
a)	250 mm PVC SDR35 Trenchless installation, Class B Sand Bedding, Class 3 Backfill	_,,	m	38		
C.3	CB Lead Risers	CW2130 / E15				
a)	250 mm PVC SDR35		vt.m	14		
C.4	Connecting to Existing Catch Basin and Catch Pit	CW2130				
a)	250 mm PVC SDR35		each	10		
C.5	Connection of CB Lead to LDS Pipe	CW2130 / E15	each	9		
C.6 a)	Manholes Standard (SD-010)	CW2130	. 4	40		
	1200 mm diameter - 1.22m High Base (MH.14, MH.15 & MH.26)		vt.m	10		
	1500 mm diameter - 2.44m High Base (MH.19 & MH.24)		vt.m	9		

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	Standard Drop Manhole (SD-010D) 1500 mm diameter (MH.20 & 21)		vt.m	9		
	Plugging and Abandoning Existing Sewers Plugging Existing Sewers and Sewer Services Smaller than 300 mm	CW2130	each	10		
C.8	Abandoning Existing Sewer with Cement- Stabilized Flowable Fill	CW2130	2			
a)	300 mm and larger		m³	2		
C.9	Connection of Existing CB Lead to New MH (MH-20 & MH-24)	CW2130	each	2		
	Existing Catch Basin Cleaning and Inspection	E19	each	10		
C.11	Existing Sewer Cleaning and Inspection	E19	m	60		
C.12	Sewer Inspection (New Sewers)	CW2145				
a)	300 mm PVC SDR35		m	24		
b)	375 mm PVC SDR35		m	66		
	450 mm (C76 - 4)		m	106		
1 ′ 1	600 mm PVC SDR35		m	87		
e) C	750 mm (C76 - 4) Hector Ave Hector Bay East to Guelph S	`*	m	154	ΓΟΤΑL	

D	Hector Bay East - Hector Ave. to Hector A	l <i>ve.</i>			
D.1	Trenchless Sewer Construction	CW2130 /			
		E13			
a)	300 mm PVC SDR35				
i)	Trenchless installation, Class B Type 3		m	15	
	Bedding, Class 3 Backfill (exist. CB Lead to				
	MH.18)				
b)	450 mm DVC SDD25				
,	450 mm PVC SDR35 Trenchless installation, Class B Type 3		m	161	
''	Bedding, Class 3 Backfill (MH.22 to MH.23		111	101	
	& MH.23 to MH.21)				
c)	525 mm PVC SDR35				
i)	Trenchless installation, Class B Type 3		m	83	
	Bedding, Class 3 Backfill (MH.18 to MH.19)				
					ĺ

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.2	Catch Basin Lead	CW2130 / E15		Q07		
a)	250 mm PVC SDR35 Trenchless installation, Class B Sand Bedding, Class 3 Backfill	210	m	38		
D.3	Connecting to Existing Catch Basin and Catch Pit	CW2130				
a)	250 mm PVC SDR35		each	6		
D.4	Connection of CB Lead to LDS Pipe	CW2130 / E15	each	4		
D.5	Manholes	CW2130				
a) i)	Standard (SD-010) 1200 mm diameter - 1.22m High Base (MH.18, MH.22 & MH.23)		vt.m	9		
D.6	Plugging and Abandoning Existing Sewers	CW2130				
a)	Plugging Existing Sewers and Sewer Services Smaller than 300 mm		each	6		
D.7	Existing Catch Basin Cleaning and Inspection	E19	each	6		
D.8	Sewer Inspection (New Sewers)	CW2145				
a)	300 mm PVC SDR35		m	15		
b)	450 mm PVC SDR35		m	161		
c)	525 mm PVC SDR35		m	83		
D	Hector Bay East - Hector Ave. to Hector A	ive.		SUB	ΓΟΤΑL	

Е	Carter Ave Wilton St. to Guelph St.				
E.1	Trenchless Sewer Construction	CW2130 / E13			
a) i)	300 mm PVC SDR35 Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (exist. CB Lead to new LDS, exist. CB Lead to MH.11 & exist. CB Lead to MH.12)		m	42	
b) i)	450 mm PVC SDR35 Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.11 to MH.12 & MH.12 to MH.13)		m	134	
c) i)	450 mm (C76 - 4) Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.13 to MH.05)		m	78	

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E.2	Catch Basin Lead	CW2130 / E15		Q 0/11111		
a)	250 mm PVC SDR35 Trenchless installation, Class B Sand Bedding, Class 3 Backfill		m	37		
E.3	CB Lead Risers	CW2130 / E15				
a)	250 mm PVC SDR35		vt.m	8		
E.4	Connecting to Existing Catch Basin and Catch Pit	CW2130				
a)	250 mm PVC SDR35		each	8		
E.5	Connection of CB Lead to LDS Pipe	CW2130 / E15	each	6		
a)	Manholes Standard (SD-010) 1200 mm diameter - 1.22m High Base (MH.11 & MH.13)	CW2130	vt.m	8		
	Standard Drop Manhole (SD-010D) 1500 mm diameter (MH.12)		vt.m	4		
E.7	Plugging and Abandoning Existing	CW2130				
a)	Sewers Plugging Existing Sewers and Sewer Services Smaller than 300 mm		each	9		
E.8	Abandoning Existing Sewer with Cement-	CW2130				
a)	Stabilized Flowable Fill 300 mm and larger		m³	2		
E.9	Existing Catch Basin Cleaning and Inspection	E19	each	8		
E.10	Existing Sewer Cleaning and Inspection	E19	m	20		
	Sewer Inspection (New Sewers)	CW2145				
a)	300 mm PVC SDR35		m	42		
b) c)	450 mm PVC SDR35 450 mm (C76 - 4)		m m	134 78		
Е	Carter Ave Wilton St. to Guelph St.			SUB	ΓΟΤΑL	

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
F	Weatherdon Ave Wilton St. to Guelph St	REF.		QUANTITY		22
F.1	Trenchless Sewer Construction	CW2130 /				
a) i)	300 mm PVC SDR35 Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (exist. CB Lead to new sewer, exist. CB to MH.09, exist. CB Lead to MH.08)	E13	m	52		
'	525 mm PVC SDR35 Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.08 to MH.09 & MH.09 to MH.10)		m	125		
	525 mm (C76 - 4) Trenchless installation, Class B Type 3 Bedding, Class 3 Backfill (MH.10 to MH.06)		m	95		
F.2 a)	Catch Basin Lead 250 mm PVC SDR35 Trenchless installation, Class B Sand Bedding, Class 3 Backfill	CW2130 / E15	m	40		
F.3	CB Lead Risers	CW2130 /				
a)	250 mm PVC SDR35	E15	vt.m	10		
F.4	Connecting to Existing Catch Basin and Catch Pit	CW2130				
a)	250 mm PVC SDR35		each	9		
F.5	Connection of CB Lead to LDS Pipe	CW2130 / E15	each	8		
F.6 a) i)	Manholes Standard (SD-010) 1200 mm diameter - 1.22m High Base (MH.08 & MH.10)	CW2130	vt.m	7		
b) i)	Standard Drop Manhole (SD-010D) 1500 mm diameter (MH.09)		vt.m	4		
F.7 a)	Plugging and Abandoning Existing Sewers Plugging Existing Sewers and Sewer Services Smaller than 300 mm	CW2130	each	9		

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.8	Abandoning Existing Sewer with Cement-			Q 07 11 1 1 1 1		
a)	Stabilized Flowable Fill 300 mm and larger		m³	3		
F.9	Existing Catch Basin Cleaning and Inspection	E19	each	9		
F.10	Existing Sewer Cleaning and Inspection	E19	m	35		
F.11 a) b) c)	Sewer Inspection (New Sewers) 300 mm PVC SDR35 525 mm PVC SDR35 525 mm (C76 - 4)	CW2145	т т т	52 125 95		
F	F Weatherdon Ave Wilton St. to Guelph St.		SUB	TOTAL		

G	General Site Works					
G.1	Site Development and Restoration	E6	l.s.	1		
G.2	Allowance for Vibration Monitoring	E24	Allow	1	\$30,000	\$30,000
G.3	Allowance for Material Sampling and Testing	E25	Allow	1	\$10,000	\$10,000
G	General Site Works			SUB	ΓΟΤΑL	

Η	Provisional Items				
H.1	Utilitiy Exploration	CW1120 /	l.s.	1	
		E9			
H.2	Remove and Replace Existing Catch	CW2130			
	Basin / Catch Pit				
a)	SD-023		each	12	
b)	SD-024		each	12	
	Dania a Frietina Manhala	CW2420			
	Replace Existing Manhole	CW2130			
a)	Standard (SD-010)		vet mo	15	
	1200 mm diameter - 1.22m High Base		vt.m	15	
b)	Large Diameter Manholes				
′ ′	2100 mm diameter - 2.44m High Base		vt.m	5	
	2400 mm diameter - 2.44m High Base		vt.m	5	
· ' I	3000 mm diameter - 2.44m High Base		vt.m	5	
	Ğ				
,	Standard Drop Manhole (SD-010D)				
i)	1500 mm diameter		vt.m	5	
	Manhala Liftor Pinga (AP 007)	CW2130			
	Manhole Lifter Rings (AP-007) 38mm	CVV2130	each	6	
· ' I				6	
b)	51mm		each	б	

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
H.5	Replacing Standard Frames and Covers	CW2130		20/111111		
a)	AP-004 Standard Frame for Manhole and Catch Basin		each	18		
b)	AP-008 Barrier Curb and Gutter Frame AP-009 Barrier Curb and Gutter Cover		each each	18 18		
H.6	Replacing Existing Manhole or Catch Basin Rungs	CW2130	each	10		
H.7	Replacing Existing Catch Basin Hoods	CW2130	each	10		
H.8	Patching Existing Manhole or Catch Basin	CW2130	each	10		
H.9 a) b)	Regrading of Existing Sewer Service Up to 1.5 m long longer than 1.5 m	E20	each m	14 350		
H.10	Catch Basin Lead	CW2130 / E15				
,	250 mm SDR 35 PVC Trenchless installation, Class B Sand Bedding, Class 3 Backfill	2.0	m	25		
H.11	CB Lead Risers	CW2130 / E15				
a)	250 mm PVC SDR35		vt.m	10		
	Water Service Replacement	CW2110/ E20				
	19 mm Trenchless installation, Class B Sand Bedding, Class 3 Backfill 25 mm		m	60		
b) (c)	Trenchless installation, Class B Sand Bedding, Class 3 Backfill 38 mm		m	20		
,	Trenchless installation, Class B Sand Bedding, Class 3 Backfill 50 mm		m	15		
,	Trenchless installation, Class B Sand Bedding, Class 3 Backfill		m	15		
H.13	Curb Stops	CW2110/ E20				
a) b) c)	19 mm 25 mm 38 mm		each each each	20 5 1		

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

CIVII	PRICES	ODEO		ADDDOX		
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
d)	50 mm		each	1		
H.14	Corporation Stops	CW2110/ E20				
a)	19 mm		each	20		
	25 mm		each	5		
c)	38 mm		each	1		
,	50 mm		each	1		
H.15	Curb Stop Box	CW2110/ E20				
a)	19 mm		each	20		
· '	25 mm		each	5		
	38 mm		each	1		
,	50 mm		each	1		
	10.9 Kilogram Zinc Anode	CW2110				
a)	On Water Service		each	10		
	Watermain Renewal 150 mm	CW2110				
i)	Trenchless installation, Class B Sand Bedding, Class 3 Backfill 200 mm		m	10		
,	Trenchless installation, Class B Sand Bedding, Class 3 Backfill		m	10		
,	500 mm Trenchless installation, Class B Sand Bedding, Class 3 Backfill		m	10		
H 18	Watermain Valve	CW2110				
a)	150 mm	OWZIIO	each	2		
	200 mm		each	2		
c)	500 mm		each	2		
,			Guon	_		
	Watermain Fittings	CW2110				
a) :\	Vertical Bends		l-			
	150 mm - 45°		each	4		
	200 mm - 45°		each	4		
	500 mm - 45°		each	4		
,	Tees					
i)	500 mm x 200 mm		each	1		
H.20	Removal of the 600 mm Temporary Connection to the CS	CW2130	each	1		
H.21	Foundation, Bedding and Backfill	CW2030				
a)	Granular Backfill Material		m³	10		
b)	Cement Stabilized Backfill Material		m³	10		

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
a)	Partial Slab Patches 150 mm Reinforced Concrete Pavement 200 mm Reinforced Concrete Pavement	CW3230	m² m²	50 15		
H.23 a)	Concrete Pavements for Early Opening Construction of 200 mm Concrete Pavements for Early Opening (24 hours)(Reinforced)	CW3230	m²	20		
H.24 a) b)	Concrete Curb Installation Barrier Curb (SD-204) Ramp Curb (SD-229B)	CW3240	m m	20 10		
H.25	Miscellaneous Concrete Slab Renewal	CW3325				
a)	100 mm Sidewalk (SD-228A)		m²	25		
H.26 a) b) c)	Temporary Surface Restorations Concrete Pavement Sidewalk Curb	E21	m² m² m	980 10 15		
H.27	Construction of Asphalt Patches	CW3410	m²	450		
H.28	Asphalt Planing 0-50 mm depth	CW3410	m²	100		
	Construction of Asphaltic Concrete Main Line Paving - Type 1A	CW3410	tonne	12		
H.30 a)	Supplying and Placing Base Course Limestone	CW3110	m³	25		
H.31 a)	Regrading Existing Surfaces Sidewalk Blocks	CW3330	m²	15		
H.32	Tree Removal	E10	each	5		
H.33	Tree Planting	E10	each	5		
	Sodding	CW3510	m²	120		
Н	<u>Provisional Items</u>			SUB	ΓΟΤΑL	

Form B: Prices

(See B10)

CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION - COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11)

UNIT	PRICES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
I	TOTAL BID PRICE (Items A+B+C+D+E+F+C) \$	G+H) (GST	Extra) (in	numbers)		
J	Site Occupancy		T a			
J.1	Initial Span	D24	Charged Day		\$2,500	
J	Site Occupancy			SUBT	TOTAL	
K	Daily Equipment Costs					
K.1	Change in Contract Conditions	E27	.	4.0		
a)	Daily Equipment Rate		day	10	TOTAL	
K	Daily Equipment Costs		ļ	SUBI	OTAL	
	\$Summary:					
Α	Summary: Wilton Street - Grant Avenue to Taylor Ave	enue				
В	Ebby Ave Wilton St. to Guelph St.		• -			
С	Hector Ave Hector Bay East to Guelph St					
D	Hector Bay East - Hector Ave. to Hector A	ve.	_			
E	Carter Ave Wilton St. to Guelph St.					
F	Weatherdon Ave Wilton St. to Guelph St.	•				
G	General Site Works		_			
Н	Provisional Items					
I	TOTAL BID PRICE (Items A+B+C+D+E+F+C) (GST Extra) (in numbers)	<u>G+H)</u>				
J	Site Occupancy			_		
ĸ	Daily Equipment Costs		•			
L	EVALUATED TOTAL BID PRICE (I+J+K) (GST Extra) (in numbers)					

(Seal)

Template Version: C120180312 - C BCivil

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B14)

BID BOND

	BID BOND
KNOW ALL MEN BY THESE PRESENTS	THAT
(hereinafter called the "Principal") and	
called the "Obligee") in the sum of ten pedescribed, for the payment of which sum	d and firmly bound unto THE CITY OF WINNIPEG (hereinafted ercent (10%) of the Total Bid Price set out in the Bid hereinafted the Principal and Surety bind themselves, their heirs, executors bintly and severally, firmly by these presents.
WHEREAS the Principal has submitted a	Bid to the Obligee for
BID OPPORTUNITY NO. 640-2018	
CONSTRUCTION OF TRUNK SEWER AIRELIEF WORKS (CONTRACT 11)	ND LDS SEPARATION – COCKBURN & CALROSSIE SEWER
as more fully set out in the Bid Opportunity	y.
if said Bid is accepted and the Principal, in the said Obligee and furnishes the require	obligation is such that if the Bid of the Principal is not accepted, on accordance with the terms of the Bid, enters into a Contract with ed performance security for guaranteeing the faithful performance d, but otherwise shall remain in full force and effect.
IN WITNESS WHEREOF the Principal and	d Surety have signed and sealed this bond the
day of	, 20
SIGNED AND SEALED in the presence of:	(Name of Principal)
(Witness as to Principal if no seal)	Per: (Seal) Per:
	(Name of Surety)

Ву:

(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B14)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on ______, 20_____ for BID OPPORTUNITY NO. 640-2018 CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION - COCKBURN & CALROSSIE SEWER RELIEF WORKS (CONTRACT 11) in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our Principal's Bid is accepted by you, such Performance Bond to be maintained and continue in full force and effect until the expiration of the warranty period. The Performance Bond shall be in the form specified in the Bid Opportunity. It is a condition that this Agreement to Bond shall become null and void if the Performance Bond mentioned above is not required from our Principal within one hundred and twenty (120) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this ______ day of ______ , 20_____ . (Name of Surety) (Seal)

(Attorney-in-Fact)

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 1 of 2) (See B14)

(Date)	
The Ci Corpoi Materia 185 Ki	ty of Winnipeg rate Finance Department als Management Division ng Street, Main Floor neg MB R3B 1J1
RE:	BID SECURITY - BID OPPORTUNITY NO. 640-2018
SEWE	CONSTRUCTION OF TRUNK SEWER AND LDS SEPARATION – COCKBURN & CALROSSIE R RELIEF WORKS (CONTRACT 11)
Pursua	ant to the request of and for the account of our customer,
(Name o	of Bidder)
	EREBY ESTABLISH in your favour our irrevocable Standby Letter of Credit for a sum not exceeding aggregate
	Canadian dollars.
demar Letter payme	tandby Letter of Credit may be drawn on by you at any time and from time to time upon writtened for payment made upon us by you. It is understood that we are obligated under this Standby of Credit for the payment of monies only and we hereby agree that we shall honour your demand for the without inquiring whether you have a right as between yourself and our customer to make such and without recognizing any claim of our customer or objection by the customer to payment by us.
	nount of this Standby Letter of Credit may be reduced from time to time only by amounts drawn upor ou or by formal notice in writing given to us by you if you desire such reduction or are willing that it be
Partial	drawings are permitted.
	gage with you that all demands for payment made within the terms and currency of this Standby of Credit will be duly honoured if presented to us at:
(Address	s)
and we	e confirm and hereby undertake to ensure that all demands for payment will be duly honoured by us.

FORM G2: IRREVOCABLE STANDBY LETTER OF CREDIT AND UNDERTAKING (BID SECURITY) (Page 2 of 2) (See B14)

All demands for payment shall specifically state that they are drawn under this Standby Letter of Credit.

This Standby Letter of Credit will expire on January 30, 2019

if our customer's Bid is not accepted, and if accepted, when our customer has entered into a Contract with you and has furnished the required performance security for guaranteeing the faithful performance of the Contract.

This Standby Letter of Credit may not be revoked or amended without your prior written approval.

WE HEREBY UNDERTAKE and agree to provide in your favour an irrevocable Standby Letter of Credit in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Bid Opportunity, if our customer's Bid is accepted by you. Such Standby Letter of Credit shall be maintained and continue in full force and effect until the expiration of the warranty period. The Standby Letter of Credit shall be in the form specified in the Bid Opportunity.

This credit is subject to the Uniform Customs and Practice for Documentary Credit (2007 Revision), International Chamber of Commerce Publication Number 600.

(Name of bank or financial institution)	
`	,
Per:	
	(Authorized Signing Officer)
Per:	
	(Authorized Signing Officer)