



THE CITY OF WINNIPEG

TENDER

TENDER NO. 1034-2019

**SUPPLY, INSTALL & DELIVERY OF OFFICE FURNITURE FOR ARCHIVES AND
RECORDS MANAGEMENT**

TABLE OF CONTENTS

PART A - BID SUBMISSION

Form A: Bid	1
Form B: Prices	3

PART B - BIDDING PROCEDURES

B1. Contract Title	1
B2. Submission Deadline	1
B3. Enquiries	1
B4. Confidentiality	1
B5. Addenda	1
B6. Substitutes	2
B7. Bid Submission	3
B8. Bid	3
B9. Prices	4
B10. Disclosure	5
B11. Conflict of Interest and Good Faith	5
B12. Qualification	6
B13. Opening of Bids and Release of Information	7
B14. Irrevocable Bid	7
B15. Withdrawal of Bids	7
B16. Evaluation of Bids	8
B17. Award of Contract	8

PART C - GENERAL CONDITIONS

C0. General Conditions	1
------------------------	---

PART D - SUPPLEMENTAL CONDITIONS

General

D1. General Conditions	1
D2. Scope of Work	1
D3. Definitions	1
D4. Contract Administrator	1
D5. Ownership of Information, Confidentiality and Non Disclosure	1
D6. Notices	2

Submissions

D7. Authority to Carry on Business	2
D8. Insurance	2

Schedule of Work

D9. Commencement	2
D10. Delivery	3

Measurement and Payment

D11. Invoices	3
D12. Payment	3
D13. Payment Schedule	3

Warranty

D14. Warranty	4
---------------	---

PART E - SPECIFICATIONS

General

E1. Applicable Specifications and Drawings	1
E2. Goods	1
E3. Approved Products	9

PART B - BIDDING PROCEDURES

B1. CONTRACT TITLE

B1.1 SUPPLY, INSTALL & DELIVERY OF OFFICE FURNITURE FOR ARCHIVES AND RECORDS MANAGEMENT

B2. SUBMISSION DEADLINE

B2.1 The Submission Deadline is 4:00 p.m. Winnipeg time, October 25, 2019

B2.2 Bids determined by the Manager of Materials to have been received later than the Submission Deadline will not be accepted and will be returned upon request.

B2.3 The Contract Administrator or the Manager of Materials may extend the Submission Deadline by issuing an addendum at any time prior to the time and date specified in B2.1.

B3. ENQUIRIES

B3.1 All enquiries shall be directed to the Contract Administrator identified in D4.1.

B3.2 If the Bidder finds errors, discrepancies or omissions in the Tender, or is unsure of the meaning or intent of any provision therein, the Bidder shall promptly notify the Contract Administrator of the error, discrepancy or omission at least five (5) Business Days prior to the Submission Deadline.

B3.3 Responses to enquiries which, in the sole judgment of the Contract Administrator, require a correction to or a clarification of the Tender will be provided by the Contract Administrator to all Bidders by issuing an addendum.

B3.4 Responses to enquiries which, in the sole judgment of the Contract Administrator, do not require a correction to or a clarification of the Tender will be provided by the Contract Administrator only to the Bidder who made the enquiry.

B3.5 The Bidder shall not be entitled to rely on any response or interpretation received pursuant to B3 unless that response or interpretation is provided by the Contract Administrator in writing.

B4. CONFIDENTIALITY

B4.1 Information provided to a Bidder by the City or acquired by a Bidder by way of further enquiries or through investigation is confidential. Such information shall not be used or disclosed in any way without the prior written authorization of the Contract Administrator. The use and disclosure of the confidential information shall not apply to information which:

- (a) was known to the Bidder before receipt hereof; or
- (b) becomes publicly known other than through the Bidder; or
- (c) is disclosed pursuant to the requirements of a governmental authority or judicial order.

B4.2 The Bidder shall not make any statement of fact or opinion regarding any aspect of the Tender to the media or any member of the public without the prior written authorization of the Contract Administrator.

B5. ADDENDA

B5.1 The Contract Administrator may, at any time prior to the Submission deadline, issue addenda correcting errors, discrepancies or omissions in the Tender, or clarifying the meaning or intent of any provision therein.

- B5.2 The Contract Administrator will issue each addendum at least two (2) Business Days prior to the Submission Deadline, or provide at least two (2) Business Days by extending the Submission Deadline.
- B5.3 Addenda will be available on the Bid Opportunities page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgt/bidopp.asp>
- B5.4 The Bidder is responsible for ensuring that he/she has received all addenda and is advised to check the Materials Management Division website for addenda regularly and shortly before the Submission Deadline, as may be amended by addendum.
- B5.5 The Bidder shall acknowledge receipt of each addendum in Paragraph 8 of Form A: Bid. Failure to acknowledge receipt of an addendum may render a Bid non-responsive.
- B5.6 Notwithstanding B3, enquiries related to an Addendum may be directed to the Contract Administrator indicated in D4.

B6. SUBSTITUTES

- B6.1 The Work is based on the materials, equipment, methods and products specified in the Tender.
- B6.2 Substitutions shall not be allowed unless application has been made to and prior approval has been granted by the Contract Administrator in writing.
- B6.3 Requests for approval of a substitute will not be considered unless received in writing by the Contract Administrator at least five (5) Business Days prior to the Submission Deadline.
- B6.4 The Bidder shall ensure that any and all requests for approval of a substitute:
- (a) provide sufficient information and details to enable the Contract Administrator to determine the acceptability of the material, equipment, method or product as either an approved equal or alternative;
 - (b) identify any and all changes required in the applicable Work, and all changes to any other Work, which would become necessary to accommodate the substitute;
 - (c) identify any anticipated cost or time savings that may be associated with the substitute;
 - (d) certify that, in the case of a request for approval as an approved equal, the substitute will fully perform the functions called for by the general design, be of equal or superior substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the Contract;
 - (e) certify that, in the case of a request for approval as an approved alternative, the substitute will adequately perform the functions called for by the general design, be similar in substance to that specified, is suited to the same use and capable of performing the same function as that specified and can be incorporated into the Work, strictly in accordance with the Contract.
- B6.5 The Contract Administrator, after assessing the request for approval of a substitute, may in his/her sole discretion grant approval for the use of a substitute as an "approved equal" or as an "approved alternative", or may refuse to grant approval of the substitute.
- B6.6 The Contract Administrator will provide a response in writing, at least two (2) Business Days prior to the Submission Deadline, to the Bidder who requested approval of the substitute.
- B6.6.1 The Contract Administrator will issue an Addendum, disclosing the approved materials, equipment, methods and products to all potential Bidders. The Bidder requesting and obtaining the approval of a substitute shall be responsible for disseminating information regarding the approval to any person or persons he/she wishes to inform.

- B6.7 If the Contract Administrator approves a substitute as an “approved equal”, any Bidder may use the approved equal in place of the specified item.
- B6.8 If the Contract Administrator approves a substitute as an “approved alternative”, any Bidder bidding that approved alternative may base his/her Total Bid Price upon the specified item but may also indicate an alternative price based upon the approved alternative. Such alternatives will be evaluated in accordance with B16.
- B6.9 No later claim by the Contractor for an addition to the price(s) because of any other changes in the Work necessitated by the use of an approved equal or an approved alternative will be considered.

B7. BID SUBMISSION

- B7.1 The Bid shall consist of the following components:
- (a) Form A: Bid;
 - (b) Form B: Prices.
- B7.2 Further to B7.1, the Bidder should include the written correspondence from the Contract Administrator approving a substitute in accordance with B6.
- B7.3 All components of the Bid shall be fully completed or provided, and submitted by the Bidder no later than the Submission Deadline, with all required entries made clearly and completely.
- B7.4 The Bid Submission may be submitted by mail, courier or personal delivery, or by facsimile transmission.
- B7.5 If the Bid Submission is submitted by mail, courier or personal delivery, it shall be enclosed and sealed in an envelope clearly marked with the Tender number and the Bidder's name and address, and shall be submitted to:
- The City of Winnipeg
Corporate Finance Department
Materials Management Division
185 King Street, Main Floor
Winnipeg MB R3B 1J1
- B7.5.1 Samples or other components of the Bid Submission which cannot reasonably be enclosed in the envelope may be packaged separately, but shall be clearly marked with the Tender number, the Bidder's name and address, and an indication that the contents are part of the Bidder's Bid Submission.
- B7.6 If the Bid Submission is submitted by facsimile transmission, it shall be submitted to 204- 949-1178.
- B7.6.1 The Bidder is advised that the City cannot take responsibility for the availability of the facsimile machine at any time or guarantee the successful receipt of a faxed Bid Submission.
- B7.7 Bidders are advised not to include any information/literature except as requested in accordance with B7.1.
- B7.8 Bidders are advised that inclusion of terms and conditions inconsistent with the Tender document, including the General Conditions, will be evaluated in accordance with B16.1(a).
- B7.9 Bids submitted by internet electronic mail (e-mail) will not be accepted.

B8. BID

- B8.1 The Bidder shall complete Form A: Bid, making all required entries.

- B8.2 Paragraph 2 of Form A: Bid shall be completed in accordance with the following requirements:
- (a) if the Bidder is a sole proprietor carrying on business in his/her own name, his/her name shall be inserted;
 - (b) if the Bidder is a partnership, the full name of the partnership shall be inserted;
 - (c) if the Bidder is a corporation, the full name of the corporation shall be inserted;
 - (d) if the Bidder is carrying on business under a name other than his/her own, the business name and the name of every partner or corporation who is the owner of such business name shall be inserted.
- B8.2.1 If a Bid is submitted jointly by two or more persons, each and all such persons shall identify themselves in accordance with B8.2.
- B8.3 In Paragraph 3 of Form A: Bid, the Bidder shall identify a contact person who is authorized to represent the Bidder for purposes of the Bid.
- B8.4 Paragraph 11 of Form A: Bid shall be signed in accordance with the following requirements:
- (a) if the Bidder is a sole proprietor carrying on business in his/her own name, it shall be signed by the Bidder;
 - (b) if the Bidder is a partnership, it shall be signed by the partner or partners who have authority to sign for the partnership;
 - (c) if the Bidder is a corporation, it shall be signed by its duly authorized officer or officers;
 - (d) if the Bidder is carrying on business under a name other than his/her own, it shall be signed by the registered owner of the business name, or by the registered owner's authorized officials if the owner is a partnership or a corporation.
- B8.4.1 The name and official capacity of all individuals signing Form A: Bid should be printed below such signatures.
- B8.4.2 All signatures shall be original.
- B8.5 If a Bid is submitted jointly by two or more persons, the word "Bidder" shall mean each and all such persons, and the undertakings, covenants and obligations of such joint Bidders in the Bid and the Contract, when awarded, shall be both joint and several.
- B9. PRICES**
- B9.1 The Bidder shall state a price in Canadian funds for each item of the Work identified on Form B: Prices.
- B9.1.1 Prices on Form B: Prices shall include:
- (a) duty;
 - (b) freight and cartage;
 - (c) Provincial and Federal taxes [except the Goods and Services Tax (GST) and Manitoba Retail Sales Tax (MRST, also known as PST), which shall be extra where applicable] and all charges governmental or otherwise paid;
 - (d) profit and all compensation which shall be due to the Contractor for the Work and all risks and contingencies connected therewith.
- B9.1.2 Prices on Form B: Prices shall not include Environmental Handling Charges (EHC) or fees, which shall be extra where applicable.
- B9.2 The quantities listed on Form B: Prices are to be considered approximate only. The City will use said quantities for the purpose of comparing Bids.

B9.3 The quantities for which payment will be made to the Contractor are to be determined by the Work actually performed and completed by the Contractor, to be measured as specified in the applicable Specifications.

B10. DISCLOSURE

B10.1 Various Persons provided information or services with respect to this Work. In the City's opinion, this relationship or association does not create a conflict of interest because of this full disclosure. Where applicable, additional material available as a result of contact with these Persons is listed below.

B10.2 The Persons are:

- (a) Flipside Corporation
 - (i) Specifications and Product information
- (b) ESI
 - (i) Product Information

B11. CONFLICT OF INTEREST AND GOOD FAITH

B11.1 Bidders, by responding to this Tender, declare that no Conflict of Interest currently exists, or is reasonably expected to exist in the future.

B11.2 Conflict of Interest means any situation or circumstance where a Bidder or employee of the Bidder proposed for the Work has:

- (a) other commitments;
- (b) relationships;
- (c) financial interests; or
- (d) involvement in ongoing litigation;

that could or would be seen to:

- (i) exercise an improper influence over the objective, unbiased and impartial exercise of the independent judgment of the City with respect to the evaluation of Bids or award of the Contract; or
- (ii) compromise, impair or be incompatible with the effective performance of a Bidder's obligations under the Contract;
- (e) has contractual or other obligations to the City that could or would be seen to have been compromised or impaired as a result of its participation in the Tender process or the Work; or
- (f) has knowledge of confidential information (other than confidential information disclosed by the City in the normal course of the Tender process) of strategic and/or material relevance to the Tender process or to the Work that is not available to other bidders and that could or would be seen to give that Bidder an unfair competitive advantage.

B11.3 In connection with its Bid, each entity identified in B11.2 shall:

- (a) avoid any perceived, potential or actual Conflict of Interest in relation to the procurement process and the Work;
- (b) upon discovering any perceived, potential or actual Conflict of Interest at any time during the Tender process, promptly disclose a detailed description of the Conflict of Interest to the City in a written statement to the Contract Administrator; and
- (c) provide the City with the proposed means to avoid or mitigate, to the greatest extent practicable, any perceived, potential or actual Conflict of Interest and shall submit any additional information to the City that the City considers necessary to properly assess the perceived, potential or actual Conflict of Interest.

- B11.4 Without limiting B11.3, the City may, in its sole discretion, waive any and all perceived, potential or actual Conflicts of Interest. The City's waiver may be based upon such terms and conditions as the City, in its sole discretion, requires to satisfy itself that the Conflict of Interest has been appropriately avoided or mitigated, including requiring the Bidder to put into place such policies, procedures, measures and other safeguards as may be required by and be acceptable to the City, in its sole discretion, to avoid or mitigate the impact of such Conflict of Interest.
- B11.5 Without limiting B11.3, and in addition to all contractual or other rights or rights at law or in equity or legislation that may be available to the City, the City may, in its sole discretion:
- (a) disqualify a Bidder that fails to disclose a perceived, potential or actual Conflict of Interest of the Bidder or any of its employees proposed for the Work;
 - (b) require the removal or replacement of any employees proposed for the Work that has a perceived, actual or potential Conflict of Interest that the City, in its sole discretion, determines cannot be avoided or mitigated;
 - (c) disqualify a Bidder or employees proposed for the Work that fails to comply with any requirements prescribed by the City pursuant to B11.4 to avoid or mitigate a Conflict of Interest; and
 - (d) disqualify a Bidder if the Bidder, or one of its employees proposed for the Work, has a perceived, potential or actual Conflict of Interest that, in the City's sole discretion, cannot be avoided or mitigated, or otherwise resolved.
- B11.6 The final determination of whether a perceived, potential or actual Conflict of Interest exists shall be made by the City, in its sole discretion.

B12. QUALIFICATION

- B12.1 The Bidder shall:
- (a) undertake to be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba, or if the Bidder does not carry on business in Manitoba, in the jurisdiction where the Bidder does carry on business; and
 - (b) be financially capable of carrying out the terms of the Contract; and
 - (c) have all the necessary experience, capital, organization, and equipment to perform the Work in strict accordance with the terms and provisions of the Contract.
- B12.2 The Bidder and any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:
- (a) be responsible and not be suspended, debarred or in default of any obligations to the City. A list of suspended or debarred individuals and companies is available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <https://winnipeg.ca/finance/findata/matmgt/listing/debar.pdf>
- B12.3 The Bidder and/or any proposed Subcontractor (for the portion of the Work proposed to be subcontracted to them) shall:
- (a) have successfully carried out work similar in nature, scope and value to the Work; and
 - (b) be fully capable of performing the Work required to be in strict accordance with the terms and provisions of the Contract; and
 - (c) have a written workplace safety and health program, if required, pursuant to The Workplace Safety and Health Act (Manitoba).
- B12.4 The Bidder shall submit, within three (3) Business Days of a request by the Contract Administrator, proof satisfactory to the Contract Administrator of the qualifications of the Bidder and of any proposed Subcontractor.

B12.5 The Bidder shall provide, on the request of the Contract Administrator, full access to any of the Bidder's equipment and facilities to confirm, to the Contract Administrator's satisfaction, that the Bidder's equipment and facilities are adequate to perform the Work.

B13. OPENING OF BIDS AND RELEASE OF INFORMATION

B13.1 Bids will not be opened publicly.

B13.2 Following the Submission Deadline, the names of the Bidders and their Total Bid Prices (unevaluated, and pending review and verification of conformance with requirements or evaluated prices) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgt>

B13.3 After award of Contract, the name(s) of the successful Bidder(s), their address(es) and the Contract amount(s) will be available on the Closed Bid Opportunities (or Public/Posted Opening & Award Results) page at The City of Winnipeg, Corporate Finance, Materials Management Division website at <http://www.winnipeg.ca/matmgt>

B13.4 The Bidder is advised that any information contained in any Bid may be released if required by The Freedom of Information and Protection of Privacy Act (Manitoba), by other authorities having jurisdiction, or by law or by City policy or procedures (which may include access by members of City Council).

B13.4.1 To the extent permitted, the City shall treat as confidential information, those aspects of a Bid Submission identified by the Bidder as such in accordance with and by reference to Part 2, Section 17 or Section 18 or Section 26 of The Freedom of Information and Protection of Privacy Act (Manitoba), as amended.

B14. IRREVOCABLE BID

B14.1 The Bid(s) submitted by the Bidder shall be irrevocable for the time period specified in Paragraph 9 of Form A: Bid.

B14.2 The acceptance by the City of any Bid shall not release the Bids of the next two lowest evaluated responsive Bidders and these Bidders shall be bound by their Bids on such Work for the time period specified in Paragraph 9 of Form A: Bid.

B15. WITHDRAWAL OF BIDS

B15.1 A Bidder may withdraw his/her Bid without penalty by giving written notice to the Manager of Materials at any time prior to the Submission Deadline.

B15.1.1 Notwithstanding C21, the time and date of receipt of any notice withdrawing a Bid shall be the time and date of receipt as determined by the Manager of Materials.

B15.1.2 The City will assume that any one of the contact persons named in Paragraph 3 of Form A: Bid or the Bidder's authorized representatives named in Paragraph 11 of Form A: Bid, and only such person, has authority to give notice of withdrawal.

B15.1.3 If a Bidder gives notice of withdrawal prior to the Submission Deadline, the Manager of Materials will:

- (a) retain the Bid until after the Submission Deadline has elapsed;
- (b) open the Bid to identify the contact person named in Paragraph 3 of Form A: Bid and the Bidder's authorized representatives named in Paragraph 11 of Form A: Bid; and
- (c) if the notice has been given by any one of the persons specified in B15.1.3(b), declare the Bid withdrawn.

B15.2 A Bidder who withdraws his/her Bid after the Submission Deadline but before his/her Bid has been released or has lapsed as provided for in B14.2 shall be liable for such damages as are imposed upon the Bidder by law and subject to such sanctions as the Chief Administrative Officer considers appropriate in the circumstances. The City, in such event, shall be entitled to all rights and remedies available to it at law.

B16. EVALUATION OF BIDS

B16.1 Award of the Contract shall be based on the following bid evaluation criteria:

- (a) compliance by the Bidder with the requirements of the Tender, or acceptable deviation therefrom (pass/fail);
- (b) qualifications of the Bidder and the Subcontractors, if any, pursuant to B12 (pass/fail);
- (c) Total Bid Price;
- (d) Economic analysis of any approved alternative pursuant to B6.

B16.2 Further to B16.1(a), the Award Authority may reject a Bid as being non-responsive if the Bid Submission is incomplete, obscure or conditional, or contains additions, deletions, alterations or other irregularities. The Award Authority may reject all or any part of any Bid, or waive technical requirements or minor informalities or irregularities if the interests of the City so require.

B16.3 Further to B16.1(b), the Award Authority shall reject any Bid submitted by a Bidder who does not demonstrate, in his/her Bid or in other information required to be submitted, that he/she is qualified.

B16.4 Further to B16.1(c), the Total Bid Price shall be the sum of the quantities multiplied by the unit prices for each item shown on Form B: Prices.

B16.4.1 Further to B16.1(a), in the event that a unit price is not provided on Form B: Prices, the City may determine the unit price by dividing the Amount (extended price) by the approximate quantity, for the purposes of evaluation and payment.

B16.5 This Contract will be awarded as a whole.

B17. AWARD OF CONTRACT

B17.1 The City will give notice of the award of the Contract or will give notice that no award will be made.

B17.2 The City will have no obligation to award a Contract to a Bidder, even though one or all of the Bidders are determined to be qualified, and the Bids are determined to be responsive.

B17.2.1 Without limiting the generality of B17.2, the City will have no obligation to award a Contract where:

- (a) the prices exceed the available City funds for the Work;
- (b) the prices are materially in excess of the prices received for similar work in the past;
- (c) the prices are materially in excess of the City's cost to perform the Work, or a significant portion thereof, with its own forces;
- (d) only one Bid is received; or
- (e) in the judgment of the Award Authority, the interests of the City would best be served by not awarding a Contract.

B17.3 Where an award of Contract is made by the City, the award shall be made to the qualified Bidder submitting the lowest evaluated responsive Bid, in accordance with B16.

B17.3.1 Following the award of Contract, a Bidder will be provided with information related to the evaluation of his/her Bid upon written request to the Contract Administrator.

- B17.4 Notwithstanding C4, the City may issue a Purchase Order to the successful Bidder in lieu of the execution of a Contract.
- B17.5 The Contract Documents, as defined in C1.1(n)(ii) in their entirety shall be deemed to be incorporated in and to form a part of the Purchase Order notwithstanding that they are not necessarily attached to or accompany said Purchase Order.

PART C - GENERAL CONDITIONS

C0. GENERAL CONDITIONS

- C0.1 The *General Conditions for the Supply of Goods* (Revision 2019-01-15) are applicable to the Work of the Contract.
- C0.1.1 The *General Conditions for the Supply of Goods* are available on the Information Connection page at The City of Winnipeg, Corporate Finance, Materials Management Division website at http://www.winnipeg.ca/matmgt/gen_cond.stm
- C0.2 A reference in the Tender to a section, clause or subclause with the prefix “**C**” designates a section, clause or subclause in the *General Conditions for Supply of Goods*.

PART D - SUPPLEMENTAL CONDITIONS

GENERAL

D1. GENERAL CONDITIONS

D1.1 In addition to the *General Conditions for the Supply of Goods*, these Supplemental Conditions are applicable to the Work of the Contract.

D2. SCOPE OF WORK

D2.1 The Work to be done under the Contract shall consist of Supply, Delivery and Install of new office furniture for the Archives and Records Management facility at 50 Myrtle Street.

D2.2 The major components of the Work are as follows:

- (a) Office desks and monitor arms
- (b) Tables

D3. DEFINITIONS

D3.1 When used in this Tender:

- (a) "**Sit Stand Desk**" means Height Adjustable Desk.
- (b) "**N.I.C**" means Not In Contract.
- (c) "**BBF**" means Box, Box, File drawer unit.
- (d) "**FF**" means File, File drawer unit.

D4. CONTRACT ADMINISTRATOR

D4.1 The Contract Administrator is:

Kerri Neish
Senior Accommodations Planner, City of Winnipeg
Telephone No.: 204-986-7588
Email Address: kneish@winnipeg.ca

D5. OWNERSHIP OF INFORMATION, CONFIDENTIALITY AND NON DISCLOSURE

D5.1 The Contract, all deliverables produced or developed, and information provided to or acquired by the Contractor are the property of the City and shall not be appropriated for the Contractors own use, or for the use of any third party.

D5.2 The Contractor shall not make any public announcements or press releases regarding the Contract, without the prior written authorization of the Contract Administrator.

D5.3 The following shall be confidential and shall not be disclosed by the Contractor to the media or any member of the public without the prior written authorization of the Contract Administrator;

- (a) information provided to the Contractor by the City or acquired by the Contractor during the course of the Work;
- (b) the Contract, all deliverables produced or developed; and
- (c) any statement of fact or opinion regarding any aspect of the Contract.
- (d) Photographs within the space or of any information, and/or paperwork shared by Archives and Records control at time of furniture installation are strictly prohibited.

D5.4 A Contractor who violates any provision of D5 may be determined to be in breach of Contract.

D6. NOTICES

- D6.1 Notwithstanding C21.3, all notices of appeal to the Chief Administrative Officer shall be sent to the attention of the Chief Financial Officer

SUBMISSIONS

D7. AUTHORITY TO CARRY ON BUSINESS

- D7.1 The Contractor shall be in good standing under The Corporations Act (Manitoba), or properly registered under The Business Names Registration Act (Manitoba), or otherwise properly registered, licensed or permitted by law to carry on business in Manitoba, or if the Contractor does not carry on business in Manitoba, in the jurisdiction where the Contractor does carry on business, throughout the term of the Contract, and shall provide the Contract Administrator with evidence thereof upon request.

D8. INSURANCE

- D8.1 The Contractor shall provide and maintain the following insurance coverage:
- (a) commercial general liability insurance, in the amount of at least two million dollars (\$2,000,000.00) inclusive, with The City of Winnipeg added as an additional insured; such liability policy to also contain a cross-liability clause, non-owned automobile liability and products and completed operations cover, to remain in place at all times during the performance of the Work;
 - (b) if applicable, Automobile Liability Insurance covering all motor vehicles, owned and operated and used or to be used by the Contractor directly or indirectly in the performance of the Work. The Limit of Liability shall not be less than \$2,000,000 inclusive for loss or damage including personal injuries and death resulting from any one accident or occurrence.
- D8.2 Deductibles shall be borne by the Contractor.
- D8.3 The Contractor shall provide the Contract Administrator with a certificate(s) of insurance, in a form satisfactory to the City Solicitor, at least two (2) Business Days prior to the commencement of any Work but in no event later than the date specified in C4 for the return of the executed Contract.
- D8.4 The Contractor shall not cancel, materially alter, or cause the policy to lapse without providing at least thirty (30) Calendar Days prior written notice to the Contract Administrator.

SCHEDULE OF WORK

D9. COMMENCEMENT

- D9.1 The Contractor shall not commence any Work until he/she is in receipt of a notice of award from the City authorizing the commencement of the Work.
- D9.2 The Contractor shall not commence any Work until:
- (a) the Contract Administrator has confirmed receipt and approval of:
 - (i) evidence of authority to carry on business specified in D7;
 - (ii) evidence of the workers compensation coverage specified in C6.16; and
 - (iii) evidence of the insurance specified in D8.
 - (b) The Contractor has attended a meeting with the Contract Administrator, or the Contract Administrator has waived the requirement for a meeting.

D10. DELIVERY

- D10.1 Goods shall be delivered by **December 16, 2019**, f.o.b. destination, freight prepaid to:
City of Winnipeg Archives and Records Control
50 Myrtle Street, Winnipeg, MB
- D10.2 The Contractor shall confirm each delivery with the Contract Administrator or his/her designate, at least two (2) Business Days before delivery.
- D10.3 Goods shall be delivered between 8:30 a.m. and 4:30 p.m. on Business Days.
- D10.4 The Contractor shall off-load the Goods as directed at the delivery location.

MEASUREMENT AND PAYMENT

D11. INVOICES

- D11.1 Further to C10, the Contractor shall submit an invoice for each order delivered to:
The City of Winnipeg
Corporate Finance - Accounts Payable
4th Floor, Administration Building, 510 Main Street
Winnipeg MB R3B 1B9
Facsimile No.: 204- 949-0864
Email: CityWpgAP@winnipeg.ca
- D11.2 Invoices must clearly indicate, as a minimum:
- (a) the City's purchase order number;
 - (b) date of delivery;
 - (c) delivery address;
 - (d) type and quantity of goods delivered;
 - (e) the amount payable with GST, MRST, and any applicable environmental handling charges/fees identified and shown as separate amounts; and
 - (f) the Contractor's GST registration number.
- D11.3 The City will bear no responsibility for delays in approval of invoices which are improperly submitted.
- D11.4 **Bid Submissions must not be submitted to the above facsimile number. Bids must be submitted in accordance with B7.**

D12. PAYMENT

- D12.1 Further to C10, the City may at its option pay the Contractor by direct deposit to the Contractor's banking institution.

D13. PAYMENT SCHEDULE

- D13.1 Further to C10, payment shall be in Canadian funds net thirty (30) Calendar Days after receipt and approval of the Contractor's invoice.

WARRANTY

D14. WARRANTY

D14.1 Warranty is as stated in C11.

PART E - SPECIFICATIONS

GENERAL

E1. APPLICABLE SPECIFICATIONS AND DRAWINGS

E1.1 These Specifications shall apply to the Work.

E1.2 The following are applicable to the Work:

<u>Drawing No.</u>	<u>Drawing Name/Title</u>
A1.0	1034-2019_Drawing Archives & Records Control Office Furniture Plans-R0

E1.3 Bidders are reminded that requests for approval of substitutes as an approved equal or an approved alternative shall be made in accordance with B6. In every instance where a brand name or design specification is used, the City will also consider approved equals and/or approved alternatives in accordance with B6.

E2. GOODS

E2.1 The Contractor shall supply deliver and install all Office desks, tables, wardrobe units and monitor arms in accordance with the requirements hereinafter specified.

E2.2 Be fully capable of providing warranty service within (1) one business day.

E2.3 **Item No. 1 –Office Desk Type 1-** shall be Eurocraft or equivalent in accordance with B6.

(a) Work surfaces:

- (i) 1" thick, with high pressure thermally fused laminate on industrial grade 45lb particle board to match Eurocraft colour Candle Light L421 on all horizontal surfaces, and overhead storage units, with Eurocraft Tuxedo L477 on all Vertical surfaces and lower storage cabinets;
- (ii) 3mm PVC edge all exposed edges to match top finish, 5 mm edging on concealed edges;
- (iii) Wood grain to run width of the desk;
- (iv) Each work surface segment to include two (2) 3" grommets- black color. Refer to drawings for quantity and location; and
- (v) Worksurfaces to be 29" high above finished floor.

(b) Overhead Storage Unit: (Desk Type 1 and Type 3 only)

- (i) 1" thick, low pressure thermally fused laminate on industrial grade 45lb particle board to match Eurocraft colour Candle Light L421;
- (ii) 3mm PVC edge all exposed edges to match top finish, 5mm edging on concealed edges;
- (iii) Wood grain to run width of the hutch;
- (iv) Hutch to be securely fastened to work surface;
- (v) Grommet hole in hutch modesty for light cord access;
- (vi) Wooden biscuit connectors glued and clamped for solid construction; and
- (vii) Overhead storage unit to be 37" high overall for all desks; with 13" high inside clear cabinet space.

(c) Cabinet Doors:

- (i) 5/8" low pressure thermally fused laminate on industrial grade 45 lb particle board with 3mm PVC edging all edges;
- (ii) Soft close concealed clip on, 3 way adjustable European hinges;
- (iii) Finish: Candle Light L421, (uppers) and Tuxedo L477 (lower and Wardrobe Cabinet) wood grain to run vertical; and

- (iv) All doors to be lockable and keyed alike to each workstation.
- (d) Shelving:
 - (i) 1" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging on exposed edges;
 - (ii) Adjustable -1 shelf in the overhead storage cabinets; and
 - (iii) Finish: Candle Light L421 (upper) and Tuxedo L477 (lower), wood grains to run the width of the hutch.
- (e) Pedestals:
 - (i) Drawer fronts to be 5/8" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging on all sides;
 - (ii) All file drawers to have full extension drawer slides with precision steel ball bearings under mount soft close;
 - (iii) Finish: Tuxedo L477;
 - (iv) Box drawers to have 3/4 extension slides with nylon rollers;
 - (v) All pedestals to come with one plastic pencil tray insert- Black Finish;
 - (vi) All drawers to be locking and keyed alike to each workstation;
 - (vii) All drawers to accommodate file extrusion for legal and letter hanging files side to side;
 - (viii) All pedestals to be removable so as to allow workstation to be non-handed; and
 - (ix) Mobile pedestal (where applicable) to have anti tipping properties, and to be finished in Tuxedo L477 and locking drawers. Castors to be locking at front.
- (f) Modesty Panels:
 - (i) 5/8" low pressure thermally fused laminate on industrial grade 45lb particle board with .5mm PVC edging on exposed edges;
 - (ii) Back modesty against walls to be 1/2 height so as to accommodate access to electrical and data outlets;
 - (iii) Finish: Candle Light L421; and
 - (iv) Modesty Panel required on front of Height adjustable desk. Finish To be Candle Light L421. Height- TBD.
- (g) Tack Boards:
 - (i) Provide One (1) tack board below each overhead storage unit in Offices 101, 103, 104, Tack board Fabric to be J Ennis Heavenly; Color 92 Pewter; and
- (h) Gables:
 - (i) To be removable so as to allow workstation to be non-handed;
 - (ii) Affixed to desks, gables to be 1" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging all exposed edges and .5mm edging on concealed edges;
 - (iii) Gables should be easily removable with screws on site for move co-ordination;
 - (iv) Superior metal angle bracket connectors with lo-root wood screws at desks;
 - (v) 2 1/4" adjustable leveling glides on all gable supports and supports;
 - (vi) Finish: Tuxedo L477 (lower) or Candle Light L421 (upper) depending where located; and
 - (vii) Gables should be half height only to allow for electrical outlet access; approximately 14"-18" off floor.
- (i) Valence:
 - (i) 1" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging to match on exposed edge; and
 - (ii) Finish: Candle Light L421 wood grains to run horizontal.
- (k) Wardrobe Cabinet (as required in Office 101, 102, 103, 104 & M03, refer to drawings):
 - (i) Cabinet Body: 5/8" low pressure thermally fused laminate on industrial grade 45 lb particle board with 3mm PVC edging all edges;

- (ii) Soft close concealed clip on, 3-way adjustable European hinges;
- (iii) Finish: Tuxedo L477, wood grain to run vertical. Inside of cabinet to match;
- (iv) All doors to be lockable and keyed alike to corresponding desk;
- (v) Bridge pull handles; chrome finish; and
- (vi) Closet Rod: 1 ¼" diametre chrome rod and chrome flanges.

(l) Standards:

- (i) Exceeds BIFMA standards.

(m) Warranty:

- (i) Lifetime Warranty.

(n) Shop Drawings:

- (i) Provide shop drawings of desk for approval before manufacturing.

E2.4 Item No.2 - Office Desk- Type 2 shall be Eurocraft or equivalent in accordance with B6.

(a) Work surfaces:

- (i) 1" thick, with high pressure thermally fused laminate on industrial grade 45lb particle board to match Eurocraft colour Candle Light L421 on all horizontal surfaces, and overhead storage units, with Eurocraft Tuxedo L477 on all Vertical surfaces and lower storage cabinets;
- (ii) 3mm PVC edge all exposed edges to match top finish, 5 mm edging on concealed edges;
- (iii) Wood grain to run width of the desk;
- (iv) Each work surface segment to include two (2) 3" grommets- black color. Refer to drawings for quantity and location; and
- (v) Worksurfaces to be 29" high above finished floor.

(b) Cabinet Doors:

- (i) 5/8" low pressure thermally fused laminate on industrial grade 45 lb particle board with 3mm PVC edging all edges;
- (ii) Soft close concealed clip on, 3 way adjustable European hinges;
- (iii) Finish: Candle Light L421, (uppers) and Tuxedo L477 (lower and Wardrobe Cabinet) wood grain to run vertical; and
- (iv) All doors to be lockable and keyed alike to each workstation.

(c) Shelving:

- (i) 1" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging on exposed edges;
- (ii) Adjustable -1 shelf in the overhead storage cabinets; and
- (iii) Finish: Candle Light L421 (upper) and Tuxedo L477 (lower), wood grains to run the width of the hutch.

(d) Pedestals:

- (i) Drawer fronts to be 5/8" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging on all sides;
- (ii) All file drawers to have full extension drawer slides with precision steel ball bearings under mount soft close;
- (iii) Finish: Tuxedo L477;
- (iv) Box drawers to have ¾ extension slides with nylon rollers;
- (v) All pedestals to come with one plastic pencil tray insert- Black Finish;
- (vi) All drawers to be locking and keyed alike to each workstation;
- (vii) All drawers to accommodate file extrusion for legal and letter hanging files side to side; All pedestals to be removable so as to allow workstation to be non-handed; and Mobile pedestal (where applicable) to have anti tipping properties, and to be finished in Tuxedo L477 and locking drawers. Castors to be locking at front.

(e) Modesty Panels:

- (i) 5/8" low pressure thermally fused laminate on industrial grade 45lb particle board with .5mm PVC edging on exposed edges;
 - (ii) Back modesty against walls to be ½ height so as to accommodate access to electrical and data outlets;
 - (iii) Finish: Candle Light L421;
 - (iv) Modesty Panel required on front of Height adjustable desk. Finish To be Candle Light L421. Height- TBD.
- (f) Tack Boards:
- (i) Provide One (1) tack board in Office 102 mounted on the wall as per plans. Tack Board Fabric to be J Ennis Heavenly; Color 92 Pewter Approximate size: 21" high x 60" wide.
- (g) Gables:
- (i) To be removable so as to allow workstation to be non-handed;
 - (ii) Affixed to desks, gables to be 1" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging all exposed edges and .5mm edging on concealed edges;
 - (iii) Gables should be easily removable with screws on site for move co-ordination;
 - (iv) Superior metal angle bracket connectors with lo-root wood screws at desks;
 - (v) 2 ¼" adjustable leveling glides on all gable supports and supports;
 - (vi) Finish: Tuxedo L477 (lower) or Candle Light L421 (upper) depending where located; and
 - (vii) Gables should be half height only to allow for electrical outlet access; approximately 14"-18" off floor.
- (h) Valence:
- (i) 1" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging to match on exposed edge; and
 - (ii) Finish: Candle Light L421 wood grains to run horizontal.
- (i) Wardrobe Cabinet (as required in Office 101, 102, 103, 104 & M03, refer to drawings):
- (i) Cabinet Body: 5/8" low pressure thermally fused laminate on industrial grade 45 lb particle board with 3mm PVC edging all edges;
 - (ii) Soft close concealed clip on, 3-way adjustable European hinges;
 - (iii) Finish: Tuxedo L477, wood grain to run vertical. Inside of cabinet to match;
 - (iv) All doors to be lockable and keyed alike to corresponding desk;
 - (v) Bridge pull handles; chrome finish; and
 - (vi) Closet Rod: 1 ¼" diameter chrome rod and chrome flanges.
- (j) Standards:
- (i) Exceeds BIFMA standards.
- (k) Warranty:
- (i) Lifetime Warranty
- (l) Shop Drawings:
- (i) Provide shop drawings of desk for approval before manufacturing.

E2.5 Item No. 3- Office Desk Type 3 shall be Eurocraft or equivalent in accordance with B6.

(a) Work surfaces:

- (i) 1" thick, with high pressure thermally fused laminate on industrial grade 45lb particle board to match Eurocraft colour Candle Light L421 on all horizontal surfaces, and overhead storage units, with Eurocraft Tuxedo L477 on all Vertical surfaces and lower storage cabinets;
- (ii) 3mm PVC edge all exposed edges to match top finish, 5 mm edging on concealed edges;

- (iii) Wood grain to run width of the desk;
- (iv) Each work surface segment to include two (2) 3" grommets- black color. Refer to drawings for quantity and location; and
- (v) Worksurfaces to be 29" high above finished floor.

(b) Overhead Storage Unit:

- (i) 1" thick, low pressure thermally fused laminate on industrial grade 45lb particle board to match Eurocraft colour Candle Light L421;
- (ii) 3mm PVC edge all exposed edges to match top finish, 5mm edging on concealed edges;
- (iii) Wood grain to run width of the hutch;
- (iv) Hutch to be securely fastened to work surface;
- (v) Grommet hole in hutch modesty for light cord access;
- (vi) Wooden biscuit connectors glued and clamped for solid construction; and
- (vii) Overhead storage unit to be 37" high overall for all desks; with 13" high inside clear cabinet space.

(c) Cabinet Doors:

- (i) 5/8" low pressure thermally fused laminate on industrial grade 45 lb particle board with 3mm PVC edging all edges;
- (ii) Soft close concealed clip on, 3 way adjustable European hinges;
- (iii) Finish: Candle Light L421, (uppers) and Tuxedo L477 (lower and Wardrobe Cabinet) wood grain to run vertical; and
- (iv) All doors to be lockable and keyed alike to each workstation.

(d) Shelving:

- (iv) 1" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging on exposed edges;
- (v) Adjustable -1 shelf in the overhead storage cabinets; and
- (vi) Finish: Candle Light L421 (upper) and Tuxedo L477 (lower), wood grains to run the width of the hutch.

(e) Pedestals:

- (i) Drawer fronts to be 5/8" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging on all sides;
- (ii) All file drawers to have full extension drawer slides with precision steel ball bearings under mount soft close;
- (iii) Finish: Tuxedo L477;
- (iv) Box drawers to have 3/4 extension slides with nylon rollers;
- (v) All pedestals to come with one plastic pencil tray insert- Black Finish;
- (vi) All drawers to be locking and keyed alike to each workstation;
- (vii) All drawers to accommodate file extrusion for legal and letter hanging files side to side;

All pedestals to be removable so as to allow workstation to be non-handed; and Mobile pedestal (where applicable) to have anti tipping properties, and to be finished in Tuxedo L477 and locking drawers. Castors to be locking at front.

(f) Modesty Panels:

- (i) 5/8" low pressure thermally fused laminate on industrial grade 45lb particle board with .5mm PVC edging on exposed edges;
- (ii) Back modesty against walls to be 1/2 height so as to accommodate access to electrical and data outlets;
- (iii) Finish: Candle Light L421;

(g) Tack Boards:

- (ii) Provide One (1) tack board below each overhead storage unit in Offices M02 & M03. Tack board Fabric to be J Ennis Heavenly; Color 92 Pewter.

- (h) Gables:
 - (i) To be removable so as to allow workstation to be non-handed;
 - (ii) Affixed to desks, gables to be 1" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging all exposed edges and .5mm edging on concealed edges;
 - (iii) Gables should be easily removable with screws on site for move co-ordination;
 - (iv) Superior metal angle bracket connectors with lo-root wood screws at desks;
 - (v) 2 ¼" adjustable leveling glides on all gable supports and supports;
 - (vi) Finish: Tuxedo L477 (lower) or Candle Light L421 (upper) depending where located; and
 - (vii) Gables should be half height only to allow for electrical outlet access; approximately 14"-18" off floor.

- (i) Valence:
 - (i) 1" low pressure thermally fused laminate on industrial grade 45lb particle board
 - (ii) with 3mm PVC edging to match on exposed edge; and
 - (iii) Finish: Candle Light L421 wood grains to run horizontal.

- (k) Wardrobe Cabinet (as required in Office M03 only, refer to drawings):
 - (i) Cabinet Body: 5/8" low pressure thermally fused laminate on industrial grade 45 lb particle board with 3mm PVC edging all edges;
 - (ii) Soft close concealed clip on, 3-way adjustable European hinges;
 - (iii) Finish: Tuxedo L477, wood grain to run vertical. Inside of cabinet to match;
 - (iv) All doors to be lockable and keyed alike to corresponding desk;
 - (v) Bridge pull handles; chrome finish; and
 - (vi) Closet Rod: 1 ¼" diametre chrome rod and chrome flanges.

- (m) Standards:
 - (ii) Exceeds BIFMA standards.

- (n) Warranty:
 - (ii) Lifetime Warranty.

- (o) Shop Drawings:
 - (ii) Provide shop drawings of desk for approval before manufacturing.

E2.6 Item No. 4 – Office Desk Type 4 shall be Eurocraft or equivalent in accordance with B6.

- (a) Work Surfaces:
 - (i) 1" thick, with high pressure thermally fused (HPL) laminate on industrial grade 45lb particle board to match Eurocraft colour Candle Light L421 on all horizontal surfaces;
 - (ii) 3mm PVC edge all exposed edges to match top finish, 5 mm edging on concealed edges;
 - (iii) Wood grain to run width of the desk; and
 - (iv) Each work surface segment to include two (2) 3" grommet- black color. Refer to drawings for quantity and location. Workstations to be 29" high above finished floor.

- (b) Gables:
 - (i) To be removable so as to allow workstation to be non-handed;
 - (ii) Affixed to desks, gables to be 1" low pressure thermally fused laminate on industrial grade 45lb particle board with 3mm PVC edging all exposed edges and .5mm edging on concealed edges;
 - (iii) Gables should be easily removable with screws on site for move co-ordination;
 - (iv) Superior metal angle bracket connectors with lo-root wood screws at desks;
 - (v) 2 ¼" adjustable leveling glides on all gable supports and supports; and
 - (vi) Finish: Candle Light L421

- (c) Post legs where indicated on plan, to be:
- (i) Powder coated 16-gauge metal;
 - (ii) Legs at base to have adjustable glides;
 - (iii) Silver finish; and
 - (iv) 3" diameter

- (d) Standards:
- (i) Standards: Exceeds BIFMA standards.

- (e) Warranty:
- (i) Lifetime Warranty.

- (f) Shop Drawings:
- (i) Provide shop drawings of desk for approval before manufacturing.

E2.7 Item No. 5 Table TB-1 (Table 36" Diameter) shall be Eurocraft or equivalent in accordance with B6.

- (a) Table Top:
- (i) 1" thick, with high pressure thermally fused (HPL) laminate on industrial grade 45lb particle board to match Eurocraft colour Candle Light L421;
 - (ii) 3mm PVC edge all exposed edges to match top finish, 5mm edging on concealed edges; and
 - (iii) Wood grain to run width of top.
- (b) Table Leg:
- (i) Powder coated 16-gauge metal;
 - (ii) Legs at base to be cross base with adjustable glides; and
 - (iii) Silver finish.

- (c) Standards:
- (i) Exceeds BIFMA standards.

E2.8 Item No. 6 -Table TB-2 (Table 30" Diameter) shall be Eurocraft or equivalent in accordance with B6.

- (a) Table Top:
- (i) 1" thick, with high pressure thermally fused laminate on industrial grade 45lb particle board to match Eurocraft colour Candle Light L421;
 - (ii) 3mm PVC edge all exposed edges to match top finish, 5mm edging on concealed edges; and
 - (iii) Wood grain to run width of top.
- (b) Table Leg:
- (i) Powder coated 16-gauge metal;
 - (ii) Legs at base to be cross base with adjustable glides; and
 - (iii) Silver finish.

- (c) Standards:
- (i) Exceeds BIFMA standards.

E2.9 Item No. 7- Adjustable Height Base shall be ESI or equivalent in accordance with B6.

- (a) Adjustable Height Base for Office desks in Offices 101, 102, 103 and 104. Note- Desk top part of specifications in Office Desk Type 1 -3. Refer to drawings for configurations.
 - (i) Model No. Victory LX 3 Leg- Electric Table base;
 - (ii) Adjustment speed 1/4" per second- electric height adjustment;
 - (iii) 26.1" Height adjustment range; 21.6"-47.7" (low/high);
 - (iv) 330 lbs base lifting capacity;
 - (v) Three stage adjustable legs;
 - (vi) Steel frame and foot construction;
 - (vii) Can be configured for a 90 or 120 degree with a universal bracket;
 - (viii) Powder coated steel legs/ feet in Silver finish;
 - (ix) Digital programmable keypad with three memory settings, and soft start;
 - (x) ADA compliant;
 - (xi) Low standby power consumption;
 - (xii) Lockable Castor kit option available; and
 - (xiii) Provide ESI Conceal Channel for Integrated cable management: 23 detachable links; weighted bottom and attaches to bottom of worksurface.
- (b) Standards:
 - (i) Meets BIFMA GI-2013 Ergonomic standards; and
 - (ii) Meets or exceeds BIFMA x5.5 requirements.
- (c) Warranty:
 - (i) 15-year structural, 7 mechanical warranty.

E2.10 Item No. 8-Single Monitor Arm shall be ESI or equivalent in accordance with B6.

- (a) Model No: Edge Single Monitor Arm for Offices 101, 103, and 104:
 - (i) Monitor arm for single monitor mount with finger touch dynamic height adjustment;
 - (ii) Supports monitor weights from 6.5 -17.6 lbs;
 - (iii) 22" arm extension;
 - (iv) 4.0" arm retraction;
 - (v) Recommended for work surfaces 24"-36" deep;
 - (vi) Interchangeable mounting options attach to a variety of work surfaces. To be surface mounted on desktop or can be grommet mounted;
 - (vii) Integrated rubberized cable management hides cables within the arm;
 - (viii) +/- 90 degree monitor tilt;
 - (ix) +/- 90 degree VESA rotation;
 - (x) VESA quick release;
 - (xi) 180 degree lock out feature;
 - (xii) Benching system mounts available;
 - (xiii) Finish to be: Silver from standard finish selections;
 - (xiv) 12" of height adjustment range; 7.0" – 19.0" (low/ high); and
 - (xv) Integrated allen key storage.
- (b) (b) Standards:
 - (i) Meets BIFMA GI-2013 Ergonomic standards; and
 - (ii) Meets or exceeds BIFMA x5.5 requirements.
- (c) Warranty:
 - (i) 15-year structural, 7 mechanical warranty.

E2.11 Item No. 9- Double Monitor Arm shall be ESI or equivalent in accordance with B6.

(a) Model No: Edge 2 Max Dual Kit Monitor Arm- for Office M03:

- (i) Double Monitor arm for Dual monitor mount with finger touch dynamic height adjustment;
- (ii) Kit includes (10 one single arm, (1) one desk stand and (1) one clamp and grommet mount;
- (iii) Supports monitor weights from 17.6 lbs- 42.0 lbs weight capacity (per arm);
- (iv) 22" arm extension;
- (v) 4.0" arm retraction;
- (vi) Recommended for work surfaces 24"-36" deep;
- (vii) 13.5" Height adjustment range;
- (viii) Integrated rubberized cable management hides cables within the arm;
- (ix) +/- 90 degree monitor tilt;
- (x) VESA quick release;
- (xi) 360 degree rotation at three points;
- (xii) 180 degree lock out feature;
- (xiii) Benching system mounts available;
- (xiv) Finish to be: Silver from standard finish selections;
- (xv) 12" of height adjustment range; 7.0" – 19.0" (low/ high); and
- (xvi) Integrated allen key storage.

(b) Standards:

- (i) Meets BIFMA GI-2013 Ergonomic standards; and
- (ii) Meets or exceeds BIFMA x5.5 requirements

(c) Warranty:

- (i) 15-year structural, 7 mechanical warranty.

E3. APPROVED PRODUCTS

E3.1 Subject to E1.3, the following products are approved;

- (a) Eurocraft
- (b) ESI