

FORM A: BID
(See B8)

1. Contract Title SUPPLY AND INSTALLATION OF AG TRACTOR FRONT MOUNTED SNOW BLOWERS

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.

10. Indigenous Self-Declaration The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.

YES, 51% or more Indigenous ownership

NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

11. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ Day of _____, 20_____

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
(See B9)

SUPPLY AND INSTALLATION OF AG TRACTOR FRONT MOUNTED SNOW BLOWERS

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	Front Mounted Snow Blower	19043	Each	2	

Name of Bidder

**FORM N: DETAILED SPECIFICATIONS 19043
FRONT MOUNTED SNOW BLOWER**

1.0 DESCRIPTION OF EQUIPMENT

- 1.1 These specifications describe an **FRONT MOUNTED SNOW BLOWER** and other equipment and features as specified herein.
- 1.2 The **FRONT MOUNTED SNOW BLOWER** shall be a new 2019 model year or newer.
- 1.3 The **FRONT MOUNTED SNOW BLOWER** and all other items/components shall be the manufacturer's latest model. The equipment shall be furnished complete and ready for operation. Any parts or accessories not specifically mentioned, but which are required to complete and place the equipment and associated attachments in successful operation shall be furnished as though specifically mentioned in these specifications. The equipment and associated attachments, and all parts thereof, shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.
- 1.4 It will be the responsibility of the Bidder to inform the City of any errors or omissions in these specifications, for under this Contract the Contractor shall be held responsible for the satisfactory operational function of the equipment.

2.0 OTHER SPECIFICATIONS AND STANDARDS

- 2.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.
- 2.2 Where applicable, the **FRONT MOUNTED SNOW BLOWER** shall comply with the applicable regulations:

Transport Canada, National Safety Mark, NSM:
<http://www.tc.gc.ca/eng/acts-regulations/acts-road.htm>

Manitoba Safety and Health Regulation, Parts 12, 16, 22:
<http://web2.gov.mb.ca/laws/regs/current/217.06.pdf>

Canadian Motor Vehicle Safety Standards C.M.V.S.S.
http://laws-lois.justice.gc.ca/eng/regulations/C.R.C.,_c._1038/section-sched3.html

Manitoba Highway Traffic Act regulations and requirements including, but not limited to, a Manitoba Government Inspection with Safety Sticker.
<http://web2.gov.mb.ca/laws/regs/index.php?act=h60>

Canadian Standards Association, CSA:
<http://www.csagroup.org/>

Under Writers of Canada, U/L:
<http://www.ulc.ca/>

Society of Automotive Engineers, SAE:
<http://www.sae.org/>

City of Winnipeg Lighting Visibility Standard:
<http://winnipeg.ca/matmgt/pdfs/PublicWorksEquipLightingVisibility.pdf>

Manitoba Building Code:
https://web2.gov.mb.ca/laws/regs/current/_pdf-regs.php?reg=31/2011

2.3 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

3.0 SERVICE FACILITY

3.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

4.0 REFERENCES

4.1 If available, please provide five (5) references where this equipment is used in a working environment where climatic conditions are similar to the City of Winnipeg.

5.0 MAKE & MODEL

5.1 **State** year, make and model being bid: _____

6.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

6.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

6.2 All items in these specifications must be answered indicating compliance or non-compliance. **BIDDERS SHALL STATE "YES" FOR COMPLIANCE OR STATE DEVIATION**, or give reply where requested to do so. Deviations and/or equivalents shall be clearly stated and fully detailed. Deviations and/or equivalents will be considered subject to evaluation. In every instance where a brand name or design specification is used, the City will also consider deviations and/or equivalents.

6.3 **EACH BIDDER IS REQUIRED TO FILL IN EVERY BLANK. FAILURE TO DO SO MAY BE USED AS A BASIS FOR REJECTION OF BID**

7.0 PERFORMANCE RELIABILITY

7.1 The responsibility for the design of the **FRONT MOUNTED SNOW BLOWER** its performance and reliability shall rest upon the Contractor.

7.2 The term "repeated failures" as used herein is defined to mean that the same component, subassembly, or assembly develops repeated defects, breakdowns and/or malfunctions rendering the vehicle inoperative, or requiring repeated shop correction, service and/or replacement during the warranty period applicable for said component, subassembly, of assembly. Minor items or ordinary service adjustments are not included, or considered under the scope of "repeated failures", as well as other factors, such as operational damage due to accidents, misuse or lack of proper maintenance, service and lubrication attention by not following the manufacturer's preventative maintenance schedule.

7.3 Where the **FRONT MOUNTED SNOW BLOWER** develops “repeated failures” in service, the Contractor shall make any necessary engineering changes, repairs, alterations or modifications in order to guarantee reliability of performance.

7.4 The equipment shall be capable of consistent top performance in City of Winnipeg Environment. **Note: The City of Winnipeg has four seasons with ambient temperatures ranging from approximately 90°F (32°C) to -40°F (-40°C).**

8.0 FUEL

8.1 Where applicable, all equipment must be fully fueled upon delivery (no exceptions).

9.0 QUALIFICATIONS OF MANUFACTURER & CONTRACTOR

9.1 The manufacturer of the **FRONT MOUNTED SNOW BLOWER** shall have five (5) years continuous experience manufacturing **FRONT MOUNTED SNOW BLOWER**.

9.2 The manufacturer shall have in effect a documented quality control program ensuring that the quality of materials and workmanship, including welding, conforms to the best standards and engineering practice of the industry.

9.3 The Contractor shall have five (5) years continuous experience servicing, repairing and maintaining **FRONT MOUNTED SNOW BLOWER** of the type being offered.

10.0 SPECIFICATIONS:

Front Mounted Snow Blower shall be compatible with the City of Winnipeg's _____
Ag Tractors:

2016 Kubota M7060HDCC Tractor with an adjustable category I and II, 3-point hitch without front loader mounting bracket.

Unit Number:

3206201 - Kubota M7060HDCC S/N 67919

3206202 - Kubota M7060HDCC S/N 67813

The **Front Mounted Snow Blower** shall be complete with all hardware (including any electrical harnesses and mounting brackets) necessary for hook-up and proper operation for the intended application.

The price for any additional hardware and installation must be included in Unit Price provided on Form B: Prices

10.1	Make	State:	_____
10.2	Model	State:	_____
10.3	Cutting Width	Approximately 78 inches State:	_____
10.4	Auger Diameter	• Approximately 16 inches • Open flight State:	_____
10.5	Cutting Height	Approximately 36 inches State:	_____
10.6	Two Stage	Two stage with single auger	_____

10.7	Fan Diameter	<ul style="list-style-type: none">• Approximately 24 inches• 4-blade State:	_____
10.8	Discharge Chute	270° hydraulic rotator	_____
10.9	Deflector	Hydraulic deflector	_____
10.10	Hitch Frame	<ul style="list-style-type: none">• Quick mount/dismount• 3-point adjustable	_____
10.11	PTO Input	540 RPM	_____
10.12	PTO HP Range	35-65 HP	_____
10.13	PTO Safety Chain(s)	Required	_____
10.14	PTO Shaft Guard(s)	Required	_____
10.15	Drive Line Series	35 series	_____
10.16	Discharge distance	Up to 35 feet	_____
10.17	Skid Shoes	Adjustable and replaceable	_____
10.18	Cutting Edge	<ul style="list-style-type: none">• Approximately 5/8 in. x 6 in.• Reversible• High carbon steel	_____
10.19	Operating Weight	Approximately 1450 lbs. State:	_____
11.0	<u>WARRANTY:</u>		
11.1	All warranty information shall be detailed and <u>include all exclusions.</u>		_____
	The Contractor shall provide all published warranty information upon delivery of the equipment.		
	Bidder shall state all warranty information.		
11.2	Factory	State:	_____

12.0 **DELIVERY:**

12.1 **Delivery Point:** _____

The complete unit shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice and N.V.I.S. (if applicable) to the WFMA 185 Tecumseh Street, Winnipeg MB.

12.2 **Delivery Time:** _____

Equipment shall be delivered between 8:00 am and 2:00 pm on Business Days.

State: earliest delivery time from date of award: _____

12.3 **Delivery Contact:** _____

The Contractor shall contact the Contract Administrator prior to delivery of the equipment.

12.4 **P.D.I:** _____

A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list

13.0 **MANUALS:**

13.1 **Operator's Manual:** _____

Two (2) per unit shall be supplied with the units when delivered

Note: CD or USB flash drive is preferred where available.

14.0 **PARTS/LABOUR PRICING:**

14.1 Bidder to provide City of Winnipeg Parts Discount % Pricing from retail parts pricing. **State percentage discount** _____

14.2 Bidder to provide City of Winnipeg Labor Discount % Pricing from Retail shop labor rate. **State percentage discount** _____

15.0 **FIRST SERVICE PREVENTATIVE MAINTENANCE KIT:**

15.1 **If applicable:** In order to assure minimum downtime of the Equipment in future service, the Contractor must provide one (1) complete replacement set of new OEM filters for each unit purchased. The set of required filters shall include (if applicable to the equipment type) air, fuel, oil, transmission, cab and hydraulic, or otherwise all known necessary common replacement filters required for the first preventative maintenance servicing and first transmission service. _____

- 15.2 The Contractor must provide a list of factory recommended lubricants to be used with the equipment, as well as a complete cross reference guide for all warranty approved lubricants and filters that can be used during Preventative Maintenance servicing.
-