

FORM A: BID
(See B8)

1. Contract Title 2018 REGIONAL STREET RENEWALS – MEMORIAL BLVD, COLONY ST, AND YORK AVE

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City Province Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City Province Postal Code

The Bidder is:
(Choose one)
 a sole proprietor
 a partnership
 a corporation
carrying on business under the above name.

3. Contact Person The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person Title

Telephone Number Facsimile Number

4. Definitions All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form B: Prices, appended hereto.

6. Bid Security In accordance with B13.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7. Execution of Contract The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9. Contract By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

11. Time This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.
12. Indigenous Self-Declaration The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.

YES, 51% or more Indigenous ownership

NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20____.

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A	<u>MEMORIAL BLVD - YORK AVE TO ST MARY AVE CONCRETE RECONSTRUCTION</u>					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R19	m ³	2250		
A.2	Sub-Grade Compaction	CW 3110-R19	m ²	2660		
A.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	3550		
A.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	650		
A.5	Grading of Boulevards	CW 3110-R19	m ²	1000		
A.6	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	1		
A.7	Separation Geotextile Fabric	CW 3130-R4	m ²	2900		
	ROADWORKS - REMOVALS/RENEWALS					
A.8	Pavement Removal	CW 3110-R19 E15, E16				
i)	Concrete Pavement		m ²	2500		
A.9	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	125		
A.10	Drilled Tie Bars	CW 3230-R8				
i)	25 M Deformed Tie Bar		each	60		
A.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	630		
A.12	Removal of Precast Sidewalk Blocks	CW 3235-R9	m ²	120		
A.13	Detectable Warning Surface Tiles	CW 3326-R3	each	10		
	ROADWORKS - NEW CONSTRUCTION					
A.14	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				
i)	Construction of Monolithic Concrete Median Slabs	SD-226A	m ²	50		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	Construction of Monolithic Concrete Bull-noses	SD-227C	m ²	10		
A.15	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled) Slip Form Paving		m ²	2200		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m ²	150		
A.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Dowelled) Slip Form Paving	SD-205	m	140		
ii)	Construction of Barrier (180 mm ht, Dowelled) Slip Form Paving	SD-205	m	280		
iii)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	12		
iv)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	35		
v)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	40		
vi)	Construction of Safety Curb (330 mm ht)	SD-206B	m	30		
vii)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	110		
A.17	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	550		
A.18	100 mm Concrete Sidewalk	CW 3325-R5	m ²	120		
A.19	100 mm Concrete Sidewalk with Blockouts	CW 3325-R5	m ²	650		
A.20	Interlocking Paving Stones	CW 3330-R5, E17	m ²	80		
A.21	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	55		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	10		
A.22	Construction of Asphalt Patches	CW 3410-R12	m ²	10		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
A.23	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	5		
A.24	Catch Pit	CW 2130-R12				
i)	SD-023		each	1		
A.25	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	72		
A.26	Drainage Connection Pipe	CW 2130-R12	m	3		
A.27	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
A.28	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	2		
A.29	Connecting to Existing Catch Basin	CW 2130-R12				
i)	200 mm Drainage Connection Pipe		each	1		
A.30	Connecting to Existing Sewer	CW 2130-R12				
a)	Connecting to 375 mm Sewer		each	3		
A.31	Removal of Existing Catch Basins	CW 2130-R12	each	4		
A.32	Installation of Subdrains	CW 3120-R4	m	60		
ADJUSTMENTS						
A.33	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	3		
A.34	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
A.35	Adjustment of Valve Boxes	CW 3210-R8	each	5		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.36	Valve Box Extensions	CW 3210-R8	each	2		
LANDSCAPING						
A.37	Sodding	CW 3510-R9				
i)	width > or = 600 mm		m ²	1000		
MISCELLANEOUS						
A.38	Hydro Excavation	E13	hr	30		
A	<u>MEMORIAL BLVD - YORK AVE TO ST MARY AVE CONCRETE RECONSTRUCTION</u>				Subtotal:	
B	<u>YORK AVE - OSBORNE ST N TO MEMORIAL BLVD CONCRETE RECONSTRUCTION</u>					
EARTH AND BASE WORKS						
B.1	Excavation	CW 3110-R19	m ³	1300		
B.2	Sub-Grade Compaction	CW 3110-R19	m ²	1600		
B.3	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	2000		
B.4	Supplying and Placing Base Course Material	CW 3110-R19	m ³	400		
B.5	Grading of Boulevards	CW 3110-R19	m ²	100		
B.6	Removal of Existing Concrete Bases	CW 3110-R19				
i)	600 mm Diameter or Less		each	1		
B.7	Separation Geotextile Fabric	CW 3130-R4	m ²	1600		
ROADWORKS - REMOVALS/RENEWALS						
B.8	Pavement Removal	CW 3110-R19, E16				
i)	Concrete Pavement		m ²	1600		
B.9	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	150		
B.10	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	30		
ii)	25 M Deformed Tie Bar		each	60		
B.11	Miscellaneous Concrete Slab Removal	CW 3235-R9				

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	100 mm Sidewalk		m ²	340		
B.12	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a)	5 sq.m. to 20 sq.m.		m ²	15		
B.13	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m ²	25		
B.14	Detectable Warning Surface Tiles	CW 3326-R3	each	10		
ROADWORKS - NEW CONSTRUCTION						
B.15	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled) Slip Form Paving		m ²	1380		
ii)	Construction of 230 mm Concrete Pavement for Early Opening 72 Hour (Plain-Dowelled)		m ²	100		
B.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Dowelled) Slip Form Paving	SD-205	m	30		
ii)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	100		
iii)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	18		
iv)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	28		
B.17	Supply and Installation of Dowel Assemblies	CW 3310-R17	m	350		
B.18	100 mm Concrete Sidewalk with Blockouts	CW 3325-R5	m ²	390		
B.19	Interlocking Paving Stones	CW 3330-R5, E17	m ²	30		
B.20	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	20		
ASSOCIATED DRAINAGE AND UNDERGROUND WORKS						
B.21	Catch Basin	CW 2130-R12				

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
B.22	i) SD-024, 1800 mm deep Sewer Service	CW 2130-R12	each	1		
	i) 250 mm, PVC					
B.23	a) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill Frames & Covers	CW 3210-R8	m	9		
	i) AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
	ii) AP-007 - Standard Solid Cover for Standard Frame		each	2		
B.24	Connecting to Existing Manhole	CW 2130-R12				
	i) 250 mm Catch Basin Lead		each	1		
B.25	Removal of Existing Catch Basins	CW 2130-R12	each	2		
	ADJUSTMENTS					
B.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
B.27	Replacing Existing Risers	CW 2130-R12				
	i) Pre-cast Concrete Risers		vert. m	1.0		
	LANDSCAPING					
B.28	Sodding	CW 3510-R9				
	i) width > or = 600 mm		m ²	120		
B	<u>YORK AVE - OSBORNE ST N TO MEMORIAL BLVD CONCRETE RECONSTRUCTION</u>				Subtotal:	

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C	<u>MEMORIAL BLVD - ST MARY AVE TO PORTAGE AVE REHABILITATION</u>					
	EARTH AND BASE WORKS					
C.1	Supplying and Placing Base Course Material	CW 3110-R19	m ³	60		
	ROADWORKS - REMOVALS/RENEWALS					
C.2	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	25		
C.3	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	450		
C.4	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m ²	25		
ii)	200 mm Concrete Pavement (Type B)		m ²	125		
C.5	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	550		
C.6	Drilled Tie Bars	CW 3230-R8				
i)	25 M Deformed Tie Bar		each	750		
C.7	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	400		
C.8	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Median Slab	SD-227A	m ²	70		
ii)	Safety Median	SD-226B	m ²	20		
iii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	20		
b)	5 sq.m. to 20 sq.m.		m ²	40		
c)	Greater than 20 sq.m.		m ²	40		
iv)	Bullnose	SD-227C	m ²	10		
C.9	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Separate		m	10		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.10	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	Less than 3 m		m	20		
b)	3 m to 30 m		m	120		
c)	Greater than 30 m		m	130		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	25		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	47		
C.11	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	5300		
ii)	50 - 100 mm Depth (Asphalt)		m ²	3800		
C.12	Pavement Repair Fabric	E12	m ²	2500		
C.13	Detectable Warning Surface Tiles	CW 3326-R3	each	7		
ROADWORKS - NEW CONSTRUCTION						
C.14	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	20		
ii)	Construction of Curb Ramp (8-12 mm ht, Integral)	SD-229C	m	4		
C.15	100 mm Concrete Sidewalk with Blockouts	CW 3325-R5	m ²	425		
C.16	Interlocking Paving Stones	CW 3330-R5, E17	m ²	55		
C.17	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	1700		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	150		
JOINT AND CRACK SEALING						
C.18	Reflective Crack Maintenance	CW 3250-R7	m	1500		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
C.19	Catch Basin	CW 2130-R12				
	i) SD-024, 1200 mm deep		each	1		
	ii) SD-024, 1800 mm deep		each	1		
C.20	Sewer Service	CW 2130-R12				
	i) 250 mm, PVC					
	a) Trenchless Installation, Class B Sand Bedding, Class 3 Backfill		m	36		
C.21	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
	i) 200 mm CL20016495					
	a) Class 3 Backfill		each	1		
	ii) 200 mm CL20016496					
	a) Class 3 Backfill		each	1		
C.22	Sewer Inspection (following repair)	CW 2145-R4				
	i) 200 mm, Catch Basin Lead		m	60		
C.23	Frames & Covers	CW 3210-R8				
	i) AP-006 - Standard Frame for Manhole and Catch Basin		each	2		
	ii) AP-007 - Standard Solid Cover for Standard Frame		each	2		
	iii) AP-011 - Barrier Curb and Gutter Frame		each	1		
	iv) AP-012 - Barrier Curb and Gutter Cover		each	1		
C.24	Connecting to Existing Sewer	CW 2130-R12				
	a) Connecting to 375 mm Sewer		each	2		
C.25	Removal of Existing Catch Basins	CW 2130-R12	each	2		
C.26	Removal of Existing Catch Pit	CW 2130-R12	each	1		
	ADJUSTMENTS					
C.27	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	5		

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.28	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
C.29	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	5		
ii)	51 mm		each	4		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
C.30	Adjustment of Valve Boxes	CW 3210-R8	each	6		
C.31	Valve Box Extensions	CW 3210-R8	each	2		
C.32	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
	MISCELLANEOUS					
C.33	Coloured Bike Lane Treatment	E20	m ²	10		
C	<u>MEMORIAL BLVD - ST MARY AVE TO PORTAGE AVE REHABILITATION</u>				Subtotal:	
D	<u>COLONY ST - PORTAGE AVE TO ELLICE AVE REHABILITATION</u>					
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R19	m ³	50		
D.2	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	70		
D.3	Supplying and Placing Base Course Material	CW 3110-R19	m ³	30		
D.4	Separation Geotextile Fabric	CW 3130-R4	m ²	55		
	ROADWORKS - REMOVALS/RENEWALS					
D.5	Pavement Removal	CW 3110-R19				
i)	Concrete Pavement		m ²	100		
D.6	Slab Replacement - Early Opening (24 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m ²	330		
D.7	Partial Slab Patches - Early Opening (24 hour)	CW 3230-R8				

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
i)	200 mm Concrete Pavement (Type A)		m ²	15		
ii)	200 mm Concrete Pavement (Type B)		m ²	250		
D.8	Drilled Dowels	CW 3230-R8				
i)	28.6 mm Diameter		each	600		
D.9	Drilled Tie Bars	CW 3230-R8				
i)	25 M Deformed Tie Bar		each	700		
D.10	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m ²	635		
D.11	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	Median Slab	SD-227A	m ²	350		
ii)	Safety Median	SD-226B	m ²	60		
iii)	100 mm Sidewalk	SD-228A				
a)	Less than 5 sq.m.		m ²	40		
b)	5 sq.m. to 20 sq.m.		m ²	80		
iv)	Bullnose	SD-227C	m ²	10		
D.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
a)	3 m to 30 m		m	220		
b)	Greater than 30 m		m	100		
ii)	Modified Barrier (180 mm reveal ht, Dowelled)	SD-203B	m	30		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	48		
D.13	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m ²	2100		
ii)	50 - 100 mm Depth (Asphalt)		m ²	5700		
D.14	Detectable Warning Surface Tiles	CW 3326-R3	each	8		
	ROADWORKS - NEW CONSTRUCTION					
D.15	Concrete Pavements, Median Slabs, Bull-noses, and Safety Medians	CW 3310-R17				

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	i) Construction of 200 mm Concrete Pavement (Reinforced)		m ²	55		
D.16	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
	i) Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	70		
	ii) Construction of Modified Barrier (180 mm ht, Dowelled)	SD-203B	m	15		
D.17	100 mm Concrete Sidewalk with Blockouts	CW 3325-R5	m ²	680		
D.18	Interlocking Paving Stones	CW 3330-R5, E17	m ²	130		
D.19	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
	i) Main Line Paving					
	a) Type IA		tonne	1900		
	ii) Tie-ins and Approaches					
	a) Type IA		tonne	200		
	JOINT AND CRACK SEALING					
D.20	Reflective Crack Maintenance	CW 3250-R7	m	1200		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
D.21	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
	i) 200 mm					
	a) Class 3 Backfill		each	1		
D.22	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
	i) 200 mm					
	a) Class 3 Backfill		m	3		
D.23	Sewer Inspection (following repair)	CW 2145-R4				
	i) 200 mm, Catch Basin Lead		m	18		
D.24	Frames & Covers	CW 3210-R8				
	i) AP-006 - Standard Frame for Manhole and Catch Basin		each	2		

Name of Bidder

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-011 - Barrier Curb and Gutter Frame		each	1		
iv)	AP-012 - Barrier Curb and Gutter Cover		each	1		
D.25	Removal of Existing Catch Basins	CW 2130-R12	each	1		
ADJUSTMENTS						
D.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	6		
D.27	Replacing Existing Risers	CW 2130-R12				
i)	Pre-cast Concrete Risers		vert. m	1.0		
D.28	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	4		
ii)	51 mm		each	4		
iii)	64 mm		each	2		
iv)	76 mm		each	1		
D.29	Adjustment of Valve Boxes	CW 3210-R8	each	9		
D.30	Valve Box Extensions	CW 3210-R8	each	4		
D.31	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
LANDSCAPING						
D.32	Tree Removal	E19	each	10		
D.33	Planting Medium	E18,E19	m ³	50		
D.34	Supply and Install Brandon Elm	E18,E19	each	3		
D	<i>COLONY ST - PORTAGE AVE TO ELLICE AVE REHABILITATION</i>				Subtotal:	

FORM B: PRICES
(SEE B9)

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	<u>WATER AND WASTE WORK</u>					
	MEMORIAL BLVD - SEWER REPAIR (UKNOWN ASSET)					
E.1	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm 11.5m from MH20013470					
a)	Class 3 Backfill		each	1		
E.2	Sewer Inspection (following repair)	CW 2145-R4				
i)	250 mm		m	30		
	MEMORIAL BLVD - SEWER REPAIR (MA20014922)					
E.3	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	375mm 0-2.0m from MH20014811					
a)	Class 3 Backfill		each	1		
ii)	375mm 84.9-87.2m from MH20014811					
a)	Class 3 Backfill		each	1		
E.4	Sewer Inspection (following repair)	CW 2145-R4				
i)	375 mm, Clay		m	91		
E	<u>WATER AND WASTE WORK</u>				Subtotal:	
SUMMARY						
A	<u>MEMORIAL BLVD - YORK AVE TO ST MARY AVE CONCRETE RECONSTRUCTION</u>				Subtotal:	
B	<u>YORK AVE - OSBORNE ST N TO MEMORIAL BLVD CONCRETE RECONSTRUCTION</u>				Subtotal:	
C	<u>MEMORIAL BLVD - ST MARY AVE TO PORTAGE AVE REHABILITATION</u>				Subtotal:	
D	<u>COLONY ST - PORTAGE AVE TO ELLICE AVE REHABILITATION</u>				Subtotal:	
E	<u>WATER AND WASTE WORK</u>				Subtotal:	
TOTAL BID PRICE (GST extra)					(in figures)	_____

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2)
(See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

TENDER NO. 137-2019

2018 REGIONAL STREET RENEWALS – MEMORIAL BLVD, COLONY ST, AND YORK AVE

as more fully set out in the Tender.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance and labour and material payment bonds, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

_____ day of _____, 20_____.

SIGNED AND SEALED
in the presence of:

(Witness as to Principal if no seal)

(Name of Principal)

Per: _____ (Seal)

Per: _____

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2)
(See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

_____ of
(Name of Bidder)

(Place)

the Bidder to you on _____, 20____ for

TENDER NO. 137-2019

2018 REGIONAL STREET RENEWALS – MEMORIAL BLVD, COLONY ST, AND YORK AVE

The Surety agrees to issue for the Principal:

1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and
2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender;

If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender.

It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _____ day of _____, 20_____ .

(Name of Surety)

By: _____ (Seal)
(Attorney-in-Fact)