FORM A: BID (See B8)

1.	Contract Title	2019 Local Streets – Edison Avenue, Sanford Fleming Road, and Various Other Locations
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Code
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Code
	(Choose one)	The Bidder is: a sole proprietor a partnership a corporation carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with the Contract for the Total Bid Price, in Canadian funds, set out on Form $B(R1)$: Prices, appended hereto.

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract: No. Dated
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13.	Signatures	The Bidder or the Bidder's authorized official or officials have si	igned this
-----	------------	---	------------

_____ day of _____ , 20_____ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

JNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
А	SANFORD FLEMING ROAD REHABILITAT	TION - PLESSIS F	ROAD TO			
	DEVONSHIRE DRIVE					
	EARTH AND BASE WORKS					
A.1	Grading of Boulevards	CW 3110-R19	m²	1500		
	ROADWORKS - RENEWALS					
A.2	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	150		
4.3	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	20		
ii)	200 mm Concrete Pavement (Type B)		m²	675		
iii)	200 mm Concrete Pavement (Type C)		m²	20		
iv)	200 mm Concrete Pavement (Type D)		m²	50		
A.4	Partial Depth Planing of Existing Joints	E16	m²	100		
A.5	Asphalt Patching of Partial Depth Joints	E16	m²	100		
۹.6	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	825		
۹.7	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	1250		
۹.8	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	12		
A.9	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a) Less than 5 sq.m.		m²	40		
b) 5 sq.m. to 20 sq.m.		m²	260		
С	Greater than 20 sq.m.		m²	100		

JNIT PRI		0050	1.15.17-			
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
10	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	M2	10		
11	Concrete Curb Removal	CW 3240-R10				
i)	Lip Curb	SD-202C	m	350		
.12	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
а	Less than 3 m		m	10		
b	3 m to 30 m		m	25		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	360		
iii)	Lip Curb (40 mm reveal ht, Integral)	SD-202B	m	10		
iv)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	65		
v)	Splash Strip (Separate, 600 mm width)	SD-223B	m	5		
.13	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
а	Туре ІА		tonne	900		
ii)	Tie-ins and Approaches					
а	Туре ІА		tonne	175		
.14	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	6500		
ii)	50 - 100 mm Depth (Asphalt)		m²	1130		
iii)	1 - 50 mm Depth (Concrete)		m²	50		
.15	Pavement Repair Fabric	E15	m²	215		
A.16	Detectable Warning Surface Tiles	CW 3326-R3	each	22		
	ROADWORKS - NEW CONSTRUCTION					
17	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Dowelled)	SD-205	m	385		

	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.18	100 mm Concrete Sidewalk	CW 3325-R5	m²	70		
	JOINT AND CRACK SEALING					
A.19	Reflective Crack Maintenance	CW 3250-R7	m	1600		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
A.20	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	5		
v)	AP-012 - Barrier Curb and Gutter Cover		each	5		
	ADJUSTMENTS					
A.21	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	8		
A.22	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	2		
ii)	51 mm		each	2		
iii)	64 mm		each	2		
iv)	76 mm		each	2		
A.23	Adjustment of Valve Boxes	CW 3210-R8	each	2		
A.24	Valve Box Extensions	CW 3210-R8	each	2		
A.25	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
A.26	Curb Stop Extensions	CW 3210-R8	each	2		
A.27	Replacing Existing Flat Top Reducer	CW 2110-R11	each	6		
	LANDSCAPING					

UNIT PRICES

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
A.28	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	250		
ii)	width > or = 600 mm		m²	1250		
	SANFORD FLEMING ROAD REHABILITATI	ON - PLESSIS F	ROAD TO)		
A	DEVONSHIRE DRIVE				Subtotal:	

UNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	TALBOT AVENUE REHABILITATION - FO) GREY			
	EARTH AND BASE WORKS					
B.1	Grading of Boulevards	CW 3110-R19	m²	500		
	ROADWORKS - RENEWALS					
B.2	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		M2	10		
ii)	200 mm Concrete Pavement (Type B)		m²	140		
iii)	200 mm Concrete Pavement (Type C)		m²	10		
iv)	200 mm Concrete Pavement (Type D)		m²	20		
B.3	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	120		
B.4	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	180		
B.5	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	6		
B.6	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
а) Less than 5 sq.m.		m²	15		
b) 5 sq.m. to 20 sq.m.		m²	135		
с	Greater than 20 sq.m.		m²	50		
B.7	Concrete Curb Renewal	CW 3240-R10				
i)	Barrier (150 mm reveal ht, Dowelled)	SD-205,				
а	Less than 3 m	SD-206A	m	10		
b) 3 m to 30 m		m	20		
ii)	Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	10		

UNIT PRIC	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
iii)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	50		
В.8	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Туре ІА		tonne	310		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	25		
B.9	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	620		
ii)	50 - 100 mm Depth (Asphalt)		m²	930		
B.10	Pavement Repair Fabric	E15	m²	50		
B.11	Detectable Warning Surface Tiles	CW 3326-R3	each	16		
	ROADWORKS - NEW CONSTRUCTION					
B.12	100 mm Concrete Sidewalk	CW 3325-R5	m²	20		
	JOINT AND CRACK SEALING					
B.13	Reflective Crack Maintenance	CW 3250-R7	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					
B.14	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	6		
B.15	Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		each	1		
B.16	Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)	250 mm					
a)	Class 3 Backfill		m	3		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX.	UNIT PRICE	AMOUNT
3.17	Frames & Covers	CW 3210-R8		QUANTITY		
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	1		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	1		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	1		
v)	AP-012 - Barrier Curb and Gutter Cover		each	1		
B.18	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
B.19	Connecting to Existing Sewer	CW 2130-R12				
i)	Connecting to 1550 x 1200 mm Concrete Combined Sewer		each	1		
	ADJUSTMENTS					
B.20	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
3.21	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	2		
ii)	51 mm		each	2		
3.22	Adjustment of Valve Boxes	CW 3210-R8	each	2		
3.23	Valve Box Extensions	CW 3210-R8	each	2		
3.24	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
3.25	Curb Stop Extensions	CW 3210-R8	each	2		
	LANDSCAPING					
3.26	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	50		
ii)	width > or = 600 mm		m²	500		

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	TALBOT AVENUE REHABILITATION - FOS	TER STREET T	O GREY	<u>STREET</u>	Subtotal:	

JNIT PRI	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	EDISON AVENUE REHABILITATION - DEG		O ROTH			
C	<u>STREET</u>		1	1		
	EARTH AND BASE WORKS					
C.1	Grading of Boulevards	CW 3110-R19	m²	2500		
	ROADWORKS - RENEWALS					
C.2	Slab Replacement	CW 3230-R8				
i)	200 mm Concrete Pavement (Reinforced)		m²	250		
C.3	Partial Slab Patches	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	20		
ii)	200 mm Concrete Pavement (Type B)		m²	260		
iii)	200 mm Concrete Pavement (Type C)		m²	10		
iv)	200 mm Concrete Pavement (Type D)		m²	50		
C.4	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	330		
C.5	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	490		
C.6	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	100 mm Sidewalk		m²	85		
C.7	Miscellaneous Concrete Slab Renewal	CW 3235-R9				
i)	100 mm Sidewalk	SD-228A				
a	Less than 5 sq.m.		m²	75		
b)) 5 sq.m. to 20 sq.m.		m²	300		
c) Greater than 20 sq.m.		m²	1175		
C.8	Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	10		
C.9	Concrete Curb Renewal	CW 3240-R10				

ITEM		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
i)	Barrie	r (150 mm reveal ht, Dowelled)	REF. SD-205,		QUANTITY		
		han 3 m	SD-206A	m	50		
	b) 3 m to			m	700		
		ter than 30 m					
				m	350		
ii)	Dowe		SD-203B	m	110		
iii)	-	urb (40 mm reveal ht, Integral)	SD-202B	m	10		
iv)	Curb I	Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	65		
C.10	Const	ruction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main I	Line Paving					
a	a) Type I	A		tonne	1500		
ii)	Tie-in:	s and Approaches					
-	a) Type I			tonne	200		
C.11		ng of Pavement	CW 3450-R6				
i)		mm Depth (Asphalt)		m²	2450		
ii)		00 mm Depth (Asphalt)		m²	6000		
			545				
C.12		nent Repair Fabric	E15	m²	150		
C.13	Detec	table Warning Surface Tiles	CW 3326-R3	each	22		
	ROAD	WORKS - NEW CONSTRUCTION					
C.14	100 m	m Concrete Sidewalk	CW 3325-R5	m²	30		
	JOINT	FAND CRACK SEALING					
C.15		ctive Crack Maintenance	CW 3250-R7	m	2550		
		CIATED DRAINAGE AND RGROUND WORKS					
C.16		Basin	CW 2130-R12				
i)	SD-02 and G	25B, 1800 mm deep, with Barrier Curb sutter Inlet Frame, Box and Cover (AP- AP-009), 150 mm Restrictor		each	3		
C.17	Sewei	r Service	CW 2130-R12				

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	35		
.18	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	10		
V)	AP-012 - Barrier Curb and Gutter Cover		each	10		
2.19	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1		
2.20	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	8		
2.21	Connecting to Existing Sewer	CW 2130-R12				
a)	Connecting to 300 mm Concrete Combined Sewer		each	1		
b)	Connecting to 375 mm Concrete Combined Sewer		each	5		
c)	Connecting to 525 mm Concrete Combined Sewer		each	1		
2.22	Removal of Existing Catch Basins	CW 2130-R12	each	3		
	ADJUSTMENTS					
2.23	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
2.24	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	6		
ii)	51 mm		each	7		

	(SEE B9)				
DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
64 mm	REF.	each			
Adjustment of Valve Boxes	CW 3210-R8	each	4		
Valve Box Extensions	CW 3210-R8	each	2		
Adjustment of Curb Stop Boxes	CW 3210-R8	each	4		
Replacing Existing Flat Top Reducer	CW 2110-R11	each	10		
LANDSCAPING					
Sodding	CW 3510-R9				
width < 600 mm		m²	2000		
width > or = 600 mm		m²	500		
EDISON AVENUE REHABILITATION - DEG	GRAFF PLACE TO	O ROTH	<u>ESAY</u>	Subtotal:	
DAY STREET REHABILITATION - MCMEA	NS AVENUE TO	KILDAR	E AVENUE		
EARTH AND BASE WORKS					
Grading of Boulevards	CW 3110-R19	m²	2500		
ROADWORKS - RENEWALS					
Slab Replacement	CW 3230-R8				
200 mm Concrete Pavement (Reinforced)		m²	350		
Partial Slab Patches	CW 3230-R8				
200 mm Concrete Pavement (Type A)		m²	30		
200 mm Concrete Pavement (Type B)		m²	200		
200 mm Concrete Pavement (Type C)		m²	10		
200 mm Concrete Pavement (Type D)		m²	30		
Drilled Dowels	CW 3230-R8				
19.1 mm Diameter		each	310		
Drilled Tie Bars	CW 3230-R8				
	64 mm Adjustment of Valve Boxes Valve Box Extensions Adjustment of Curb Stop Boxes Replacing Existing Flat Top Reducer LANDSCAPING Sodding width < 600 mm width > or = 600 mm EDISON AVENUE REHABILITATION - DEG STREET DAY STREET REHABILITATION - MCMEAN EARTH AND BASE WORKS Grading of Boulevards ROADWORKS - RENEWALS Slab Replacement 200 mm Concrete Pavement (Reinforced) Partial Slab Patches 200 mm Concrete Pavement (Type A) 200 mm Concrete Pavement (Type B) 200 mm Concrete Pavement (Type C) 200 mm Concrete Pavement (Type D) Drilled Dowels	CESDESCRIPTIONSPEC. REF.64 mmAdjustment of Valve BoxesCW 3210-R8Valve Box ExtensionsCW 3210-R8Adjustment of Curb Stop BoxesCW 3210-R8Replacing Existing Flat Top ReducerCW 2110-R11LANDSCAPINGCW 3510-R9soddingCW 3510-R9width < 600 mm	CESDESCRIPTIONSPEC. REF.UNIT REF.64 mmeachAdjustment of Valve BoxesCW 3210-R8Valve Box ExtensionsCW 3210-R8Adjustment of Curb Stop BoxesCW 3210-R8Replacing Existing Flat Top ReducerCW 2110-R11LANDSCAPINGCW 3510-R9soddingCW 3510-R9width < 600 mm	CES DESCRIPTION SPEC. REF. UNIT APPROX. QUANTITY 64 mm each 2 Adjustment of Valve Boxes CW 3210-R8 each 2 Valve Box Extensions CW 3210-R8 each 2 Adjustment of Curb Stop Boxes CW 3210-R8 each 4 Replacing Existing Flat Top Reducer CW 2110-R11 each 10 LANDSCAPING 2000 width < 600 mm	CES DESCRIPTION SPEC. REF. UNIT APPROX. QUANTITY UNIT PRICE 64 mm each 2 Adjustment of Valve Boxes CW 3210-R8 each 4 Valve Box Extensions CW 3210-R8 each 2 Adjustment of Curb Stop Boxes CW 3210-R8 each 4 Replacing Existing Flat Top Reducer CW 2110-R11 each 10 LANDSCAPING Sodding CW 3510-R9 m² 2000 width < 600 mm

ITEN		DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
			REF.		QUANTITY	J THOL	
0.6	_	Miscellaneous Concrete Slab Renewal	CW 3235-R9			T	
i)		100 mm Sidewalk	SD-228A				
	a)	Less than 5 sq.m.		m²	25		
	b)	5 sq.m. to 20 sq.m.		m²	625		
	c)	Greater than 20 sq.m.		m²	200		
0.7		Adjustment of Precast Sidewalk Blocks	CW 3235-R9	m²	25		
.8		Concrete Curb Renewal	CW 3240-R10				
i)		Barrier (150 mm reveal ht, Dowelled)	SD-205, SD-206A				
	a)	Less than 3 m	00 200/	m	25		
	b)	3 m to 30 m		m	125		
	c)	Greater than 30 m		m	775		
ii)		Modified Barrier (150 mm reveal ht, Dowelled)	SD-203B	m	250		
iii)		Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	150		
0.9		Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)		Main Line Paving					
	a)	Туре ІА		tonne	975		
ii)		Tie-ins and Approaches					
	a)	Туре ІА		tonne	225		
0.10		Planing of Pavement	CW 3450-R6				
i)		1 - 50 mm Depth (Asphalt)		m²	1500		
ii)		50 - 100 mm Depth (Asphalt)		m²	4500		
D.11		Pavement Repair Fabric	E15	m²	150		
0.12		Detectable Warning Surface Tiles	CW 3326-R3	each	56		
		JOINT AND CRACK SEALING					
D.13		Reflective Crack Maintenance	CW 3250-R7	m	1800		
		ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					

UNIT PRIC	CES	(SEE B9)				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D.14	Catch Pit	CW 2130-R12				
i)	SD-023		each	5		
D.15	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	15		
D.16	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	4		
ii)	AP-007 - Standard Solid Cover for Standard Frame		each	2		
iii)	AP-008 - Standard Grated Cover for Standard Frame		each	2		
iv)	AP-011 - Barrier Curb and Gutter Frame		each	2		
v)	AP-012 - Barrier Curb and Gutter Cover		each	2		
D.17	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	5		
	ADJUSTMENTS					
D.18	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
D.19	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	3		
ii)	51 mm		each	2		
D.20	Adjustment of Valve Boxes	CW 3210-R8	each	6		
0.21	Valve Box Extensions	CW 3210-R8	each	2		
0.22	Adjustment of Curb Stop Boxes	CW 3210-R8	each	2		
0.23	Curb Stop Extensions	CW 3210-R8	each	3		
	LANDSCAPING					

JNIT PRIC		0050				
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
).24	Sodding	CW 3510-R9				
i)	width < 600 mm		m²	200		
ii)	width > or = 600 mm		m²	2300		
D	DAY STREET REHABILITATION - MCMEAN	IS AVENUE TO	KILDAR	E AVENUE	Subtotal:	
Е	DAY STREET BICYCLE PATH - MCMEANS	AVENUE TO KI	LDARE	AVENUE		
	EARTH AND BASE WORKS					
∃.1	Excavation	CW 3110-R19	m³	500		
Ξ.2	Crushed Sub-base Material	CW 3110-R19				
i)	50 mm		tonne	675		
Ξ.3	Supplying and Placing Base Course Material	CW 3110-R19	M3	150		
E.4	Grading of Boulevards	CW 3110-R19	m²	2000		
Ξ.5	Separation Geotextile Fabric	CW 3130-R4	m²	1700		
	ROADWORKS - RENEWALS					
Ξ.6	Concrete Curb Renewal	CW 3240-R10				
i)	Curb Ramp (8-12 mm reveal ht, Integral)	SD-229C,D	m	50		
	ROADWORKS - NEW CONSTRUCTION					
Ξ.7	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Туре ІА		tonne	300		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	50		
	JOINT AND CRACK SEALING					
.8	Reflective Crack Maintenance	CW 3250-R7	m	500		
	ASSOCIATED DRAINAGE AND UNDERGROUND WORKS					

JNIT P	RIC	CES	(SEE B9)				
ITEN		DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Ξ.9		Catch Basin	CW 2130-R12				
i)		SD-024, 1800 mm deep		each	3		
Ξ.10		Sewer Service	CW 2130-R12				
i)		250 mm, PVC					
		In a Trench, Class 2 Type B Bedding, Class 2 Backfill		m	9		
Ξ.11		Sewer Repair - Up to 3.0 Meters Long	CW 2130-R12				
i)		300 mm					
	a)	Class 3 Backfill		each	2		
E.12		Sewer Repair - In Addition to First 3.0 Meters	CW 2130-R12				
i)		300 mm					
	a)	Class 3 Backfill		m	3		
E.13		Connecting to Existing Sewer	CW 2130-R12				
	a)	Connecting to 750 mm Concrete Land Drainage Sewer		each	1		
	b)	Connecting to 900 mm Concrete Land Drainage Sewer		each	1		
	c)	Connecting to 1050 mm Concrete Land Drainage Sewer		each	1		
		ADJUSTMENTS					
E.14		Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	2		
E.15		Lifter Rings (AP-010)	CW 3210-R8				
i)		38 mm		each	1		
ii)		51 mm		each	1		
		LANDSCAPING					
E.16		Sodding	CW 3510-R9				
i)		width < 600 mm		m²	200		
ii)		width > or = 600 mm		m²	1800		

UNIT PRICES

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	DAY STREET BICYCLE PATH - MCMEANS AVENUE TO KILDARE AVENUE					

		(SEE B9)				
UNIT PRI	CES					
ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	SUMMARY					
Α	SANFORD FLEMING ROAD REHABILITATIC	Subtotal:				
В	TALBOT AVENUE REHABILITATION - FOST	Subtotal:				
С	EDISON AVENUE REHABILITATION - DEGRAFF PLACE TO ROTHESAY STREET				Subtotal:	
D	DAY STREET REHABILITATION - MCMEAN	Subtotal:				
E	DAY STREET BICYCLE PATH - MCMEANS AVENUE TO KILDARE AVENUE					
TOTAL BI	D PRICE (GST extra)		(i	n figures)		

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

BID BOND

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

TENDER NO. 35-2019

2019 Local Streets - Edison Avenue, Sanford Fleming Road, and Various Other Locations

as more fully set out in the Tender.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance and labour and material payment bonds, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
	Per:	(Seal)
(Witness as to Principal if no seal)	Per:	
	(Name of Surety)	
	By: (Attorney-in-Fact)	(Seal)

FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on ______, 20_____ , 20_____ for

TENDER NO. 35-2019

2019 LOCAL STREETS – EDISON AVENUE, SANFORD FLEMING ROAD, AND VARIOUS OTHER LOCATIONS

The Surety agrees to issue for the Principal:

- 1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and
- 2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender;

If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender.

It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

SIGNED AND SEALED this _	day of	, 20
--------------------------	--------	------

By:

(Name of Surety)

_____ (Seal)

(Attorney-in-Fact)

_ of