



CRAWLSPACE GENERAL NOTES:

- SLOPE ALL WEeping TILE MINIMUM 1% TO SUMP PIT.

LEGEND:

- DIRECTION OF WEeping TILE DOWNWARD SLOPE AT MINIMUM 1% TO SUMP PUMP PIT
- 100 mm PERFORATED WEeping TILE IN TRENCH. REFER TO TYPICAL DETAILS & SECTIONS.
- PERFORATED WEeping TILE
- NON-PERFORATED WEeping TILE
- WEeping TILE CLEAN OUT
- WEeping TILE HIGH POINT
- SUMP PUMP PIT DISCHARGE LINE

DRAWING REFERENCE NOTES:

- REFERENCE NOTE TAG DESCRIPTION
- 1.03 WEeping TILE SUMP PIT, REFER TO DETAILS AP2.02 AND AP2.03.
- 1.04 CONTINUOUS CONCRETE PAVER WALKWAY.
- 1.05 FIRESTOP WALL CONSTRUCTION, REFER TO TYPICAL DETAIL AP2.04.

6	Aug. 08, 2019	Addendum No. 01	HW
5	July 08, 2019	Issued for Construction	HW
4	June 26, 2019	Issued for 100% Pre-Tender Review	HW
3	May 13, 2019	Issued for Pre-Tender Review	HW
2	Feb. 22, 2019	Design Development Submission	CG

No.	Date	Issue / Revision	By
Drawn By: HW			

Printing Date: 08.08.19

LM Architectural Group
 500-136 Market Ave
 Winnipeg, Manitoba
 Canada R3B 0P4
 t: (204) 942.0681
 f: (204) 943.8676
 www.lm-architects.com

Drawings and specifications, as instruments of service are the property of the architects, the copyright in the same being reserved to them. No reproduction may be made without the permission of the architects, and when made, must bear their names. All prints to be returned.
 The contractor is to verify dimensions and data noted herein with conditions on the site and is held responsible for reporting any discrepancy to the architects for adjustment.

Bill and Helen Norrie Library
 Project No.: 2017-082
 Tender No.: 542-2019
 Address: 15 Poseidon Bay, Winnipeg, MB.

Crawlspace Plan