#### FORM A: BID (See B9)

| 1. | Contract Title                 | 2019 Street Renewal Program:<br>Various Other Locations                                       | Dowker Avenue, Mulvey Avenu               | ue and      |
|----|--------------------------------|---|---|-------------|
| 2. | Bidder                         | Name of Bidder  |   |             |
|    |                                | Usual Business Name of Bidder as it ap  | opears on Invoice (if different from abov | /e)         |
|    |                                | Street  |   |             |
|    |                                | City  | Province                                  | Postal Code |
|    |                                | Email Address of Bidder   |   |             |
|    |                                | Facsimile Number  |   |             |
|    | (Mailing address if different) | Street or P.O. Box  |   |             |
|    |                                | City  | Province                                  | Postal Code |
|    | (0)                            | The Bidder is:  |   |             |
|    | (Choose one)                   | a sole proprietor   |   |             |
|    |                                | a partnership   |   |             |
|    |                                | a corporation   |   |             |
|    |                                | carrying on business under the  | above name.                               |             |
| 3. | Contact Person                 | The Bidder hereby authorizes the Bidder for purposes of the B                                 | <b>e</b> 1                                | represent   |
|    |                                | Contact Person  | Title                                     |             |
|    |                                | Telephone Number  | Facsimile Number                          |             |
| 4. | Definitions                    | All capitalized terms used in ascribed to them in the General                                 |   | meanings    |
| 5. | Offer                          | The Bidder hereby offers to p<br>Contract for the Total Bid Price<br>Prices, appended hereto. |   |             |

| 6.  | Bid Security                    | In accordance with B14.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.  |
|-----|---------------------------------|---|
| 7.  | Execution of Contract           | The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.  |
| 8.  | Commencement<br>of the Work     | The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.   |
| 9.  | Contract                        | By submitting a bid in response to this Tender, the Bidder certifies that it<br>has read, understands, and agrees to the terms and conditions of this<br>Tender and that the Tender, in its entirety shall be deemed to be<br>incorporated in and to form a part of this offer notwithstanding that not all<br>parts thereof are necessarily attached to or accompany this Bid. |
| 10. | Addenda                         | The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:    No.     Dated  |
|     |                                 |   |
| 11. | Time                            | This offer shall be open for acceptance, binding and irrevocable for a period of Sixty (60) Calendar Days following the Submission Deadline.  |
| 12. | Indigenous Self-<br>Declaration | The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.   |
|     |                                 | YES, 51% or more Indigenous ownership   |
|     |                                 | NO, it is not   |

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

| 13. Signatures The Bidder or the Bidder's authorized official or officials have si | igned this |
|--|------------|
|--|------------|

\_\_\_\_\_ day of \_\_\_\_\_ , 20\_\_\_\_\_ .

Signature of Bidder or Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

| UNIT PRI | CES  | (SEE B10)     |        |                     |            |        |
|----------|--|---------------|--------|---------------------|------------|--------|
| ITEM     | DESCRIPTION                                | SPEC.<br>REF. | UNIT   | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| PART '   | 1 CITY FUNDED WORK                         | 1             | I      |                     |            |        |
| A        | DOWKER AVENUE - PEMBINA HIGHWAY            | TO EAST LEG O | F CROV | VSON BAY            |            |        |
|          | EARTH AND BASE WORKS                       |               |        |                     |            |        |
| A.1      | Excavation                                 | CW 3110-R19   | m³     | 2800.0              |            |        |
| A.2      | Sub-Grade Compaction                       | CW 3110-R19   | m²     | 5120.0              |            |        |
| A.3      | Placing Suitable Site Sub-base Material    | CW 3110-R19   | m³     | 20.0                |            |        |
| A.4      | Crushed Sub-base Material                  | CW 3110-R19   |        |                     |            |        |
| i)       | 50 mm                                      |               | tonne  | 3960.0              |            |        |
| A.5      | Supplying and Placing Base Course Material | CW 3110-R19   | m³     | 520.0               |            |        |
| A.6      | Grading of Boulevards                      | CW 3110-R19   | m²     | 1935.0              |            |        |
| A.7      | Separation Geotextile Fabric               | CW 3130-R4    | m²     | 5120.0              |            |        |
| A.8      | Supply and Install Geogrid                 | CW 3135-R1    | m²     | 500.0               |            |        |
|          | ROADWORKS - REMOVALS/RENEWALS              |               |        |                     |            |        |
| A.9      | Pavement Removal                           | CW 3110-R19   |        |                     |            |        |
| i)       | Concrete Pavement                          |               | m²     | 520.0               |            |        |
| ii)      | Asphalt Pavement                           |               | m²     | 4160.0              |            |        |
| A.10     | Drilled Tie Bars                           | CW 3230-R8    |        |                     |            |        |
| i)       | 20 M Deformed Tie Bar                      |               | each   | 20.0                |            |        |
| A.11     | Miscellaneous Concrete Slab Removal        | CW 3235-R9    |        |                     |            |        |
| i)       | 100 mm Sidewalk                            |               | m²     | 10.0                |            |        |
| A.12     | Miscellaneous Concrete Slab Renewal        | CW 3235-R9    |        |                     |            |        |
| i)       | 100 mm Sidewalk                            | SD-228A       |        |                     |            |        |
| а        | ) Less than 5 sq.m.                        |               | m²     | 10.0                |            |        |
| b        | ) 5 sq.m. to 20 sq.m.                      |               | m²     | 75.0                |            |        |
| С        | ) Greater than 20 sq.m.                    |               | m²     | 485.0               |            |        |
| A.13     | Adjustment of Precast Sidewalk Blocks      | CW 3235-R9    | m²     | 5.0                 |            |        |
| A.14     | Supply of Precast Sidewalk Blocks          | CW 3235-R9    | m²     | 5.0                 |            |        |
| A.15     | Removal of Precast Sidewalk Blocks         | CW 3235-R9    | m²     | 5.0                 |            |        |

| UNIT PRIC |  | . ,               |       |                     |            |        |
|-----------|--|-------------------|-------|---------------------|------------|--------|
| ITEM      | DESCRIPTION  | SPEC.<br>REF.     | UNIT  | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| 4.16      | Concrete Curb Removal  | CW 3240-R10       |       |                     |            |        |
| i)        | Curb and Gutter  |                   | m     | 810.0               |            |        |
| 4.17      | Regrading Existing Interlocking Paving<br>Stones   | CW 3330-R5        | m²    | 30.0                |            |        |
| A.18      | Construction of Asphaltic Concrete Overlay   | CW 3410-R12       |       |                     |            |        |
| i)        | Tie-ins and Approaches   |                   |       |                     |            |        |
| a)        | Туре ІА  |                   | tonne | 25.0                |            |        |
| A.19      | Planing of Pavement  | CW 3450-R6        |       |                     |            |        |
| i)        | 1 - 50 mm Depth (Asphalt)  |                   | m²    | 250.0               |            |        |
| A.20      | Detectable Warning Surface Tiles   | CW 3326-R3        | each  | 2.0                 |            |        |
|           | ROADWORKS - NEW CONSTRUCTION   |                   |       |                     |            |        |
| A.21      | Concrete Pavements, Median Slabs, Bull-<br>noses, and Safety Medians   | CW 3310-R17       |       |                     |            |        |
| i)        | Construction of 150 mm Concrete Pavement (Reinforced)  |                   | m²    | 540.0               |            |        |
| 4.22      | Concrete Pavements for Early Opening   | CW 3310-R17       |       |                     |            |        |
| i)        | Construction of 150 mm Concrete Pavement for Early Opening 72 hour (Reinforced)  |                   | M2    | 50.0                |            |        |
| 4.23      | Concrete Curbs, Curb and Gutter, and Splash Strips   | CW 3310-R17       |       |                     |            |        |
| i)        | Construction of Modified Barrier (180 mm ht, Integral)   | SD-203B           | m     | 25.0                |            |        |
| ii)       | Construction of Curb and Gutter (150mm ht,<br>Barrier, Integral, Slip Form Paving, 600 mm<br>width, 150 mm Plain Concrete Pavement)  | SD-200            | m     | 470.0               |            |        |
| iii)      | Construction of Curb and Gutter (180 mm ht,<br>Modified Barrier, Integral, 600 mm width, 150<br>mm Plain Concrete Pavement)          | SD-200<br>SD-203B | m     | 60.0                |            |        |
| iv)       | Construction of Curb and Gutter (40 mm ht,<br>Lip Curb, Integral, Slip Form Paving, 600 mm<br>width, 150 mm Plain Concrete Pavement) | SD-200<br>SD-202B | m     | 155.0               |            |        |
| v)        | Construction of Curb and Gutter (8-12 mm ht,<br>Curb Ramp, Integral, 600 mm width, 150 mm<br>Plain Concrete Pavement)                | SD-200<br>SD-229E | m     | 80.0                |            |        |
| vi)       | Construction of Lip Curb (40 mm ht, Integral)  | SD-202B           | m     | 15.0                |            |        |
| vii)      | Construction of Curb Ramp (8-12 mm ht, Integral)   | SD-229C           | m     | 35.0                |            |        |
| ۹.24      | 100 mm Concrete Sidewalk   | CW 3325-R5        | m²    | 510.0               |            |        |

| JNIT PRIC<br>ITEM | DESCRIPTION  | SPEC.<br>REF. | UNIT  | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|-------------------|--|---------------|-------|---------------------|------------|--------|
| ۹.25              | Construction of Asphaltic Concrete                                   | CW 3410-R12   |       | QUANTIT             |            |        |
| i)                | Pavements<br>Main Line Paving  |               |       |                     |            |        |
| a)                | Туре ІА  |               | tonne | 480.0               |            |        |
| ii)               | Tie-ins and Approaches   |               |       |                     |            |        |
| a)                | Туре ІА  |               | tonne | 70.0                |            |        |
| A.26              | Construction of Asphaltic Concrete Base<br>Course (Type III)         | CW 3410-R12   | tonne | 740.0               |            |        |
|                   | JOINT AND CRACK SEALING  |               |       |                     |            |        |
| 4.27              | Crack Sealing  | CW 3250-R7    |       |                     |            |        |
| i)                | 2 mm to 10 mm Wide   |               | m     | 515.0               |            |        |
| ٩.28              | ASSOCIATED DRAINAGE AND<br>UNDERGROUND WORKS<br>Catch Basin          | CW 2130-R12   |       |                     |            |        |
| i)                | SD-024, 1200 mm deep   |               | each  | 1.0                 |            |        |
| ii)               | SD-024, 1800 mm deep   |               | each  | 4.0                 |            |        |
| iii)              | SD-025, 1800 mm deep   |               | each  | 5.0                 |            |        |
| 4.29              | Catch Pit  | CW 2130-R12   |       |                     |            |        |
| i)                | SD-023   |               | each  | 5.0                 |            |        |
| A.30              | Remove and Replace Existing Catch Basin                              | CW 2130-R12   |       |                     |            |        |
| i)                | SD-024   |               | each  | 1.0                 |            |        |
| A.31              | Sewer Service  | CW 2130-R12   |       |                     |            |        |
| i)                | 250 mm, PVC  |               |       |                     |            |        |
| a)                | Trenchless Installation, Class B Type 2<br>Bedding, Class 3 Backfill |               | m     | 65.0                |            |        |
| 4.32              | Drainage Connection Pipe   | CW 2130-R12   | m     | 15.0                |            |        |
| <b>\</b> .33      | Frames & Covers  | CW 3210-R8    |       |                     |            |        |
| i)                | AP-006 - Standard Frame for Manhole and Catch Basin                  |               | each  | 14.0                |            |        |
| ii)               | AP-007 - Standard Solid Cover for Standard<br>Frame                  |               | each  | 11.0                |            |        |
| iii)              | AP-008 - Standard Grated Cover for<br>Standard Frame                 |               | each  | 3.0                 |            |        |
| \.34              | Connecting to Existing Catch Basin                                   | CW 2130-R12   |       |                     |            |        |
| i)                | 250 mm Drainage Connection Pipe                                      |               | each  | 5.0                 |            |        |

|      |   | 0050               |         |                     |            |        |
|------|---|--------------------|---------|---------------------|------------|--------|
| ITEM | DESCRIPTION   | SPEC.<br>REF.      | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| A.35 | Connecting to Existing Sewer  | CW 2130-R12        |         |                     |            |        |
| i)   | 250 mm (PVC) Connecting Pipe  |                    |         |                     |            |        |
| a)   | Connecting to 375 mm (Conc ) Sewer  |                    | each    | 4.0                 |            |        |
| b)   | Connecting to 600 mm (Conc) Sewer   |                    | each    | 6.0                 |            |        |
| A.36 | Removal of Existing Catch Basins  | CW 2130-R12        | each    | 11.0                |            |        |
| A.37 | Abandoning Existing Drainage Inlets   | CW 2130-R12        | each    | 2.0                 |            |        |
| A.38 | Plugging Existing Sewers and Sewer<br>Services Smaller Than 300 Millimeters | CW 2130-R12        | each    | 4.0                 |            |        |
| A.39 | Abandoning Existing Sewer Services Under<br>Existing Pavement               | CW 2130-R12        | each    | 7.0                 |            |        |
| A.40 | Installation of Subdrains   | CW 3120-R4         | m       | 120.0               |            |        |
|      | ADJUSTMENTS   |                    |         |                     |            |        |
| A.41 | Adjustment of Manholes/Catch Basins<br>Frames                               | CW 3210-R8         | each    | 14.0                |            |        |
| A.42 | Replacing Existing Risers   | CW 2130-R12        |         |                     |            |        |
| i)   | Pre-cast Concrete Risers  |                    | vert. m | 1.0                 |            |        |
| A.43 | Lifter Rings (AP-010)   | CW 3210-R8         |         |                     |            |        |
| i)   | 51 mm   |                    | each    | 14.0                |            |        |
| A.44 | Adjustment of Valve Boxes   | CW 3210-R8         | each    | 10.0                |            |        |
| A.45 | Valve Box Extensions  | CW 3210-R8         | each    | 1.0                 |            |        |
| A.46 | Adjustment of Curb Stop Boxes   | CW 3210-R8         | each    | 20.0                |            |        |
| A.47 | Curb Stop Extensions  | CW 3210-R8         | each    | 10.0                |            |        |
|      | LANDSCAPING   |                    |         |                     |            |        |
| A.48 | Sodding   | CW 3510-R9         |         |                     |            |        |
| i)   | width < 600 mm  |                    | m²      | 185.0               |            |        |
| ii)  | width > or = 600 mm   |                    | m²      | 1750.0              |            |        |
|      | MISCELLANEOUS   |                    |         |                     |            |        |
| A.49 | Hydro Excavation  | E14                | hr      | 16.0                |            |        |
| A.50 | Adjustment of Sprinkler Head and/or<br>Drainage Pipe                        | E12                | each    | 2.0                 |            |        |
| A.51 | Replace Existing Sprinkler Pipe   | E12                | m       | 5.0                 |            |        |
| Α    | DOWKER AVENUE - PEMBINA HIGHWAY   | I<br>TO EAST LEG C | OF CROV | SON BAY             |            |        |
|      |   |                    |         |                     | Subtotal:  |        |

| <u>JNIT PRI</u><br>ITEM | DESCRIPTION                                      | SPEC.<br>REF.      | UNIT  | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|-------------------------|--|--------------------|-------|---------------------|------------|--------|
| В                       | MAUREEN STREET - ASSINIBOINE AVENU               |                    | DRIVE | QUANTIT             |            |        |
|                         | EARTH AND BASE WORKS                             |                    |       |                     |            |        |
| B.1                     | Supplying and Placing Base Course Material       | CW 3110-R19        | m³    | 10.0                |            |        |
| B.2                     | Grading of Boulevards                            | CW 3110-R19        | m²    | 1700.0              |            |        |
|                         | ROADWORKS - REMOVALS/RENEWALS                    |                    |       |                     |            |        |
| B.3                     | Slab Replacement                                 | CW 3230-R8         |       |                     |            |        |
| i)                      | 150 mm Concrete Pavement (Reinforced)            |                    | m²    | 455.0               |            |        |
| B.4                     | Partial Slab Patches                             | CW 3230-R8         |       |                     |            |        |
| i)                      | 150 mm Concrete Pavement (Type A)                |                    | m²    | 25.0                |            |        |
| ii)                     | 150 mm Concrete Pavement (Type B)                |                    | m²    | 75.0                |            |        |
| iii)                    | 150 mm Concrete Pavement (Type C)                |                    | m²    | 10.0                |            |        |
| iv)                     | 150 mm Concrete Pavement (Type D)                |                    | m²    | 15.0                |            |        |
| B.5                     | Drilled Dowels                                   | CW 3230-R8         |       |                     |            |        |
| i)                      | 19.1 mm Diameter                                 |                    | each  | 110.0               |            |        |
| B.6                     | Drilled Tie Bars                                 | CW 3230-R8         |       |                     |            |        |
| i)                      | 20 M Deformed Tie Bar                            |                    | each  | 335.0               |            |        |
| B.7                     | Adjustment of Precast Sidewalk Blocks            | CW 3235-R9         | m²    | 10.0                |            |        |
| B.8                     | Supply of Precast Sidewalk Blocks                | CW 3235-R9         | m²    | 10.0                |            |        |
| B.9                     | Removal of Precast Sidewalk Blocks               | CW 3235-R9         | m²    | 10.0                |            |        |
| B.10                    | Concrete Curb Removal                            | CW 3240-R10        |       |                     |            |        |
| i)                      | Barrier Integral                                 |                    | m     | 105.0               |            |        |
| B.11                    | Concrete Curb Installation                       | CW 3240-R10        |       |                     |            |        |
| i)                      | Modified Barrier (180 mm reveal ht,<br>Dowelled) | SD-203B            | m     | 75.0                |            |        |
| ii)                     | Modified Barrier (180 mm reveal ht, Integral)    | SD-203B            | m     | 30.0                |            |        |
| iii)                    | Modified Lip Curb (40 mm reveal ht,              | SD-202C            | m     | 35.0                |            |        |
| B.12                    | Dowelled)<br>Concrete Curb Renewal               | CW 3240-R10        |       |                     |            |        |
| i)                      | Barrier (100 mm reveal ht, Dowelled)             | SD-205,<br>SD-206A |       |                     |            |        |
| a                       | Less than 3 m                                    |                    | m     | 5.0                 |            |        |

|            |  | SPEC.         |        |                     |            |        |
|------------|--|---------------|--------|---------------------|------------|--------|
| ITEM       | DESCRIPTION  | REF.          | UNIT   | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| .13        | Regrading Existing Interlocking Paving<br>Stones   | CW 3330-R5    | m²     | 25.0                |            |        |
| .14        | Construction of Asphaltic Concrete Overlay   | CW 3410-R12   |        |                     |            |        |
| i)         | Main Line Paving   |               |        |                     |            |        |
| a)         | Туре ІА  |               | tonne  | 605.0               |            |        |
| ii)        | Tie-ins and Approaches   |               |        |                     |            |        |
| a)         | Туре ІА  |               | tonne  | 65.0                |            |        |
| B.15       | Planing of Pavement  | CW 3450-R6    |        |                     |            |        |
| i)         | 1 - 50 mm Depth (Asphalt)  |               | m²     | 40.0                |            |        |
| ii)        | 1 - 50 mm Depth (Concrete)   |               | m²     | 25.0                |            |        |
| 3.16       | Pavement Repair Fabric   | E10           | m²     | 175.0               |            |        |
|            | JOINT AND CRACK SEALING  |               |        |                     |            |        |
|            | JOINT AND CRACK SEALING  |               |        |                     |            |        |
| 3.17       | Reflective Crack Maintenance   | CW 3250-R7    | m      | 665.0               |            |        |
| 3.18       | ASSOCIATED DRAINAGE AND<br>UNDERGROUND WORKS<br>Catch Basin                                      | CW 2130-R12   |        |                     |            |        |
| i)         | SD-024, 1800 mm deep   | 0002130-1(12  | each   | 3.0                 |            |        |
| "<br>3.19  | Catch Pit  | CW 2130-R12   | each   | 5.0                 |            |        |
|            | SD-023   | 010 2130-1(12 | aaab   | 5.0                 |            |        |
| i)<br>3 20 | Remove and Replace Existing Catch Pit  | CW 2120 P12   | each   | 5.0                 |            |        |
| i)         | SD-023   | CW 2130-R12   | each   | 1.0                 |            |        |
| ı)<br>3.21 | Sewer Service  | CW 2130-R12   | each   | 1.0                 |            |        |
|            |  | GW 2130-R12   |        |                     |            |        |
| i)         | 250 mm, PVC  |               |        | 45.0                |            |        |
| a)<br>3.22 | Trenchless Installation, Class B Type 2<br>Bedding, Class 3 Backfill<br>Drainage Connection Pipe | CW 2130-R12   | m<br>m | 15.0<br>15.0        |            |        |
| 3.23       | Frames & Covers  | CW 3210-R8    |        |                     |            |        |
| i)         | AP-015 - Mountable Curb and Gutter Frame   | 5             | each   | 1.0                 |            |        |
| i)         | AP-017 - Mountable Curb and Gutter Paving<br>Cover   | E16           | each   | 1.0                 |            |        |

| ITEM | CES DESCRIPTION  | SPEC.        | UNIT    | APPROX.  | UNIT PRICE | AMOUNT |
|------|--|--------------|---------|----------|------------|--------|
|      |  | REF.         |         | QUANTITY |            |        |
| 3.24 | Connecting to Existing Manhole                         | CW 2130-R12  |         |          |            |        |
| i)   | 250 mm Catch Basin Lead                                |              | each    | 2.0      |            |        |
| B.25 | Connecting to Existing Catch Basin                     | CW 2130-R12  |         |          |            |        |
| i)   | 250 mm Drainage Connection Pipe                        |              | each    | 6.0      |            |        |
| B.26 | Connecting New Sewer Service to Existing Sewer Service | CW 2130-R12  |         |          |            |        |
| i)   | 250 mm   |              | each    | 1        |            |        |
| B.27 | Abandoning Existing Drainage Inlets                    | CW 2130-R12  | each    | 8.0      |            |        |
|      | ADJUSTMENTS  |              |         |          |            |        |
| B.28 | Adjustment of Manholes/Catch Basins<br>Frames          | CW 3210-R8   | each    | 5.0      |            |        |
| B.29 | Replacing Existing Risers                              | CW 2130-R12  |         |          |            |        |
| i)   | Pre-cast Concrete Risers                               |              | vert. m | 1.0      |            |        |
| B.30 | Adjustment of Valve Boxes                              | CW 3210-R8   | each    | 2.0      |            |        |
| B.31 | Adjustment of Curb and Gutter Frames                   | CW 3210-R8   | each    | 1.0      |            |        |
|      | LANDSCAPING  |              |         |          |            |        |
| B.32 | Sodding  | CW 3510-R9   |         |          |            |        |
| i)   | width < 600 mm   |              | m²      | 200.0    |            |        |
| ii)  | width > or = 600 mm                                    |              | m²      | 1500.0   |            |        |
|      | MISCELLANEOUS  |              |         |          |            |        |
| 3.33 | Adjustment of Sprinkler Head and/or<br>Drainage Pipe   | E12          | each    | 2.0      |            |        |
| B.34 | Replace Existing Sprinkler Pipe                        | E12          | m       | 5.0      |            |        |
| в    | MAUREEN STREET - ASSINIBOINE AVEN                      | UE TO BARRON | DRIVE   |          | Subtotal:  |        |

| JNIT PR |   | (SEE B10)     |            |                     | <u>_</u>   |        |
|---------|---|---------------|------------|---------------------|------------|--------|
| ITEM    | DESCRIPTION   | SPEC.<br>REF. | UNIT       | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| С       | MULVEY AVENUE - LILAC STREET TO AR                      | BUTHNOT STRI  | <u>EET</u> |                     |            |        |
|         | EARTH AND BASE WORKS                                    |               |            |                     |            |        |
| C.1     | Excavation  | CW 3110-R19   | m³         | 1010.0              |            |        |
| C.2     | Sub-Grade Compaction                                    | CW 3110-R19   | m²         | 1635.0              |            |        |
| C.3     | Placing Suitable Site Sub-base Material                 | CW 3110-R19   | m³         | 115.0               |            |        |
| C.4     | Supplying and Placing Clay Borrow Sub-<br>base Material | CW 3110-R19   | M3         | 110.0               |            |        |
| C.5     | Crushed Sub-base Material                               | CW 3110-R19   |            |                     |            |        |
| i)      | 50 mm   |               | tonne      | 1265.0              |            |        |
| C.6     | Supplying and Placing Base Course Material              | CW 3110-R19   | m³         | 165.0               |            |        |
| C.7     | Grading of Boulevards                                   | CW 3110-R19   | m²         | 1615.0              |            |        |
| C.8     | Separation Geotextile Fabric                            | CW 3130-R4    | m²         | 1635.0              |            |        |
| C.9     | Supply and Install Geogrid                              | CW 3135-R1    | m²         | 820.0               |            |        |
|         | ROADWORKS - REMOVALS/RENEWALS                           |               |            |                     |            |        |
| C.10    | Pavement Removal  | CW 3110-R19   |            |                     |            |        |
| i)      | Concrete Pavement                                       |               | m²         | 1375.0              |            |        |
| C.11    | Drilled Tie Bars  | CW 3230-R8    |            |                     |            |        |
| i)      | 20 M Deformed Tie Bar                                   |               | each       | 20.0                |            |        |
| C.12    | Miscellaneous Concrete Slab Renewal                     | CW 3235-R9    |            |                     |            |        |
| i)      | 100 mm Sidewalk   | SD-228A       |            |                     |            |        |
| a       | a) Less than 5 sq.m.                                    |               | m²         | 5.0                 |            |        |
| t       | o) Greater than 20 sq.m.                                |               | m²         | 515.0               |            |        |
| C.13    | Adjustment of Precast Sidewalk Blocks                   | CW 3235-R9    | m²         | 10.0                |            |        |
| C.14    | Supply of Precast Sidewalk Blocks                       | CW 3235-R9    | m²         | 5.0                 |            |        |
| C.15    | Removal of Precast Sidewalk Blocks                      | CW 3235-R9    | m²         | 5.0                 |            |        |

| ITEM | CES DESCRIPTION   | SPEC.               | UNIT  | APPROX.  | UNIT PRICE | AMOUNT |
|------|---|---------------------|-------|----------|------------|--------|
| C.16 | Concrete Curb Renewal   | REF.<br>CW 3240-R10 |       | QUANTITY |            |        |
|      |   |                     |       |          |            |        |
| i)   | Barrier (100 mm reveal ht, Dowelled)  | SD-205,<br>SD-206A  |       |          |            |        |
| ii)  | Barrier (150 mm reveal ht, Dowelled)  | SD-205,<br>SD-206A  |       |          |            |        |
| iii) | Barrier (180 mm reveal ht, Dowelled)  | SD-205,<br>SD-206A  |       |          |            |        |
| a    | Less than 3 m   | 00 200, (           | m     | 5.0      |            |        |
| C.17 | Regrading Existing Interlocking Paving<br>Stones  | CW 3330-R5          | m²    | 5.0      |            |        |
| C.18 | Construction of Asphaltic Concrete Overlay  | CW 3410-R12         |       |          |            |        |
| i)   | Tie-ins and Approaches  |                     |       |          |            |        |
| a    | Туре ІА   |                     | tonne | 10.0     |            |        |
| C.19 | Planing of Pavement   | CW 3450-R6          |       |          |            |        |
| i)   | 1 - 50 mm Depth (Asphalt)   |                     | m²    | 350.0    |            |        |
|      | ROADWORKS - NEW CONSTRUCTION  |                     |       |          |            |        |
| 0.20 | Concrete Pavements, Median Slabs, Bull-<br>noses, and Safety Medians  | CW 3310-R17         |       |          |            |        |
| i)   | Construction of 150 mm Concrete Pavement (Reinforced)   |                     | m²    | 90.0     |            |        |
| C.21 | Concrete Curbs, Curb and Gutter, and Splash Strips  | CW 3310-R17         |       |          |            |        |
| i)   | Construction of Modified Barrier (180 mm<br>ht, Integral)   | SD-203B             | m     | 25.0     |            |        |
| ii)  | Construction of Curb and Gutter (150mm ht,<br>Barrier, Integral, Slip Form Paving, 600 mm<br>width, 150 mm Plain Concrete Pavement) | SD-200              | m     | 275.0    |            |        |
| iii) | Construction of Curb and Gutter (180 mm ht,<br>Modified Barrier, Integral, 600 mm width, 150<br>mm Plain Concrete Pavement)         | SD-200<br>SD-203B   | m     | 25.0     |            |        |
| iv)  | Construction of Curb and Gutter (8-12 mm ht,<br>Curb Ramp, Integral, 600 mm width, 150<br>mm Plain Concrete Pavement)               | SD-200<br>SD-229E   | m     | 30.0     |            |        |
| v)   | Construction of Lip Curb (40 mm ht,<br>Integral)  | SD-202B             | m     | 10.0     |            |        |
| vi)  | Construction of Curb Ramp (8-12 mm ht,<br>Integral)   | SD-229C             | m     | 15.0     |            |        |
| 0.22 | Construction of Asphaltic Concrete<br>Pavements   | CW 3410-R12         |       |          |            |        |
| i)   | Main Line Paving  |                     |       |          |            |        |
| a    | Туре IA   |                     | tonne | 200.0    |            |        |
| ii)  | Tie-ins and Approaches  |                     |       |          |            |        |
| a    | Туре ІА   |                     | tonne | 10.0     |            |        |

|            |   | 0050          |         |                     |            |        |
|------------|---|---------------|---------|---------------------|------------|--------|
| ITEM       | DESCRIPTION   | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| 0.23       | Construction of Asphaltic Concrete Base<br>Course (Type III)                            | CW 3410-R12   | tonne   | 200.0               |            |        |
|            | JOINT AND CRACK SEALING   |               |         |                     |            |        |
| 0.24       | Crack Sealing   | CW 3250-R7    |         |                     |            |        |
| i)         | 2 mm to 10 mm Wide  |               | m       | 165.0               |            |        |
| C.25       | ASSOCIATED DRAINAGE AND<br>UNDERGROUND WORKS<br>Catch Basin                             | CW 2130-R12   |         |                     |            |        |
|            |   | 01121001112   | aaah    | 1.0                 |            |        |
| i)         | SD-024, 1800 mm deep  |               | each    | 4.0                 |            |        |
| C.26       | Sewer Service   | CW 2130-R12   |         |                     |            |        |
| i)         | 250 mm, PVC   |               |         |                     |            |        |
| a)<br>C.27 | Trenchless Installation, Class B Type 2<br>Bedding, Class 3 Backfill<br>Frames & Covers | CW 3210-R8    | m       | 20.0                |            |        |
| i)         | AP-006 - Standard Frame for Manhole and Catch Basin                                     |               | each    | 2.0                 |            |        |
| ii)        | AP-007 - Standard Solid Cover for Standard Frame  |               | each    | 2.0                 |            |        |
| C.28       | Connecting to Existing Sewer  | CW 2130-R12   |         |                     |            |        |
| i)         | 250 mm (PVC) Connecting Pipe  |               |         |                     |            |        |
| a)         | Connecting to 300 mm (Clay ) Sewer  |               | each    | 2.0                 |            |        |
| b)         | Connecting to 450 mm (Clay) Sewer   |               | each    | 2.0                 |            |        |
| C.29       | Removal of Existing Catch Basins  | CW 2130-R12   | each    | 2.0                 |            |        |
| C.30       | Abandoning Existing Drainage Inlets   | CW 2130-R12   | each    | 2.0                 |            |        |
| C.31       | Abandoning Existing Sewer Services Under Existing Pavement                              | CW 2130-R12   | each    | 2.0                 |            |        |
| 0.32       | Installation of Subdrains   | CW 3120-R4    | m       | 48.0                |            |        |
|            | ADJUSTMENTS   |               |         |                     |            |        |
| 0.33       | Adjustment of Manholes/Catch Basins<br>Frames   | CW 3210-R8    | each    | 4.0                 |            |        |
| C.34       | Replacing Existing Risers   | CW 2130-R12   |         |                     |            |        |
| i)         | Pre-cast Concrete Risers  |               | vert. m | 1.0                 |            |        |
| C.35       | Lifter Rings (AP-010)   | CW 3210-R8    |         |                     |            |        |
| i)         | 51 mm   |               | each    | 4.0                 |            |        |

| UNIT PRI | CES                             | (OLL DIO)     |      |                     |            |        |
|----------|---------------------------------|---------------|------|---------------------|------------|--------|
| ITEM     | DESCRIPTION                     | SPEC.<br>REF. | UNIT | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| C.36     | Adjustment of Valve Boxes       | CW 3210-R8    | each | 3.0                 |            |        |
| C.37     | Valve Box Extensions            | CW 3210-R8    | each | 1.0                 |            |        |
| C.38     | Adjustment of Curb Stop Boxes   | CW 3210-R8    | each | 22.0                |            |        |
| C.39     | Curb Stop Extensions            | CW 3210-R8    | each | 10.0                |            |        |
|          | LANDSCAPING                     |               |      |                     |            |        |
| C.40     | Sodding                         | CW 3510-R9    |      |                     |            |        |
| i)       | width < 600 mm                  |               | m²   | 180.0               |            |        |
| ii)      | width > or = 600 mm             |               | m²   | 1350.0              |            |        |
|          | MISCELLANEOUS                   |               |      |                     |            |        |
| C.41     | Hydro Excavation                | E14           | hr   | 10.0                |            |        |
| С        | MULVEY AVENUE - LILAC STREET TO | ARBUTHNOT STR | EET  | 1                   | Subtotal:  |        |

| UNIT PR<br>ITEM | DESCRIPTION                                       | SPEC.<br>REF. | UNIT                        | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|-----------------|---|---------------|-----------------------------|---------------------|------------|--------|
| D               | NESS AVENUE - PEBBLEWOOD LANE TO                  |               |                             | QUANTITY            |            |        |
| D.1             | Supplying and Placing Base Course Material        | CW 3110-R19   | <u>ле</u><br>m <sup>3</sup> | 10.0                |            |        |
| D.2             | Grading of Boulevards                             | CW 3110-R19   | m²                          | 1225.0              |            |        |
|                 | ROADWORKS - REMOVALS/RENEWALS                     |               |                             |                     |            |        |
| D.3             | Slab Replacement - Early Opening (72 hour)        | CW 3230-R8    |                             |                     |            |        |
| i)              | 150 mm Concrete Pavement (Reinforced)             |               | m²                          | 40.0                |            |        |
| D.4             | Partial Slab Patches<br>- Early Opening (72 hour) | CW 3230-R8    |                             |                     |            |        |
| i)              | 150 mm Concrete Pavement (Type A)                 |               | M2                          | 10.0                |            |        |
| ii)             | 150 mm Concrete Pavement (Type B)                 |               | M2                          | 40.0                |            |        |
| iii)            | 150 mm Concrete Pavement (Type C)                 |               | m²                          | 10.0                |            |        |
| iv)             | 150 mm Concrete Pavement (Type D)                 |               | m²                          | 70.0                |            |        |
| D.5             | Drilled Dowels                                    | CW 3230-R8    |                             |                     |            |        |
| i)              | 19.1 mm Diameter                                  |               | each                        | 45.0                |            |        |
| D.6             | Drilled Tie Bars                                  | CW 3230-R8    |                             |                     |            |        |
| i)              | 20 M Deformed Tie Bar                             |               | each                        | 85.0                |            |        |
| D.7             | Miscellaneous Concrete Slab Removal               | CW 3235-R9    |                             |                     |            |        |
| i)              | Monolithic Median Slab                            |               | m²                          | 35.0                |            |        |
| ii)             | 100 mm Sidewalk                                   |               | m²                          | 120.0               |            |        |
| iii)            | Bullnose  |               | m²                          | 6.0                 |            |        |
| D.8             | Miscellaneous Concrete Slab Installation          | CW 3235-R9    |                             |                     |            |        |
| i)              | Safety Median                                     | SD-226B       | m²                          | 35.0                |            |        |
| ii)             | 100 mm Sidewalk                                   | SD-228A       | m²                          | 160.0               |            |        |
| D.9             | Miscellaneous Concrete Slab Renewal               | CW 3235-R9    |                             |                     |            |        |
| i)              | 100 mm Sidewalk                                   | SD-228A       |                             |                     |            |        |
| a               | a) Less than 5 sq.m.                              |               | m²                          | 5.0                 |            |        |
| t               | b) 5 sq.m. to 20 sq.m.                            |               | m²                          | 90.0                |            |        |
| C               | c) Greater than 20 sq.m.                          |               | m²                          | 345.0               |            |        |
| D.10            | Adjustment of Precast Sidewalk Blocks             | CW 3235-R9    | m²                          | 5.0                 |            |        |

| UNIT PRI |  | (SEE B10)          |       |                     |            |        |
|----------|--|--------------------|-------|---------------------|------------|--------|
| ITEM     | DESCRIPTION  | SPEC.<br>REF.      | UNIT  | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| D.11     | Supply of Precast Sidewalk Blocks  | CW 3235-R9         | m²    | 5.0                 |            |        |
| D.12     | Removal of Precast Sidewalk Blocks   | CW 3235-R9         | m²    | 5.0                 |            |        |
| D.13     | Concrete Curb Removal  | CW 3240-R10        |       |                     |            |        |
| i)       | Barrier Integral   |                    | m     | 70.0                |            |        |
| ii)      | Curb Ramp  |                    | m     | 20.0                |            |        |
| D.14     | Concrete Curb Installation   | CW 3240-R10        |       |                     |            |        |
| i)       | Barrier (100 mm reveal ht, Dowelled)   | SD-205             | m     | 20.0                |            |        |
| ii)      | Modified Barrier (180 mm reveal ht,<br>Dowelled)                               | SD-203B            | m     | 60.0                |            |        |
| iii)     | Curb Ramp (8-12 mm reveal ht, Monolithic)                                      | SD-229A,B,C        | m     | 20.0                |            |        |
| D.15     | Concrete Curb Renewal  | CW 3240-R10        |       |                     |            |        |
| i)<br>a) | Barrier (100 mm reveal ht, Dowelled), Slip<br>Form Paving<br>Greater than 30 m | SD-205,<br>SD-206A | m     | 570.0               |            |        |
| ii)      | Curb Ramp (8-12 mm reveal ht, Monolithic)                                      | SD-229C,D          | m     | 50.0                |            |        |
| D.16     | Regrading Existing Interlocking Paving<br>Stones                               | CW 3330-R5         | m²    | 5.0                 |            |        |
| D.17     | Construction of Asphaltic Concrete Overlay                                     | CW 3410-R12        |       |                     |            |        |
| i)       | Main Line Paving   |                    |       |                     |            |        |
| a)       | Туре ІА  |                    | tonne | 940.0               |            |        |
| ii)      | Tie-ins and Approaches   |                    |       |                     |            |        |
| a)       | Туре ІА  |                    | tonne | 115.0               |            |        |
| D.18     | Planing of Pavement  | CW 3450-R6         |       |                     |            |        |
| i)       | 1 - 50 mm Depth (Asphalt)  |                    | m²    | 3950.0              |            |        |
| ii)      | 50 - 100 mm Depth (Asphalt)  |                    | m²    | 100.0               |            |        |
| D.19     | Pavement Repair Fabric   | E10                | m²    | 1970.0              |            |        |
| D.20     | Detectable Warning Surface Tiles   | CW 3326-R3         | each  | 14.0                |            |        |
|          | JOINT AND CRACK SEALING  |                    |       |                     |            |        |
| D.21     | Reflective Crack Maintenance   | CW 3250-R7         | m     | 485.0               |            |        |

| UNIT PRI |  | 0050          |         |                     |            |        |
|----------|--|---------------|---------|---------------------|------------|--------|
| ITEM     | DESCRIPTION  | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|          | ASSOCIATED DRAINAGE AND<br>UNDERGROUND WORKS                         |               |         |                     |            |        |
| D.22     | Catch Basin  | CW 2130-R12   |         |                     |            |        |
| i)       | SD-024, 1800 mm deep   |               | each    | 2.0                 |            |        |
| D.23     | Catch Pit  | CW 2130-R12   |         |                     |            |        |
| i)       | SD-023   |               | each    | 1.0                 |            |        |
| D.24     | Sewer Service  | CW 2130-R12   |         |                     |            |        |
| i)       | 250 mm, PVC  |               |         |                     |            |        |
| a)       | Trenchless Installation, Class B Type 2<br>Bedding, Class 3 Backfill |               | m       | 5.0                 |            |        |
| D.25     | Drainage Connection Pipe   | CW 2130-R12   | m       | 7.0                 |            |        |
| D.26     | Frames & Covers  | CW 3210-R8    |         |                     |            |        |
| i)       | AP-006 - Standard Frame for Manhole and Catch Basin                  |               | each    | 1.0                 |            |        |
| ii)      | AP-007 - Standard Solid Cover for Standard<br>Frame                  |               | each    | 1.0                 |            |        |
| iii)     | AP-011 - Barrier Curb and Gutter Frame                               |               | each    | 1.0                 |            |        |
| iv)      | AP-012 - Barrier Curb and Gutter Cover                               |               | each    | 1.0                 |            |        |
| D.27     | Connecting to Existing Catch Basin                                   | CW 2130-R12   |         |                     |            |        |
| i)       | 250 mm Drainage Connection Pipe                                      |               | each    | 1.0                 |            |        |
| D.28     | Removal of Existing Catch Basins                                     | CW 2130-R12   | each    | 2.0                 |            |        |
| D.29     | Abandoning Existing Drainage Inlets                                  | CW 2130-R12   | each    | 2.0                 |            |        |
|          | ADJUSTMENTS  |               |         |                     |            |        |
| D.30     | Adjustment of Manholes/Catch Basins                                  | CW 3210-R8    | each    | 3.0                 |            |        |
| D.31     | Frames<br>Replacing Existing Risers                                  | CW 2130-R12   |         |                     |            |        |
| i)       | Pre-cast Concrete Risers   |               | vert. m | 1.0                 |            |        |
| D.32     | Lifter Rings (AP-010)  | CW 3210-R8    |         |                     |            |        |
| i)       | 51 mm  |               | each    | 1.0                 |            |        |
| D.33     | Adjustment of Valve Boxes  | CW 3210-R8    | each    | 4.0                 |            |        |
| D.34     | Adjustment of Curb Stop Boxes  | CW 3210-R8    | each    | 1.0                 |            |        |
| D.35     | Adjustment of Curb and Gutter Frames                                 | CW 3210-R8    | each    | 1.0                 |            |        |
|          |  |               |         |                     |            |        |

| UNIT | PRI | CES |
|------|-----|-----|
|------|-----|-----|

| ITEM | DESCRIPTION  | SPEC.<br>REF. | UNIT | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|------|---------------------|------------|--------|
|      | LANDSCAPING  |               |      |                     |            |        |
| D.36 | Sodding  | CW 3510-R9    |      |                     |            |        |
| i)   | width < 600 mm                                       |               | m²   | 225.0               |            |        |
| ii)  | width > or = 600 mm                                  |               | m²   | 1000.0              |            |        |
|      | MISCELLANEOUS  |               |      |                     |            |        |
| D.37 | Adjustment of Sprinkler Head and/or<br>Drainage Pipe | E12           | each | 2.0                 |            |        |
| D.38 | Replace Existing Sprinkler Pipe                      | E12           | m    | 5.0                 |            |        |
| D    | NESS AVENUE - PEBBLEWOOD LANE T                      | O STURGEON RO | DAD  | 1                   | Subtotal:  |        |

|      | CES  | (SEE B10)     |         |                     |            |        |
|------|--|---------------|---------|---------------------|------------|--------|
| ITEM | DESCRIPTION                                      | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| Е    | WHITEGATES CRESCENT - MAUREEN STI                | REET TO BARR  | ON DRI\ | <u>/E</u>           |            |        |
|      | EARTH AND BASE WORKS                             |               |         |                     |            |        |
| Ξ.1  | Supplying and Placing Base Course Material       | CW 3110-R19   | m³      | 10.0                |            |        |
| Ξ.2  | Grading of Boulevards                            | CW 3110-R19   | m²      | 2000.0              |            |        |
|      | ROADWORKS - REMOVALS/RENEWALS                    |               |         |                     |            |        |
| Ξ.3  | Slab Replacement                                 | CW 3230-R8    |         |                     |            |        |
| i)   | 150 mm Concrete Pavement (Reinforced)            |               | m²      | 30.0                |            |        |
| E.4  | Partial Slab Patches                             | CW 3230-R8    |         |                     |            |        |
| i)   | 150 mm Concrete Pavement (Type A)                |               | m²      | 30.0                |            |        |
| ii)  | 150 mm Concrete Pavement (Type B)                |               | m²      | 20.0                |            |        |
| iii) | 150 mm Concrete Pavement (Type C)                |               | m²      | 10.0                |            |        |
| iv)  | 150 mm Concrete Pavement (Type D)                |               | m²      | 30.0                |            |        |
| Ξ.5  | Drilled Dowels                                   | CW 3230-R8    |         |                     |            |        |
| i)   | 19.1 mm Diameter                                 |               | each    | 70.0                |            |        |
| 5.6  | Drilled Tie Bars                                 | CW 3230-R8    |         |                     |            |        |
| i)   | 20 M Deformed Tie Bar                            |               | each    | 165.0               |            |        |
| ≣.7  | Miscellaneous Concrete Slab Renewal              | CW 3235-R9    |         |                     |            |        |
| i)   | 100 mm Sidewalk                                  | SD-228A       |         |                     |            |        |
| a)   | Less than 5 sq.m.                                |               | m²      | 10.0                |            |        |
| Ξ.8  | Adjustment of Precast Sidewalk Blocks            | CW 3235-R9    | m²      | 20.0                |            |        |
| Ē.9  | Supply of Precast Sidewalk Blocks                | CW 3235-R9    | m²      | 10.0                |            |        |
| E.10 | Removal of Precast Sidewalk Blocks               | CW 3235-R9    | m²      | 10.0                |            |        |
| E.11 | Concrete Curb Removal                            | CW 3240-R10   |         |                     |            |        |
| i)   | Barrier Integral                                 |               | m       | 85.0                |            |        |
| E.12 | Concrete Curb Installation                       | CW 3240-R10   |         |                     |            |        |
| ii)  | Modified Barrier (180 mm reveal ht,<br>Dowelled) | SD-203B       | m       | 105.0               |            |        |
| iii) | Modified Lip Curb (40 mm reveal ht,<br>Dowelled) | SD-202C       | m       | 35.0                |            |        |

| ITEM | DESCRIPTION  | SPEC.<br>REF. | UNIT  | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
|------|--|---------------|-------|---------------------|------------|--------|
| E.13 | Concrete Curb Renewal  | CW 3240-R10   |       | QUANTITY            |            |        |
| a)   | Less than 3 m  |               | m     | 5.0                 |            |        |
| E.14 | Regrading Existing Interlocking Paving<br>Stones                     | CW 3330-R5    | m²    | 25.0                |            |        |
| E.15 | Construction of Asphaltic Concrete Overlay                           | CW 3410-R12   |       |                     |            |        |
| i)   | Main Line Paving   |               |       |                     |            |        |
| a)   | Туре ІА  |               | tonne | 720.0               |            |        |
| ii)  | Tie-ins and Approaches   |               |       |                     |            |        |
| a)   | Туре ІА  |               | tonne | 82.0                |            |        |
| E.16 | Planing of Pavement  | CW 3450-R6    |       |                     |            |        |
| i)   | 1 - 50 mm Depth (Asphalt)  |               | m²    | 260.0               |            |        |
| E.17 | Pavement Repair Fabric   | E10           | m²    | 575.0               |            |        |
|      | JOINT AND CRACK SEALING  |               |       |                     |            |        |
| E.18 | Reflective Crack Maintenance   | CW 3250-R7    | m     | 780.0               |            |        |
|      | ASSOCIATED DRAINAGE AND<br>UNDERGROUND WORKS                         |               |       |                     |            |        |
| E.19 | Catch Basin  | CW 2130-R12   |       |                     |            |        |
| i)   | SD-024, 1800 mm deep   |               | each  | 3.0                 |            |        |
| E.20 | Catch Pit  | CW 2130-R12   |       |                     |            |        |
| i)   | SD-023   |               | each  | 5.0                 |            |        |
| E.21 | Sewer Service  | CW 2130-R12   |       |                     |            |        |
| i)   | 250 mm, PVC  |               |       |                     |            |        |
| a)   | Trenchless Installation, Class B Type 2<br>Bedding, Class 3 Backfill |               | m     | 15.0                |            |        |
| E.22 | Drainage Connection Pipe   | CW 2130-R12   | m     | 20.0                |            |        |
| E.23 | Frames & Covers  | CW 3210-R8    |       |                     |            |        |
| i)   | AP-011 - Barrier Curb and Gutter Frame                               |               | each  | 2.0                 |            |        |
| ii)  | AP-012 - Barrier Curb and Gutter Cover                               |               | each  | 2.0                 |            |        |
| E.24 | Connecting to Existing Manhole                                       | CW 2130-R12   |       |                     |            |        |
| i)   | 250 mm Catch Basin Lead  |               | each  | 2.0                 |            |        |

|      | CES   | (SEE B10)     |         |                     |            |        |
|------|---|---------------|---------|---------------------|------------|--------|
| ITEM | DESCRIPTION   | SPEC.<br>REF. | UNIT    | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| E.25 | Connecting to Existing Catch Basin  | CW 2130-R12   |         |                     |            |        |
| i)   | 250 mm Drainage Connection Pipe   |               | each    | 5.0                 |            |        |
| E.26 | Removal of Existing Catch Basins  | CW 2130-R12   | each    | 1.0                 |            |        |
| E.27 | Abandoning Existing Drainage Inlets   | CW 2130-R12   | each    | 7.0                 |            |        |
| E.28 | Plugging Existing Sewers and Sewer<br>Services Smaller Than 300 Millimeters | CW 2130-R12   | each    | 1.0                 |            |        |
|      | ADJUSTMENTS   |               |         |                     |            |        |
| E.29 | Adjustment of Manholes/Catch Basins<br>Frames                               | CW 3210-R8    | each    | 1.0                 |            |        |
| E.30 | Replacing Existing Risers   | CW 2130-R12   |         |                     |            |        |
| i)   | Pre-cast Concrete Risers  |               | vert. m | 1.0                 |            |        |
| E.31 | Adjustment of Valve Boxes   | CW 3210-R8    | each    | 1.0                 |            |        |
| E.32 | Adjustment of Curb and Gutter Frames  | CW 3210-R8    | each    | 2.0                 |            |        |
|      | LANDSCAPING   |               |         |                     |            |        |
| E.33 | Sodding   | CW 3510-R9    |         |                     |            |        |
| i)   | width < 600 mm  |               | m²      | 200.0               |            |        |
| ii)  | width > or = 600 mm   |               | m²      | 1800.0              |            |        |
|      | MISCELLANEOUS   |               |         |                     |            |        |
| E.34 | Adjustment of Sprinkler Head and/or<br>Drainage Pipe                        | E12           | each    | 2.0                 |            |        |
| E.35 | Replace Existing Sprinkler Pipe   | E12           | m       | 5.0                 |            |        |
| E    | WHITEGATES CRESCENT - MAUREEN ST  | REET TO BARR  | ON DRIV | <u>/E</u>           | Subtotal:  |        |

| JNIT PRI |   | · · · ·             |      |                     |            |        |
|----------|---|---------------------|------|---------------------|------------|--------|
| ITEM     | DESCRIPTION   | SPEC.<br>REF.       | UNIT | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| F        | WATER AND WASTE WORK                                    |                     |      |                     |            |        |
|          | DOWKER AVE - WATERMAIN AND<br>WATER SERVICES INSULATION |                     |      |                     |            |        |
| 1        | Watermain and Water Service Insulation                  | E13                 |      |                     |            |        |
| i)       | Pipe Under Roadway Excavation (SD-018)                  |                     | m²   | 305.0               |            |        |
|          | DOWKER AVE - SEWER REPAIR (MA6001                       | 7399)               |      |                     |            |        |
| 2        | Sewer Repair - Up to 3.0 Meters Long                    | CW 2130-R12,        |      |                     |            |        |
| i)       | 375mm   | E17                 |      |                     |            |        |
| a)       | Class 3 Backfill  |                     | each | 1.0                 |            |        |
| 3        | Sewer Inspection ( following repair)                    | CW 2145-R4,<br>E17  |      |                     |            |        |
| i)       | 375 mm, Land Drainage Sewer                             |                     | m    | 41.0                |            |        |
|          | DOWKER AVE - SEWER REPAIR (MA6001                       | 7467)               |      |                     |            |        |
| 4        | Sewer Repair - Up to 3.0 Meters Long                    | CW 2130-R12,<br>E17 |      |                     |            |        |
| i)       | 375mm   |                     |      |                     |            |        |
| a)       | Class 3 Backfill  |                     | each | 2.0                 |            |        |
| 5        | Sewer Inspection (following repair)                     | CW 2145-R4,<br>E17  |      |                     |            |        |
| i)       | 375 mm, Land Drainage Sewer                             |                     | m    | 27.0                |            |        |
|          | DOWKER AVE - SEWER REPAIR (MA6001                       | 7648)               |      |                     |            |        |
| 6        | Sewer Repair - Up to 3.0 Meters Long                    | CW 2130-R12,<br>E17 |      |                     |            |        |
| i)       | 375mm   |                     |      |                     |            |        |
| a)       | Class 3 Backfill  |                     | each | 2.0                 |            |        |
| 7        | Sewer Inspection (following repair)                     | CW 2145-R4,<br>E17  |      |                     |            |        |
| i)       | 375 mm, Land Drainage Sewer                             |                     | m    | 46.0                |            |        |
|          | DOWKER AVE - SEWER REPAIR (MA6001                       | 7513)               |      |                     |            |        |
| 8        | Sewer Repair - Up to 3.0 Meters Long                    | CW 2130-R12,<br>E17 |      |                     |            |        |
| i)       | 600 mm  |                     |      |                     |            |        |
| a        | Class 3 Backfill  |                     | each | 1.0                 |            |        |

|      | 2ES  | (SEE B10)           |      |                     |            |        |
|------|--|---------------------|------|---------------------|------------|--------|
| ITEM | DESCRIPTION                                    | SPEC.<br>REF.       | UNIT | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| F.9  | Sewer Repair - In Addition to First 3.0 Meters | CW 2130-R12,<br>E17 |      |                     |            |        |
| i)   | 600 mm   |                     |      |                     |            |        |
| a)   | Class 3 Backfill                               |                     | m    | 3.0                 |            |        |
| F.10 | Sewer Inspection ( following repair)           | CW 2145-R4,<br>E17  |      |                     |            |        |
| i)   | 600 mm, Land Drainage Sewer                    | L17                 | m    | 106.0               |            |        |
|      | DOWKER AVE - SEWER REPAIR (MA60017             | /509)               |      |                     |            |        |
| F.11 | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12,<br>E17 |      |                     |            |        |
| i)   | 300 mm   | 217                 |      |                     |            |        |
| a)   | Class 3 Backfill                               |                     | each | 1.0                 |            |        |
| F.12 | Sewer Inspection ( following repair)           | CW 2145-R4,         |      |                     |            |        |
| i)   | 300 mm,Waste Water Sewer                       | E17                 | m    | 96.0                |            |        |
|      | DOWKER AVE - SEWER REPAIR (MA60017             | <b>/</b> 462)       |      |                     |            |        |
| F.13 | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12,<br>E17 |      |                     |            |        |
| i)   | 200 mm   | 217                 |      |                     |            |        |
| a)   | Class 3 Backfill                               |                     | each | 1.0                 |            |        |
| F.14 | Sewer Inspection ( following repair)           | CW 2145-R4,         |      |                     |            |        |
| i)   | 200 mm, Waste Water Sewer                      | E17                 | m    | 37.0                |            |        |
|      | MAUREEN ST - SEWER REPAIR (MA20003             | 455)                |      |                     |            |        |
| F.15 | Sewer Repair - Up to 3.0 Meters Long           | CW 2130-R12,<br>E17 |      |                     |            |        |
| i)   | 450 mm   |                     |      |                     |            |        |
| a)   | Class 3 Backfill                               |                     | each | 1.0                 |            |        |
|      | 1  |                     |      |                     |            |        |

|      | CES   | (SEE D10)           |      |                     |            |        |
|------|---|---------------------|------|---------------------|------------|--------|
| ITEM | DESCRIPTION   | SPEC.<br>REF.       | UNIT | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| F.16 | Sewer Inspection (following repair)                     | CW 2145-R4,<br>E17  |      |                     |            |        |
| i)   | 450 mm, Land Drainage Sewer                             |                     | m    | 61.0                |            |        |
|      | MULVEY AVE - WATERMAIN AND WATER<br>SERVICES INSULATION |                     |      |                     |            |        |
| F.17 | Watermain and Water Service Insulation                  | E13                 |      |                     |            |        |
| i)   | Pipe Under Roadway Excavation (SD-018)                  |                     | m²   | 250.0               |            |        |
|      | MAUREEN ST - SEWER REPAIR (MA20002                      | 889)                |      |                     |            |        |
| F.18 | Sewer Repair - Up to 3.0 Meters Long                    | CW 2130-R12,<br>E17 |      |                     |            |        |
| i)   | 375mm   |                     |      |                     |            |        |
| a)   | Class 3 Backfill  |                     | each | 1.0                 |            |        |
| F.19 | Sewer Inspection ( following repair)                    | CW 2145-R4,<br>E17  |      |                     |            |        |
| i)   | 375 mm, Land Drainage Sewer                             |                     | m    | 111.0               |            |        |
|      | WHITEGATES CRES - SEWER REPAIR (MA                      |                     |      |                     |            |        |
| F.20 | Sewer Repair - Up to 3.0 Meters Long                    | CW 2130-R12,<br>E17 |      |                     |            |        |
| i)   | 375mm   |                     |      |                     |            |        |
| a)   | Class 3 Backfill  |                     | each | 2.0                 |            |        |
| F.21 | Sewer Inspection ( following repair)                    | CW 2145-R4,<br>E17  |      |                     |            |        |
| i)   | 375 mm, Land Drainage Sewer                             |                     | m    | 91.0                |            |        |
| F    | WATER AND WASTE WORK                                    |                     |      |                     | Subtotal:  |        |

|        | CES  | (SEE B10)     |             |                     |            |        |
|--------|--|---------------|-------------|---------------------|------------|--------|
| ITEM   | DESCRIPTION  | SPEC.<br>REF. | UNIT        | APPROX.<br>QUANTITY | UNIT PRICE | AMOUNT |
| PART 2 | 2 MANITOBA HYDRO<br>(See B10.5, B18.2.1, B19.6, D2,  | D14.2-3, I    | 015.4)      |                     |            |        |
| G      | MULVEY AVENUE - LILAC STREET TO ARE  | BUTHNOT STR   | REET, STI   | <u>REET</u>         |            |        |
| G.1    | Removal of 15' to 35' street light pole and<br>precast, poured in place concrete, steel<br>power installed base or direct buried<br>including davit arm, luminaire and<br>appurtenances  | E15           | each        | 4.0                 |            |        |
| G.2    | Installation of 50 mm conduit(s) by boring method complete with cable insertion (#4 AL C/N or 1/0 AL Triplex).   | E15           | lin.m       | 160.0               |            |        |
| G.3    | Installation of 25'/35' pole, davit arm and precast concrete base including luminaire and appurtenances.   | E15           | each        | 4.0                 |            |        |
| G.4    | Installation of one (1) 10' ground rod at every<br>3rd street light, at the end of every street light<br>circuit and anywhere else as shown on the<br>design drawings. Trench #4 ground wire up<br>to 1 m from rod location to new street light<br>and connect (hammerlock) to top of the<br>ground rod. | E15           | each        | 2.0                 |            |        |
| G.5    | Splicing #4 AI C/N or 2 single conductor street light cables.  | E15           | set         | 2.0                 |            |        |
| G.6    | Installation of overhead span of #4 duplex<br>between new or existing streetlight poles and<br>connect luminaire to provide temporary<br>Overhead Feed.  | E15           | per<br>span | 4.0                 |            |        |
| G.7    | Removal of overhead span of #4 duplex<br>between new or existing streetlight poles to<br>remove temporary Overhead Feed.   | E15           | per<br>span | 4.0                 |            |        |
| G.8    | Expose underground cable entrance of<br>existing streetlight pole and install new<br>streetlight cable.  | E15           | each        | 2.0                 |            |        |
| G      | MULVEY AVENUE - LILAC STREET TO ARE  | BUTHNOT STR   | REET, STI   | REET                | Subtotal:  |        |

|  |  | (SEE B10)     |           |                     |               |        |  |  |  |
|--|--|---------------|-----------|---------------------|---------------|--------|--|--|--|
| JNIT PRIO<br>ITEM  | DESCRIPTION  | SPEC.<br>REF. | UNIT      | APPROX.<br>QUANTITY | UNIT PRICE    | AMOUNT |  |  |  |
| SUMMARY  |  |               |           |                     |               |        |  |  |  |
| PART 1   | CITY FUNDED WORK                                     |               |           |                     |               |        |  |  |  |
| Α  | DOWKER AVENUE - PEMBINA HIGHWAY T                    | Subtotal:     |           |                     |               |        |  |  |  |
| В  | MAUREEN STREET - ASSINIBOINE AVENU                   | Subtotal:     |           |                     |               |        |  |  |  |
| С  | MULVEY AVENUE - LILAC STREET TO ARBUTHNOT STREET     |               |           |                     | Subtotal:     |        |  |  |  |
| D  | NESS AVENUE - PEBBLEWOOD LANE TO STURGEON ROAD       |               |           | Subtotal:           |               |        |  |  |  |
| Е  | WHITEGATES CRESCENT - MAUREEN STREET TO BARRON DRIVE |               |           | Subtotal:           |               |        |  |  |  |
| F  | WATER AND WASTE WORK                                 |               |           |                     | Subtotal:     |        |  |  |  |
|  |  |               |           | (total              | price) PART 1 |        |  |  |  |
| PART 2 MANITOBA HYDRO<br>(See B10.5, B18.2.1, B19.6, D2, D14.2-3, D15.4) |  |               |           |                     |               |        |  |  |  |
| G  | MULVEY AVENUE - LILAC STREET TO ARE                  | REET          | Subtotal: |                     |               |        |  |  |  |
|  |  |               |           | (total              | price) PART 2 |        |  |  |  |
| TOTAL BI   | D PRICE (GST extra)                                  |               | (i        | n figures)          |               |        |  |  |  |

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B14)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS THAT

(hereinafter called the "Principal") and

(hereinafter called the "Surety"), are held and firmly bound unto **THE CITY OF WINNIPEG** (hereinafter called the "Obligee") in the sum of ten percent (10%) of the Total Bid Price set out in the Bid hereinafter described, for the payment of which sum the Principal and Surety bind themselves, their heirs, executors, administrators, successors and assigns, jointly and severally, firmly by these presents.

WHEREAS the Principal has submitted a Bid to the Obligee for

TENDER NO. 59-2019\_Addendum\_2

2019 Street Renewal Program: Dowker Avenue, Mulvey Avenue and Various Other Locations

as more fully set out in the Tender.

NOW THEREFORE the condition of this obligation is such that if the Bid of the Principal is not accepted, or if said Bid is accepted and the Principal, in accordance with the terms of the Bid, enters into a Contract with the said Obligee and furnishes the required performance and labour and material payment bonds, this obligation shall be void, but otherwise shall remain in full force and effect.

IN WITNESS WHEREOF the Principal and Surety have signed and sealed this bond the

| day of                                | , 20                    |        |
|---------------------------------------|-------------------------|--------|
| SIGNED AND SEALED in the presence of: | (Name of Principal)     |        |
| (Witness as to Principal if no seal)  | Per:<br>Per:            |        |
|                                       | (Name of Surety)<br>By: | (Seal) |

of

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B14)

#### AGREEMENT TO BOND

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with **THE CITY OF WINNIPEG** to become bound as Surety for the Principal,

(Name of Bidder)

(Place)

the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_\_, for

TENDER NO. 59-2019\_Addendum\_2

# 2019 STREET RENEWAL PROGRAM: DOWKER AVENUE, MULVEY AVENUE AND VARIOUS OTHER LOCATIONS

The Surety agrees to issue for the Principal:

- 1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and
- 2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender;

If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender.

It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within Sixty (60) Calendar Days following the Submission Deadline.

AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding.

| SIGNED AND SEALED | ) this | dav of | 20 .   |  |
|-------------------|--------|--------|--------|--|
|                   |        | auy oi | <br>L0 |  |

(Name of Surety)

By: (Attorney-in-Fact)

\_ (Seal)