#### FORM A: BID (See B8)

1.	Contract Title	2019/20 Fermor Ave From Lagimodiere Blvd to Plessis Rd, Asphalt Reconstruction
2.	Bidder	Name of Bidder
		Usual Business Name of Bidder as it appears on Invoice (if different from above)
		Street
		City Province Postal Cod
		Email Address of Bidder
		Facsimile Number
	(Mailing address if different)	Street or P.O. Box
		City Province Postal Cod
	(0	The Bidder is:
	(Choose one)	a sole proprietor
		a partnership
		a corporation
		carrying on business under the above name.
3.	Contact Person	The Bidder hereby authorizes the following contact person to represer the Bidder for purposes of the Bid.
		Contact Person Title
		Telephone Number Facsimile Number
4.	Definitions	All capitalized terms used in the Contract shall have the meaning ascribed to them in the General Conditions.
5.	Offer	The Bidder hereby offers to perform the Work in accordance with th Contract for the Total Bid Price, in Canadian funds, set out on Form E Prices, appended hereto.

6.	Bid Security	In accordance with B13.1, the Bidder encloses bid security in the form of a bid bond (Form G1: Bid Bond and Agreement to Bond) and agrees that it shall be held by the City in accordance with the Contract.
7.	Execution of Contract	The Bidder agrees to execute and return the Contract no later than seven (7) Calendar Days after receipt of the Contract, in the manner specified in C4.
8.	Commencement of the Work	The Bidder agrees that no Work shall commence until he/she is in receipt of a letter of intent from the Award Authority authorizing the commencement of the Work.
9.	Contract	By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.
10.	Addenda	The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:
		No Dated
		<del></del>
11.	Time	This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.
12.	Indigenous Self- Declaration	The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.
		YES, 51% or more Indigenous ownership
		☐ NO, it is not
		This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

13.	Signatures	The Bidder or the Bidder's authorized official or officials have signed this
		, 20
		Signature of Bidder or Bidder's Authorized Official or Officials
		(Print here name and official capacity of individual whose signature appears above)
		(Print here name and official capacity of individual whose signature appears above)

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART '	1 CITY FUNDED WORK	•		,		
A	Fermor Avenue - West of Lagimodiere B Lagimodiere Boulevard Intersection (Re					
	EARTH AND BASE WORKS					
A.1	Excavation	CW 3110-R20, E12	m³	3100		
A.2	Sub-Grade Compaction	CW 3110-R20, E12	m²	6300		
<b>1.3</b>	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	2100		
ii)	100 mm - Limestone		tonne	4400		
۸.4	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	475		
A.5	Removal of Existing Concrete Bases	CW 3110-R20				
i)	600 mm Diameter or Less		each	11		
A.6	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	5100		
A.7	Supply and Install Geogrid	CW 3135-R2, E12	m²	4150		
A.8	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	175		
<b>\.</b> 9	Construction of French Drains	E15	each	7		
	ROADWORKS - RENEWALS					
x.10	Pavement Removal	CW 3110-R20				
i)	Concrete Pavement		m²	1300		
ii)	Asphalt Pavement		m²	1800		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.11	Partial Slab Patches - Early Opening (72 hour)	CW 3230-R8				
i)	200 mm Concrete Pavement (Type A)		m²	10		
ii)	200 mm Concrete Pavement (Type B)		m²	100		
iii)	200 mm Concrete Pavement (Type C)		m²	25		
iv)	200 mm Concrete Pavement (Type D)		m²	25		
A.12	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	125		
A.13	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	15		
ii)	20 M Deformed Tie Bar		each	400		
A.14	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m²	410		
ii)	Bullnose		m²	5		
A.15	Concrete Curb Removal	CW 3240-R10				
i)	Barrier Integral		m	45		
ii)	Curb Ramp		m	15		
iii)	Splash Strip Monolithic		m	110		
A.16	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	9000		
ii)	50 - 100 mm Depth (Asphalt)		m²	2600		
A.17	Detectable Warning Surface Tiles	CW 3326-R3	each	4		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
A.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	320		
ii)	Construction of Concrete Median Slabs	SD-227A	m²	240		
iii)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	25		
۸.19	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	600		
A.20	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17, E17				
i)	Barrier (150 mm ht, Dowelled)	SD-205	m	50		
ii)	Barrier (180 mm ht, Integral)	SD-204	m	40		
iii)	Curb and Gutter (180 mm reveal ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	35		
iv)	Construction of Mountable Curb and Gutter (120 mm ht.)		m	125		
v)	Curb Ramp (8-12 mm reveal ht, Monolithic)	SD-229C	m	12		
vi)	Splash Curb for Asphaltic Concrete Pavement (100 mm ht, Barrier Curb, 750 mm width)		m	40		
vii)	Splash Curb for Asphaltic Concrete Pavement (150 mm ht, Barrier Curb, 750 mm width)		m	410		
viii)	Splash Strip, (Separate, 600 mm width)	SD-223B	m	70		
A.21	100 mm Concrete Sidewalk c/w Paving Stone Band (Paving Stone Band Paid Separately)	CW 3325-R5	m²	35		
A.22	Interlocking Paving Stones	CW 3335-R1, E14				
i)	Banding Strip		m²	5		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
A.23	Construction of Asphaltic Concrete Pavements	CW 3410-R12		Q0/111111		
i)	Main Line Paving					
a)	Type IA		tonne	940		
ii)	Tie-ins and Approaches					
a)	Туре ІА		tonne	330		
A.24	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	940		
	JOINT AND CRACK SEALING					
A.25	Reflective Crack Maintenance	CW 3250-R7	m	3250		
	ADJUSTMENTS					
A.26	Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	4		
A.27	Adjustment of Traffic Signal Service Box Frames	CW 3210-R8	each	6		
۸.28	Lifter Rings (AP-010)	CW 3210-R8				
i)	38 mm		each	1		
ii)	51 mm		each	1		
iii)	64 mm		each	1		
iv)	76 mm		each	1		
Α	Fermor Avenue - West of Lagimodiere Bo					
^	Lagimodiere Boulevard Intersection (Ref	abilitation and V	<u>Videning</u>	<u>a</u> )	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
В	E/B Fermor Avenue - East of Lagimodiere and Widening)	Boulevard (Asp	halt Re	construction		
	EARTH AND BASE WORKS					
B.1	Excavation	CW 3110-R20, E12	m³	32500		
B.2	Hydro-Excavation	E13	hour	20		
B.3	Sub-Grade Compaction	CW 3110-R20, E12	m²	15100		
B.4	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	8100		
ii)	100 mm - Limestone		tonne	27900		
B.5	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	2150		
B.6	Imported Fill Material	CW 3110-R20, E11	m³	20000		
B.7	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	9000		
B.8	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	24800		
3.9	Supply and Install Geogrid	CW 3135-R2, E12	m²	24800		
B.10	Preparation of Existing Ground Surface	CW 3170-R3	m²	13500		
B.11	Construction of French Drains	E15	each	23		
	ROADWORKS - RENEWALS					
B.12	Pavement Removal	CW 3110-R20				
i)	Concrete Pavement		m²	5000		
ii)	Asphalt Pavement		m²	5600		
B.13	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	25		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
3.14	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	25		
ii)	20 M Deformed Tie Bar		each	25		
3.15	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m²	750		
3.16	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
3.17	Remove and Salvage Existing Crash Attenuation Unit	E10	each	1		
	ROADWORKS - NEW CONSTRUCTION					
3.18	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	40		
ii)	Construction of Monolithic Concrete Bullnoses	SD-227C	m²	5		
3.19	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17, E17				
i)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	35		
ii)	Construction of Mountable Curb 100 mm ht (Integral)	SD-201	m	12		
iii)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	140		
iv)	Construction of Mountable Curb and Gutter (120 mm ht.)		m	1670		
v)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	12		
vi)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	7		
vii)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	1640		
3.20	100 mm Concrete Sidewalk	CW 3325-R5	m²	70		

ITEM	DESCRIPTION	SPEC.	UNIT	APPROX.	UNIT PRICE	AMOUNT
		REF.		QUANTITY		
B.21	Construction of Asphaltic Concrete	CW 3410-R12				
	Pavements					
i)	Main Line Paving					
a)	Type IA		tonne	2750		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	95		
B.22	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	6625		
	JOINT AND CRACK SEALING					
B.23	Reflective Crack Maintenance	CW 3250-R7	m	3500		
В	E/B Fermor Avenue - East of Lagimodiere and Widening)	<u>construction</u>	Subtotal:			

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
С	W/B Fermor Avenue - East of Lagimodies Reconstruction)	re Boulevard (As	phalt_			
	EARTH AND BASE WORKS					
C.1	Excavation	CW 3110-R20, E12	m³	19220		
C.2	Hydro-Excavation	E13	hour	20		
C.3	Sub-Grade Compaction	CW 3110-R20, E12	m²	32700		
C.4	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	8110		
ii)	100 mm - Limestone		tonne	28225		
C.5	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	2010		
C.6	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	26700		
C.7	Supply and Install Geogrid	CW 3135-R2, E12	m²	25700		
C.8	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	1550		
C.9	Construction of French Drains	E15	each	23		
	ROADWORKS - RENEWALS					
C.10	Pavement Removal	CW 3110-R20				
i)	Concrete Pavement		m²	28800		
ii)	Asphalt Pavement		m²	925		
C.11	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	25		
C.12	Drilled Tie Bars	CW 3230-R8				
i)	15 M Deformed Tie Bar		each	30		
ii)	20 M Deformed Tie Bar		each	175		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.13	Miscellaneous Concrete Slab Removal	CW 3235-R9				
i)	Median Slab		m²	860		
C.14	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	105		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	70		
C.15	Planing of Pavement	CW 3450-R6				
i)	1 - 50 mm Depth (Asphalt)		m²	650		
C.16	Detectable Warning Surface Tiles	CW 3326-R3	each	8		
	ROADWORKS - NEW CONSTRUCTION					
C.17	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	1080		
ii)	Construction of Concrete Median Slabs	SD-227A	m²	680		
iii)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	25		
iv)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	55		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.18	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17, E17				
i)	Construction of Barrier (180 mm ht, Dowelled)	SD-205	m	55		
ii)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	175		
iii)	Construction of Mountable Curb w/ Asphalt Overlay (120 mm ht., Dowelled)		m	25		
iv)	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	35		
v)	Construction of Mountable Curb and Gutter (120 mm ht.)		m	1650		
vi)	Construction of Curb and Gutter (8-12 mm ht, Curb Ramp, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200 SD-229E	m	15		
vii)	Construction of Curb Ramp (8-12 mm ht, Monolithic)	SD-229C	m	12		
viii)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	1530		
C.19	Construction of Concrete Median Barrier	E16				
i)	F-Shaped Barrier		m	50		
ii)	Transition Barrier		m	10		
C.20	100 mm Concrete Sidewalk	CW 3325-R5	m²	10		
C.21	100 mm Concrete Sidewalk c/w Paving Stone Band (Paving Stone Band Paid Separately)	CW 3325-R5	m²	70		
C.22	Interlocking Paving Stones	CW 3335-R1, E14				
i)	Banding Strip		m²	5		
C.23	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
а	Type IA		tonne	2875		
ii)	Tie-ins and Approaches					
а	Type IA		tonne	70		
C.24	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	6770		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
C.25	JOINT AND CRACK SEALING Reflective Crack Maintenance	CW 3250-R7	m	3250		
C.26	ADJUSTMENTS Adjustment of Manholes/Catch Basins Frames	CW 3210-R8	each	1		
С	W/B Fermor Avenue - East of Lagimodiere Reconstruction)	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
D	Royal Mint Drive Extension (Concrete Con	nstruction)				
	EARTH AND BASE WORKS					
D.1	Excavation	CW 3110-R20, E12	m³	1550		
D.2	Sub-Grade Compaction	CW 3110-R20, E12	m²	2600		
D.3	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	1875		
D.4	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	205		
D.5	Imported Fill Material	CW 3110-R20, E11	m³	85		
D.6	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	2600		
D.7	Supply and Install Geogrid	CW 3135-R2, E12	m²	2600		
D.8	Preparation of Existing Roadway	CW 3150-R4	m²	100		
D.9	Surfacing Material	CW 3150-R4				
i)	Limestone		tonne	35		
	ROADWORK - REMOVALS/RENEWALS					
D.10	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	30		
D.11	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	50		
D.12	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
а	Type IA		tonne	15		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
D.13	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	1750		
ii)	Construction of Monolithic Concrete Bullnoses	SD-227C	m²	10		
D.14	Concrete Pavements for Early Opening	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement for Early Opening 72 Hour (Reinforced)		m²	530		
D.15	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (180 mm ht, Integral)	SD-204	m	350		
ii)	Construction of Modified Barrier (180 mm ht, Integral)	SD-203B	m	75		
iii)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	85		
D	Royal Mint Drive Extension (Concrete Con	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
E	Multi-use Path (Asphalt Construction)					
	EARTH AND BASE WORKS					
E.1	Excavation	CW 3110-R20, E12	m³	480		
E.2	Sub-Grade Compaction	CW 3110-R20, E12	m²	1550		
E.3	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	560		
E.4	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	120		
E.5	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	1550		
	ROADWORKS - RENEWALS					
E.6	Detectable Warning Surface Tiles	CW 3326-R3	each	4		
E.7	Remove Existing Signs and Barricades	E10	LS	1		
	ROADWORKS - NEW CONSTRUCTION					
E.8	100 mm Concrete Sidewalk	CW 3325-R5	m²	12		
E.9	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
а	) Type IA		tonne	250		
ii)	Tie-ins and Approaches					
а	) Type IA		tonne	30		
E	Multi-use Path (Asphalt Construction)	I		L	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F	Underground Works					
Fermor A	venue - West of Lagimodiere Boulevard up	to and includin	g Lagin	odiere Boule	ard Intersection	on
=.1	Catch Basin	CW 2130-R12				
i)	SD-024, 1800 mm deep		each	4		
=.2	Catch Pit	CW 2130-R12		3		
₹.3	Sewer Service	CW 2130-R12				
i)	250 mm SSP					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	5		
ii)	300 mm SSP					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	40		
=.4	Drainage Connection Pipe	CW 2130-R12	m	8		
<del>-</del> .5	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	3		
ii)	AP-008 - Standard Grated Cover for Standard Frame		each	3		
iii)	AP-015 - Mountable Curb and Gutter Frame		each	1		
iv)	AP-016 - Mountable Curb and Gutter Cover		each	1		
<del>-</del> .6	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Catch Basin Lead		each	1		
=.7	Connecting to Existing Catch Basin	CW 2130-R12				
i)	250 mm Drainage Connection Pipe		each	1		
<del>-</del> .8	Connecting to Existing Sewer	CW 2130-R12				
i)	300 mm PVC Connecting Pipe					
a)	Connecting to 375 mm Conc LDS		each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.9	Removal of Existing Catch Basins	CW 2130-R12	each	6		
F.10	Abandoning Existing Drainage Inlets	CW 2130-R12	each	2		
F.11	Catch Basin Cleaning	CW 2140-R4	each	1		
F.12	Installation of Subdrains	CW 3120-R4	m	36		
F.13	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5				
i)	(250 mm, 1.6 gauge, Galvanized)		m	10		
F.14	Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E20				
i)	(250 mm, 1.6 gauge, Galvanized)		m	10		
F.15	Abandoning Existing Sewer Services Under Pavement	CW 2130-R12				
i)	Existing Catch Basin Leads (250 mm or Under Pavement)		each	6		
F.16	Removal of Existing Culverts	CW 3610-R5	m	7		
E/B Ferm	। or Avenue - East of Lagimodiere Boulevard	I			'	
F.17	Catch Basin	CW 2130-R12, E19				
i)	SD-024, 1800 mm deep		each	1		
ii)	SD-025, 1800 mm deep c/w Ditch Inlet Grate		each	5		
F.18	Catch Pit	CW 2130-R12		1		
F.19	Installation of New Pipe Manhole	CW 2130-R12				
i)	SD-011					
a)	1500 mm		vert. m	2.1		
F.20	Drainage Connection Pipe	CW 2130-R12	m	8		
F.21	Connecting to Existing Manhole	CW 2130-R12				
i)	300 mm Catch Basin Lead		each	1		
F.22	Removal of Existing Catch Basins	CW 2130-R12	each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
.23	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1		
24	Installation of Subdrains	CW 3120-R4	m	12		
<sup>-</sup> .25	Precast Concrete Pipe Culvert - Supply	CW 3610-R5				
i)	1050mm, C76 CL3		m	30		
.26	Precast Concrete Pipe Culvert - Install	CW 3610-R5, E20				
i)	1050mm, C76 CL3					
a)	In a Trench, Class B Bedding & Class 3 Backfill		m	30		
.27	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5				
i)	(450 mm, 1.6 gauge, Galvanized)		m	165		
ii)	(600 mm, 1.6 gauge, Galvanized)		m	20		
iii)	(1050 mm, 2.0 gauge, Galvanized)		m	9.4		
.28	Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E20				
i)	(450 mm, 1.6 gauge, Galvanized)		m	165		
ii)	(600 mm, 1.6 gauge, Galvanized)		m	20		
iii)	(1050 mm, 2.0 gauge, Galvanized)		m	9.4		
.29	Abandoning Existing Sewer Services Under Pavement					
i)	Existing Catch Basin Leads (250 mm or Under Pavement)		each	1		
.30	Removal of Existing Culverts	CW 3610-R5	m	175		
.31	Plugging and Abandoning of Existing Pipe Culverts	CW 3610-R5	m³	5		
.32	Grouted Stone Riprap	CW 3615-R4	m³	50		
.33	Installation of Straw Wattle	E22	m	180		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
Royal Mii	nt Drive and Multi-use Path					
F.34	Catch Basin	CW 2130-R12, E19				
i)	SD-024, 1800 mm deep		each	4		
ii)	SD-025, 1800 mm deep c/w Ditch Inlet Grate		each	1		
F.35	Catch Pit	CW 2130-R12		2		
36	Installation of New Manhole	CW 2130-R12				
i)	SD-010					
a	1200 mm		vert. m	2.5		
ii)	SD-010					
a)	1800 mm		vert. m	3.2		
.37	Land Drainage Sewers	CW 2130-R12, E21				
i)	375mm, PVC SDR-35 LDS					
a	In a Trench, Class B Bedding & Class 3 Backfill		m	45		
b)	In a Trench, Class B Bedding & Class 5 Backfill		m	35		
38	Sewer Service	CW 2130-R12				
i)	250 mm SSP					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	32		
ii)	450 mm SSP					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	18		
.39	Drainage Connection Pipe	CW 2130-R12	m	5		
F.40	Removal of Existing Catch Basins	CW 2130-R12	each	1		
<sup>-</sup> .41	Installation of Subdrains	CW 3120-R4	m	48		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.42	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5				
i)	(450 mm, 1.6 gauge, Galvanized)		m	35		
F.43	Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E20				
i)	(450 mm, 1.6 gauge, Galvanized)		m	35		
F.44	Abandoning Existing Sewer Services Under Pavement					
i)	Existing Catch Basin Leads (250 mm or Under Pavement)		each	1		
F.45	Removal of Existing Culverts	CW 3610-R5	m	50		
W/B Ferm	or Avenue - East of Lagimodiere Boulevard	i	•	•		'
F.46	Catch Basin	CW 2130-R12, E19				
i)	SD-024, 1800 mm deep		each	3		
ii)	SD-025, 1800 mm deep c/w Ditch Inlet Grate		each	1		
F.47	Catch Pit	CW 2130-R12		4		
F.48	Sewer Service	CW 2130-R12				
i)	250 mm, PVC					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	5		
ii)	300 mm, PVC					
a)	In a Trench, Class B Bedding with Sand, Class 3 Backfill		m	20		
F.49	Drainage Connection Pipe	CW 2130-R12	m	8		
F.50	Frames & Covers	CW 3210-R8				
i)	AP-006 - Standard Frame for Manhole and Catch Basin		each	1		
ii)	AP-009 - Beehive Manhole Cover		each	1		
F.51	Connecting to Existing Manhole	CW 2130-R12				
i)	250 mm Catch Basin Lead		each	1		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
F.52	Removal of Existing Catch Basins	CW 2130-R12	each	1		
F.53	Abandoning Existing Drainage Inlets	CW 2130-R12	each	1		
F.54	Installation of Subdrains	CW 3120-R4	m	48		
F.55	Precast Concrete Pipe Culvert - Supply	CW 3610-R5				
i)	1050mm, C76 CL3		m	40		
F.56	Precast Concrete Pipe Culvert - Install	CW 3610-R5, E20				
i)	1050mm, C76 CL3					
a)	Trenchless Installation		m	40		
F.57	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5				
i)	(250 mm, 1.6 gauge, Galvanized)		m	10		
F.58	Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E20				
i)	(250 mm, 1.6 gauge, Galvanized)		m	10		
F.59	Abandoning Existing Sewer Services Under Pavement					
i)	Existing Catch Basin Leads (250 mm or Under Pavement)		each	1		
F.60	Plugging and Abandoning of Existing Pipe Culverts	CW 3610-R5	m³	8		
F.61	Removal of Existing Culverts	CW 3610-R5	m	26		
F.62	Grouted Stone Riprap	CW 3615-R4	m³	35		
F.63	Installation of Straw Wattle	E22	m	150		
F	<u>Underground Works</u>	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
G	Construction Staging/Temporary Works					
	EARTH AND BASE WORKS					
G.1	Excavation	CW 3110-R20, E12	m³	975		
G.2	Sub-Grade Compaction	CW 3110-R20, E12	m²	1700		
G.3	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	1250		
G.4	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	135		
G.5	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	1700		
G.6	Supply and Install Geogrid	CW 3135-R2, E12	m²	1700		
	ROADWORKS - RENEWALS					
G.7	Pavement Removal	CW 3110-R20				
i)	Temporary Asphalt Pavement		m²	1700		
	ROADWORKS - NEW CONSTRUCTION					
G.8	Temporary Asphalt Curb	E18	m	200		
G.9	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Tie-ins and Approaches					
a)	Type IA		tonne	310		
	MISCELLANEOUS					
G.10	City Supplied Precast Concrete Traffic Barriers	E33	each	35		
G.11	Temporary End Treatment	E33	each	1		
G.12	Temporary East End Crossovers	E29	LS	1		
G	Construction Staging/Temporary Works	•		1	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
н	Overhead Sign Structures/Signage and Ro					
	OVERHEAD SIGN STRUCTURES/SIGNAGE	Ē				
H.1	Cast in Place Concrete Pile Foundations for Steel Overhead Sign Support Structures	E25				
i)	S792 - 915 mm Diameter Pile		each	2		
ii)	S793 - 915 mm Diameter Pile		each	2		
H.2	Supply and Installation of New Steel Overhead Sign Support Structures	E26				
i)	S792 - Fermor Avenue. EB; West of Lagimodiere Boulevard		each	1		
ii)	S793 - Fermor Avenue. EB; East of Lagimodiere Boulevard		each	1		
H.3	Supply of Reflective Guide Sign Panels	E28				
i)	5.275 m x 2.438 m		each	2		
ii)	5.000 m x 2.438 m		each	4		
	ROADSIDE PROTECTION					
H.4	Installation of React 350 Crash Attenuator	E30	each	1		
H.5	Supply and Installation of Quadguard II Crash Attenuator	E30	each	4		
н	Overhead Sign Structures/Signage and Ro	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
ı	<u>Landscaping</u>					
Fermor A	venue - West of Lagimodiere Boulevard up	to and includin	g Lagin	nodiere Boulev	ard Intersection	1
l.1	Grading of Boulevards	CW 3110-R20	m²	1500		
1.2	Ditch Grading	CW 3110-R20	m²	5000		
1.3	Salt Tolerant Grass Seeding	E24	m²	6500		
E/B Ferm	। or Avenue - East of Lagimodiere Boulevard	! 		l	l I	
1.4	Grading of Boulevards	CW 3110-R20	m²	400		
1.5	Ditch Grading	CW 3110-R20	m²	2200		
1.6	Salt Tolerant Grass Seeding	E24	m²	45000		
Royal Mir	। nt Drive and Multi-use Path	I I		l	l I	
1.7	Grading of Boulevards	CW 3110-R20	m²	3250		
1.8	Ditch Grading	CW 3110-R20	m²	6000		
1.9	Salt Tolerant Grass Seeding	E24	m²	9250		
W/B Ferm	। nor Avenue - East of Lagimodiere Boulevard	d d		l	l	
I.10	Grading of Boulevards	CW 3110-R20	m²	675		
I.11	Ditch Grading	CW 3110-R20	m²	10500		
I.12	Salt Tolerant Grass Seeding	E24	m²	28500		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT				
Tree Rem	ree Removals									
I.13	Clearing and Grubbing	CW 3010-R4	ha	0.250						
1.14	Tree Removal	E23								
i)	0 to 10 cm diameter		each	3						
ii)	11 to 30 cm diameter		each	3						
iii)	Over 30 in diameter		each	1						
I	<u>Landscaping</u>	Subtotal:								

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
PART 2	2 MANITOBA HYDRO WORK (See B9.5, B17.2.1, B18.5, D2,	D14.2-3, D1	15.5)					
J	Installation of Street Light Concrete Bases	nstallation of Street Light Concrete Bases, 50 mm Conduit, Ground Rods						
2019/2020 Multi-use	0 Fermor Avenue - Lagimodiere Boulevard t	o Canadian Pa	cific Rai	lway Bridge, F	Royal Mint Driv	ve, and Adjacent to		
J.1	Removal of Existing Concrete Bases	CW 3110-R20						
i)	600 mm Diameter or Less		each	46				
J.2	Installation of 179 Concrete Bases for 15' Decorative Lights	E32	each	8				
J.3	Installation of 236 Concrete Bases for 35' Street Light Davits	E32	each	3				
J.4	Installation of 243 Concrete Bases for 45' Street Light Davits	E32	each	50				
J.5	Installation of 418 Concrete Bases for 65' Straight Shaft Street Light	E32	each	2				
J.6	Installation of 50 mm Conduits(s) by Boring Method	E32	lin.m	4100				
J.7	Installation of one (1) 10' Ground Rod at every 3rd Street Light, at the end of every Street Light Circuit and anywhere else as shown on the Design Drawings. Trench #4 Ground Wire up to 1 m from Rod Location to New Street Light and Connect (Hammerlock) to Top of the Ground Rod	E32	each	25				
J	Installation of Street Light Concrete Bases	nd Rods	Subtotal:					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
PART 3	DEVELOPER CONTRIBUTION (See B9.5, B17.2.1, B18.5, D2,		15.5)			
К	E/B Fermor Avenue - Auxiliary Lane Const	ruction (Aspha	It Recon	nstruction)		
	EARTH AND BASE WORKS					
K.1	Excavation	CW 3110-R20, E12	m³	2500		
K.2	Sub-Grade Compaction	CW 3110-R20, E12	m²	3200		
K.3	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	1150		
ii)	100 mm - Limestone		tonne	4600		
K.4	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	250		
K.5	Imported Fill Material	CW 3110-R20, E11	m³	3500		
K.6	Fill Material	CW 3170-R3				
i)	Placing Suitable Site Material		m³	1000		
K.7	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	3200		
K.8	Supply and Install Geogrid	CW 3135-R2, E12	m²	3200		
	ROADWORKS - NEW CONSTRUCTION					
K.9	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17, E17				
,	Construction of Curb and Gutter (180 mm ht, Barrier, Integral, 600 mm width, 150 mm Plain Concrete Pavement)	SD-200	m	130		
K.10	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	400		
ii)	Tie-ins and Approaches					
a)	Type IA		tonne	75		
K.11	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	1125		
к	E/B Fermor Avenue - Auxiliary Lane Const	ruction (Aspha	It Recon	nstruction)	Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
L	Dawson Road South (Concrete Construction					
	EARTH AND BASE WORKS					
L.1	Excavation	CW 3110-R20, E12	m³	500		
L.2	Sub-Grade Compaction	CW 3110-R20, E12	m²	900		
L.3	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	620		
L.4	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	70		
L.5	Imported Fill Material	CW 3110-R20, E11	m³	450		
L.6	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	900		
	ROADWORKS - RENEWALS					
L.7	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
L.8	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	40		
L.9	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
a	Type IA		tonne	35		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
	ROADWORKS - NEW CONSTRUCTION					
L.10	Concrete Pavements, Median Slabs, Bull- noses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	825		
ii)	Construction of Concrete Median Slabs	SD-227A	m²	120		
iii)	Construction of Monolithic Concrete Median Slabs	SD-226A	m²	25		
iv)	Construction of Concrete Safety Medians	SD-226B	m²	20		
v)	Construction of Monolithic Concrete Bull- noses	SD-227C	m²	20		
L.11	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Integral)	SD-204	m	90		
	UNDERGROUNDS					
L.12	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5				
i)	(1050 mm, 1.6 gauge, Galvanized)		m	65.2		
L.13	Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E20				
i)	(1050 mm, 1.6 gauge, Galvanized)		m	65.2		
L.14	Cast in Place Concrete Pile Foundations for Steel Overhead Sign Support Structures	E25				
i)	S794 - 762 mm Diameter Pile		each	1		
L.15	Supply and Installation of New Steel Overhead Sign Support Structures	E26				
i)	S794 - Dawson Road NB; South of Fermor Avenue		each	1		
L	Dawson Road South (Concrete Constructi	<u>on)</u>			Subtotal:	

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
M	Easterly Entrance to Development (Concre	ete Constructio	<u>n)</u>			
	EARTH AND BASE WORKS					
M.1	Excavation	CW 3110-R20, E12	m³	360		
И.2	Sub-Grade Compaction	CW 3110-R20, E12	m²	625		
Л.3	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	430		
M.4	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	50		
M.5	Grading of Boulevards	CW 3110-R20	m²	300		
M.6	Imported Fill Material	CW 3110-R20, E11	m³	625		
И.7	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	625		
	ROADWORKS - RENEWALS					
И.8	Drilled Dowels	CW 3230-R8				
i)	19.1 mm Diameter		each	50		
Л.9	Drilled Tie Bars	CW 3230-R8				
i)	20 M Deformed Tie Bar		each	30		
И.10	Construction of Asphaltic Concrete Overlay	CW 3410-R12				
i)	Tie-ins and Approaches					
а	Type IA		tonne	15		
	ROADWORKS - NEW CONSTRUCTION					
И.11	Concrete Pavements, Median Slabs, Bullnoses, and Safety Medians	CW 3310-R17				
i)	Construction of 200 mm Concrete Pavement (Reinforced)		m²	550		
ii)	Construction of Monolithic Concrete Bullnoses	SD-227C	m²	15		

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
M.12	Concrete Curbs, Curb and Gutter, and Splash Strips	CW 3310-R17				
i)	Construction of Barrier (150 mm ht, Integral)	SD-204	m	145		
ii)	Construction of Splash Strip, (Separate, 600 mm width)	SD-223B	m	85		
	UNDERGROUNDS					
M.13	Corrugated Steel Pipe Culvert - Supply	CW 3610-R5				
i)	(1050 mm, 1.6 gauge, Galvanized)		m	50.4		
M.14	Corrugated Steel Pipe Culvert - Install	CW 3610-R5, E20				
i)	(1050 mm, 1.6 gauge, Galvanized)		m	50.4		
	LANDSCAPING					
M.15	Salt Tolerant Grass Seeding	E24	m²	300		
M	Easterly Entrance to Development (Concre	Subtotal:				



ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
N	W/B Fermor Avenue - Auxiliary Lane Con	struction (Aspha	alt Reco	nstruction)		
N.1	Excavation	CW 3110-R20, E12	m³	1250		
N.2	Sub-Grade Compaction	CW 3110-R20, E12	m²	1300		
N.3	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	460		
ii)	100 mm - Limestone		tonne	1550		
N.4	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	100		
N.5	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	1300		
N.6	Supply and Install Geogrid	CW 3135-R2, E12	m²	1300		
	ROADWORKS - NEW CONSTRUCTION					
N.7	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	200		
N.8	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	450		
N	W/B Fermor Avenue - Auxiliary Lane Con	Subtotal:				

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT
0	Dawson Road South - Left Turn Lane Con					
O.1	Excavation	CW 3110-R20, E12	m³	530		
0.2	Sub-Grade Compaction	CW 3110-R20, E12	m²	500		
O.3	Crushed Sub-base Material	CW 3110-R20, E12				
i)	50 mm - Limestone		tonne	180		
ii)	100 mm - Limestone		tonne	725		
0.4	Supplying and Placing Limestone Base Course Material	CW 3110-R20, E12	m³	40		
O.5	Geotextile Fabric (Separation/Filtration)	CW 3130-R5, E12	m²	500		
O.6	Supply and Install Geogrid	CW 3135-R2, E12	m²	500		
	ROADWORKS - NEW CONSTRUCTION					
0.7	Construction of Asphaltic Concrete Pavements	CW 3410-R12				
i)	Main Line Paving					
a)	Type IA		tonne	75		
O.8	Construction of Asphaltic Concrete Base Course (Type III)	CW 3410-R12	tonne	180		
О	Dawson Road South - Left Turn Lane Con	Subtotal:				

IIEM	DESCRIPTION	SPEC. REF.	UNII	APPROX. QUANTITY	UNIT PRICE	AMOUNI				
	SUMMARY									
PART 1	CITY FUNDED WORK									
Α	Fermor Avenue - West of Lagimodiere Bou Lagimodiere Boulevard Intersection (Rehal		Subtotal:							
В	E/B Fermor Avenue - East of Lagimodiere E and Widening)	Subtotal:								
С	W/B Fermor Avenue - East of Lagimodiere	Boulevard (As	phalt Re	construction)	Subtotal:					
D	Royal Mint Drive Extension (Concrete Cons	struction)			Subtotal:					
E	Multi-use Path (Asphalt Construction)				Subtotal:					
F	Underground Works				Subtotal:					
G	Construction Staging/Temporary Works				Subtotal:					
Н	Overhead Sign Structures/Signage and Roa	adside Protect	tion		Subtotal:					
ı	Landscaping				Subtotal:					
(total price) PART 1										
PART 2	MANITOBA HYDRO WORK									
J	Installation of Street Light Concrete Bases,	50 mm Condi	uit, Grou	nd Rods	Subtotal:					
				(total	price) PART 2					

ITEM	DESCRIPTION	SPEC. REF.	UNIT	APPROX. QUANTITY	UNIT PRICE	AMOUNT		
PART 3 DEVELOPER CONTRIBUTION								
К	E/B Fermor Avenue - Auxiliary Lane Const	Subtotal:						
L	Dawson Road South (Concrete Construction)				Subtotal:			
М	Easterly Entrance to Development (Concre	ete Constructio	<u>n</u> )		Subtotal:			
N	W/B Fermor Avenue - Auxiliary Lane Construction (Asphalt Reconstruction)				Subtotal:			
0	Dawson Road South - Left Turn Lane Cons	struction (Asph	alt Reco	nstruction)	Subtotal:			
(total price) PART 3								
TOTAL BI	D PRICE (GST extra)			(in figures)				

(Seal)

Template Version: C420190115 - RW

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 1 of 2) (See B13)

#### **BID BOND**

KNOW ALL MEN BY THESE PRESENTS T	ГНАТ	
(hereinafter called the "Principal") and		
called the "Obligee") in the sum of ten per	and firmly bound unto <b>THE CITY OF WINNIPEG</b> cent (10%) of the Total Bid Price set out in the Bid he Principal and Surety bind themselves, their heirs ntly and severally, firmly by these presents.	) hereinafte
WHEREAS the Principal has submitted a B	id to the Obligee for	
TENDER NO. 8-2019		
2019/20 Fermor Ave From Lagimodiere Blv	d to Plessis Rd, Asphalt Reconstruction	
as more fully set out in the Tender.		
if said Bid is accepted and the Principal, in a	oligation is such that if the Bid of the Principal is not a accordance with the terms of the Bid, enters into a Country ed performance and labour and material payment remain in full force and effect.	contract with
IN WITNESS WHEREOF the Principal and	Surety have signed and sealed this bond the	
day of	, 20	
SIGNED AND SEALED in the presence of:	(Name of Principal)	
(Witness as to Principal if no seal)	Per:	(Seal)

(Name of Surety)

(Attorney-in-Fact)

#### FORM G1: BID BOND AND AGREEMENT TO BOND

(Page 2 of 2) (See B13)

#### **AGREEMENT TO BOND**

(to be attached to and to form part of Bid Bond)

The Surety on the attached Bid Bond hereby undertakes and agrees with THE CITY OF WINNIPEG to become bound as Surety for the Principal, (Name of Bidder) (Place) the Bidder to you on \_\_\_\_\_\_, 20\_\_\_\_ for **TENDER NO. 8-2019** 2019/20 FERMOR AVE FROM LAGIMODIERE BLVD TO PLESSIS RD, ASPHALT RECONSTRUCTION The Surety agrees to issue for the Principal: 1. a Performance Bond in an amount equal to fifty percent (50%) of the Contract Price for the due and proper performance of the Work shown and described in the Tender; and 2. a Labour and Material Payment Bond in an amount equal to fifty percent (50%) of the Contract Price for the payment for all labour, service and material used or reasonably required for use in the performance of the Work shown and described in the Tender; If our Principal's Bid is accepted by you, such Performance Bond and Labour and Material Payment Bond (the Bonds) to be maintained and continue in full force and effect until the expiration of the warranty period. The Bonds shall be in the form specified in the Tender. It is a condition that this Agreement to Bond shall become null and void if the Bonds mentioned above are not required from our Principal within sixty (60) Calendar Days following the Submission Deadline. AND IT IS HEREBY DECLARED AND AGREED that the Surety shall be liable as Principal, and that nothing of any kind or matter whatsoever that will not discharge the Principal shall operate as a discharge or release of liability of the Surety, any law or usage relating to the liability of Sureties to the contrary notwithstanding. SIGNED AND SEALED this \_\_\_\_\_\_, 20\_\_\_\_\_. (Name of Surety) (Seal) (Attorney-in-Fact)