



8-2019 ADDENDUM 2

2019/20 Fermor Ave from Lagimodiere Blvd to Plessis Rd, Asphalt Reconstruction

URGENT

PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE BID OPPORTUNITY

ISSUED: April 18, 2019
BY: Ron Bruce
TELEPHONE NO. 204-977-8370

THIS ADDENDUM SHALL BE INCORPORATED INTO THE BID OPPORTUNITY AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS

Template Version: A20160708

Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Bid Opportunity, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.

PART A – BID SUBMISSION

Replace: 8-2019 Addendum 1- Bid Submission with 8-2019 Addendum 2- Bid Submission. The following is a summary of changes incorporated in the replacement Bid Submission:

Form B(R2): Revised Description of Items F.26 i) a), F.37 i) a) & b)

PART E – SPECIFICATIONS

- Add E10.4.3 Removal of existing signs and barricades applies to the concrete barricades and signage located across the existing gravel road off Dawson Road South where the multiuse path is being proposed.
- Add E20.6.2 The locations of shafts for trenchless methods shall be approved by the Contract Administrator prior to construction. In no case shall they be located closer than 3.0 m to an existing pavement edge.
- Add E21.1.4 This Specification does not apply to sewer service pipe which shall be supplied, installed and paid for in accordance with CW 2130.