

FORM A: BID
(See B8)

1. Contract Title SUPPLY AND INSTALLATION OF A ROLLING BRIDGE JACK

2. Bidder

Name of Bidder

Usual Business Name of Bidder as it appears on Invoice (if different from above)

Street

City

Province

Postal Code

Email Address of Bidder

Facsimile Number

(Mailing address if different)

Street or P.O. Box

City

Province

Postal Code

GST Registration Number (if applicable)

The Bidder is:

(Choose one)

a sole proprietor

a partnership

a corporation

carrying on business under the above name.

3. Contact Person

The Bidder hereby authorizes the following contact person to represent the Bidder for purposes of the Bid.

Contact Person

Title

Telephone Number

Facsimile Number

Email Address

4. Definitions

All capitalized terms used in the Contract shall have the meanings ascribed to them in the General Conditions and D3.

5. Offer The Bidder hereby offers to perform the Work in accordance with the Contract for the price(s), in Canadian funds, set out on Form B: Prices, appended hereto.

6. Commencement of the Work The Bidder agrees that no Work shall commence until he/she is in receipt of a notice of award from the Award Authority authorizing the commencement of the Work.

7. Contract By submitting a bid in response to this Tender, the Bidder certifies that it has read, understands, and agrees to the terms and conditions of this Tender and that the Tender, in its entirety shall be deemed to be incorporated in and to form a part of this offer notwithstanding that not all parts thereof are necessarily attached to or accompany this Bid.

8. Addenda The Bidder certifies that the following addenda have been received and agrees that they shall be deemed to form a part of the Contract:

No.	_____	Dated	_____
	_____		_____
	_____		_____

9. Time This offer shall be open for acceptance, binding and irrevocable for a period of sixty (60) Calendar Days following the Submission Deadline.

10. Indigenous Self-Declaration The City is requesting that Bidders identify if their business is at least 51% owned by one or more Indigenous persons of Canada.

YES, 51% or more Indigenous ownership

NO, it is not

This information is being gathered for statistical purposes only and will not be used for purposes of evaluation.

11. Signatures

The Bidder or the Bidder's authorized official or officials have signed this

_____ day of _____, 20_____ .

Signature of Bidder or
Bidder's Authorized Official or Officials

(Print here name and official capacity of individual whose signature appears above)

(Print here name and official capacity of individual whose signature appears above)

FORM B: PRICES
(See B9)

SUPPLY AND INSTALLATION OF A ROLLING BRIDGE JACK

UNIT PRICES

ITEM NO.	DESCRIPTION	SPEC. REF.	UNIT	QUANTITY	UNIT PRICE
1.	Pneumatic/Hydraulic Rolling Bridge Jack	70819	EA	2	
2.	Rolling Bridge Jack Adapter Kit	70819	EA	2	
3.	Internal Air Line Kit	70819	EA	2	
4.	Installation				
	Item No.	Installation			Installation Total Cost
	1.	Pneumatic/Hydraulic Rolling Bridge Jacks			\$ _____

Name of Bidder

FORM N: DETAILED SPECIFICATIONS 70819

1.0 **OVERVIEW**

- 1.1 The objective is to procure two (2) pneumatic (air) / hydraulic Rolling Bridge Jacks that are compatible with our existing Rotary Brand 60,000lb capacity runway and Rotary Brand Mach418 Plus mobile system units. The mobile system is Model # MCHW418U100.

2.0 **APPLICABLE SPECIFICATIONS AND DRAWINGS**

- 2.1 These specifications shall apply to the Work.
- 2.2 Bidders are reminded that requests for approval of substitutes as an approved equal or an approved alternative shall be made in accordance with B6. In every instance where a brand name of designed specification is used, the City will also consider approved equals and/or approved alternatives in accordance with B6.

3.0 **GOODS**

- 3.1 The Contractor shall supply two (2) complete **Rolling Bridge Jacks** in accordance with the requirements hereinafter specified.
- 3.2 Each **Rolling Bridge Jack** shall be a 2019 model year.
- 3.3 Item No. 1 – each Rolling Bridge Jack is to be installed on our existing Rotary Brand 60,000lb runway. The runway measurements are as follows:
- The Running Rail height is 4" or 100 cm.
 - Inside distance between the Runway ramps is 44.75" or 135 cm.
 - Total Height of the Ramp from a side view is 10" or 245 cm
 - Inside Rail Length is 3.5" or 90cm

Each Rolling Bridge Jack must be compatible with this runway and measurements. Each device must be able to be safely placed into operation.

- 3.4 Item No. 2 – Each **Rolling Bridge Jack** shall include one set of two (2) Cradle Adapters, and one set of two (2) four inch extension adapters.
- 3.5 Item No. 3 – **Internal Air Line** Kit is to be a coil style airline to be used with the applicable Rolling Bridge Jack system. One Internal Air Line Kit is to be supplied per Rolling Bridge Jack.
- 3.5 Each **Rolling Bridge Jack** shall be furnished complete and ready for use. All parts not specifically mentioned, but which are required to complete and place the **Rolling Bridge Jack** in successful operation, shall be furnished as though specifically mentioned in these specifications.

The **Rolling Bridge Jack** and all parts thereof shall conform in strength and quality of material and workmanship, to the best standards and engineering practice of the industry.

4.0 **OTHER SPECIFICATIONS AND STANDARDS**

- 4.1 All applicable SAE standards form an integral part of these specifications and shall have precedence in any conflict concerning minimum acceptable standards.

Society of Automotive Engineers, SAE:
http://en.wikipedia.org/wiki/Society_of_Automotive_Engineers

- 4.2 It will be the responsibility of the Bidder to inform the City of any deficiencies in these specifications, for under this Contract the Contractor shall be held responsible for the design, performance, reliability and satisfactory operational function of the units.

5.0 SERVICE FACILITY

5.1 For the purpose of warranty repairs, the Bidder shall have an authorized service facility located within 10 km of the boundaries of the City of Winnipeg. The facility, or a portion thereof, shall be dedicated to the service and maintenance of the type equipment being offered. Bidders shall provide a description of the service facility including, but not limited to, number of qualified service staff, years of service experience, and general service capabilities within three (3) Business Days upon request of the Contract Administrator.

6.0 INSTRUCTIONS FOR COMPLETION OF SPECIFICATIONS

6.1 Each bid will be evaluated based on adherence to all terms, conditions and requirements outlined in the Bid Opportunity package.

6.2 All items in these specifications must be answered indicating compliance or non-compliance. **Bidders shall state “yes” for compliance or state deviation**, or give reply where requested to do so. Deviations shall be clearly stated and fully detailed. Alternatives will be considered subject to evaluation.

6.3 Each bidder is required to fill in every blank. **Failure to do so may be used as a basis for rejection of bid.**

7.0 QUALIFICATIONS OF CONTRACTOR

7.1 The Contractor shall have five (5) years continuous experience servicing, repairing and maintaining the type of Rolling Bridge Jack being requested.

8.0 Make and Model:

Eligible Model - Rotary Brand RJ30001LBK 30,000 capacity jack or Equivalent in accordance to B6. Substitutes

Rolling Bridge Jack Features

8.1 **Each Rolling Bridge Jack shall be a 2019 Model Year** _____

8.2 **Each Rolling Bridge Jack shall be compliant for use with a Rotary Brand 60,000lb capacity runway.** _____

8.3 **Each Rolling Bridge Jack shall come with two (2) cradle adapters** _____

8.4 **Each Rolling Bridge Jack shall come with two (2) cylinder adapter extenders** _____

8.5 **State make, model and year of equipment being bid:** _____

8.6 **One (1) Internal Air Line Kit to be Included per Rolling Bridge Jack** _____

*Note, Internal Air Line Kit pricing to be listed on Form B: Prices

WARRANTY

9.0 The warranty information for the Rolling Bridge Jack shall cover the complete equipment, and all parts thereof against any defects of workmanship, construction and materials for a period of 12 months. Any article that has become defective during said warranty period and has not proven to have been caused by negligence on the part of the user shall be repaired or replaced at no cost to the City. The warranty shall be effective from the date the equipment is put into service by the City of Winnipeg.

9.1 Warranty - All warranty information shall be detailed and include all exclusions. The successful bidder shall provide all published warranty information upon delivery of the equipment.

10.0 DELIVERY

10.1 Delivery Point: The complete units shall be serviced, ready for operation and delivered F.O.B. with the freight prepaid, including invoice to the WFMA 960 Thomas Ave, Winnipeg MB Location.

10.2 Delivery Time: Equipment shall be delivered between 8:00 am and 3:00 pm on Business Days.

State: earliest delivery time from date of award _____

10.3 Delivery Contact: The Contractor shall contact the Contract Administrator prior to delivery of the equipment.

10.4 P.D.I: A pre-delivery inspection shall be performed by the Contractor on the equipment. Proof upon inspection including completed check list

11.0 INSTALLATION OF ROLLING BRIDGE JACKS

*Please note, these installation costs are to be included with Form B: Prices

11.1 Installation: Contractor shall install the two new Rolling Bridge Jacks, complete and ready for service.

11.2 Installation of the Rolling Bridge Jack is to include all required safety brackets and adjustment bolts, hydraulic oil and safety labeling.

11.3 The Airline installation to the main runway lift shall have thread sealant on all connections.

11.4 After new Rolling Bridge Jack installation is completed, a documented post installation inspection shall be performed by the Contractor on the equipment verifying that it was installed correctly and now ready for use.

12.0 MANUALS

12.1 Manuals supplied under this Contract. The manuals shall cover the complete equipment including all components thereof; a downloadable or electronic/PDF format is preferred.

12.2 Operator's manual: One (1) per unit shall be supplied with the unit(s) when delivered:
