



# 13-2020 ADDENDUM 2

## SCURFIELD PARK PATHWAY RECONSTRUCTION

### URGENT

**PLEASE FORWARD THIS DOCUMENT TO WHOEVER IS IN POSSESSION OF THE TENDER**

ISSUED: April 8, 2020.  
BY: Courtney Klassen, C.E.T.  
TELEPHONE NO. 204 451-2723

**THIS ADDENDUM SHALL BE INCORPORATED INTO THE TENDER AND SHALL FORM A PART OF THE CONTRACT DOCUMENTS**

Template Version: A20190115

**Please note the following and attached changes, corrections, additions, deletions, information and/or instructions in connection with the Tender, and be governed accordingly. Failure to acknowledge receipt of this Addendum in Paragraph 10 of Form A: Bid may render your Bid non-responsive.**

### PART A – BID SUBMISSION

Replace: 13-202013-2020 Bid Submission with 13-2020 Addendum 2 - Bid Submission. The following is a summary of changes incorporated in the replacement Bid Submission:

Form B: Prices (R1): Replace item 12 “MRST” with “MRST – Lighting Work”

### PART B – BIDDING PROCEDURES

Revise: B10.1.2 to read: “Prices stated on Form B: Prices shall not include any costs which may be incurred by the Contractor with respect to any applicable funding agreement obligations as outlined in **D24**. Any such costs shall be determined in accordance with **D24**.”

Revise: B18.4 to read: “B18.4 If funding for the Work is provided to the City of Winnipeg by the Government of Manitoba and/or the Government of Canada, Bidders are advised that the terms of **D24** shall immediately take effect upon confirmation of such funding, regardless of when funding is confirmed.”

Revise: to read: “For the purposes of **D24**.”

### PART D – SUPPLEMENTAL CONDITIONS

Revise: D24.3 to read: “Further to **D24.1**, in the event that the obligations in **D24** apply, actual costs legitimately incurred by the Contractor as a direct result of these obligations (“Funding Costs”) shall be determined by the actual cost to the Contractor and not by the valuation method(s) outlined in C7.4. In all other respects Funding Costs will be processed in accordance with Changes in Work under C7.”

Revise: D24.4 to read: “For the purposes of **D24**.”

### PART E – SPECIFICATIONS

Revise: E12.6.2.b.i. to read: Table 1.0 Base Course & Topping Material Grading Requirements

CANADIAN METRIC SIEVE SIZE	Percent of Total Dry Weight Passing Each Sieve		
	6 mm (1.4") Topping Material	20 mm (3/4") Base Course	50 mm (2") Base Course
50 000	--	--	100%
25 000	--	--	--
20 000	--	100%	--
10 000	100%	--	--
5 000	65% - 100%	40% - 70%	25% - 60%
2 500	40% - 75%	25% - 60%	--
1 250	35% - 65%	--	--
630	19% - 36%	--	--
315	14% - 28%	8% - 25%	--
160	12% - 24%	--	--
80	10% - 25%	6% - 17%	4% - 15%