



Max. Pathway slope 5%
Max. crossfall 2%

Legend

- TC Top of Curb
- TSS Top of Safety Surfacing
- Existing Grade
- Existing Contour
- Proposed Grade
- Proposed Slope

2 West sculpture
Scale: 1:200

- GRADING NOTES**
- ALL WORK TO CONFORM TO CURRENT CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS AND DETAILS UNLESS OTHERWISE NOTED.
 - DIMENSIONS ARE IN METERS UNLESS OTHERWISE NOTED.
 - REPORT ANY DISCREPANCIES TO THE CONTRACT ADMINISTRATOR IMMEDIATELY.
 - DO NOT SCALE DRAWING.
 - PROTECT EXISTING TREES TO REMAIN.
 - TOP OF PLAY SAFETY SURFACING TO BE AT 237.09 DESIGN ELEVATION.
 - SEE 2/R.32-C4 FOR PLAYGROUND EXCAVATION DETAIL.

CONTRACTOR TO CONFIRM ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO CONTRACT ADMINISTRATOR PRIOR TO CONSTRUCTION. LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.



THE CITY OF WINNIPEG
Planning, Property and Development Department
Planning and Land Use Division
Unit 15 - 30 Fort Street, Winnipeg, MB, (R3C 4X5)

DESIGNED BY	CHECKED BY	MANAGER, PARK AND OPEN SPACES	DATE
DRAWN BY	APPROVED BY		
HORIZ. SCALE	1:400	MANAGER, PLANNING AND LAND USE DIVISION	DATE
VERT. SCALE			
DATE	June, 2020		

DRAWING TITLE	DRAWING NO.
CRESCENT DRIVE PARK Playground Redevelopment Proposed Grading	C.8 - BM
SITE ADDRESS 781 CRESCENT DRIVE	BID OPPORTUNITY NO. 357-2020