

**1 GENERAL**

**1.01 ACTION AND INFORMATIONAL SUBMITTALS**

- .1 Submit shop drawings in accordance with Section 01 33 00 - Submittal Procedures.
- .2 Shop Drawings:
  - .1 Provide shop drawing for each product listed.
  - .2 Provide shop drawings clearly indicating all sizes, connections, anchorage, shapes and accessories.

**1.02 CLOSEOUT SUBMITTALS**

- .1 Provide in accordance with Section 01 78 00 - Closeout Submittals.
- .2 Operation and maintenance data: provide maintenance data on all miscellaneous specialty items, including cleaning instructions, and incorporate into the manual.

**2 PRODUCTS**

**2.01 FABRICATION - GENERAL**

- .1 Verify all dimensions on site prior to fabrication.

**2.02 CONCRETE PAVERS**

- .1 Standard of acceptance: pre-cast concrete pavers, as manufactured by Barkman Concrete Ltd., or acceptable equal. Size as indicated.

**2.03 ROOF TOP GUARDRAILS**

- .1 Free-standing and non-penetrating roof guardrail system, complete with recycled rubber bases, aluminum railings and uprights, and all necessary stainless steel hardware. Lengths and layout as noted on drawings. Shop drawings to be provided, stamped and signed by professional engineer registered or licensed in Province of Manitoba, Canada.
  - .1 Standard of acceptance: Delta Prevention Freestanding Guardrail, VSS Compact Design, or approved equal.

**2.04 CONCRETE SPLASH PADS**

- .1 Standard of acceptance: pre-cast concrete splash pads, as manufactured by Barkman Concrete Ltd., or acceptable equal. Size as indicated.

**2.05 RUBBER MATS**

- .1 Standard of acceptance: recycled ECO rubber mat, as manufactured by Reliable Tire Recycling., or acceptable equal. Size as indicated.

**3 EXECUTION**

**3.01 INSTALLATION**

- .1 Install specialties square, plumb, straight and true, at proper elevations and alignment with other Work, accurately fitted and adjusted by experienced workmen, in accordance with manufacturer's instructions.
- .2 Touch-up fastenings and scratched or otherwise damaged surfaces, after completion of installation, to match finish.
- .3 Protect adjacent Work from damage during installation.

**END OF SECTION**