



ENGINEER'S SEAL		KGS GROUP						B.M. ELEV.	LOCATION APPROVED UNDERGROUND STRUCTURES	
									SUPV. U/G STRUCTURES DATE	IF POWER EQUIPMENT OR EXPLOSIVES ARE TO BE USED FOR EXCAVATION ON THIS PROJECT THE CONTRACTOR MUST:
	RBO	CHECKED BY	TLE	DESIGNED BY					COMMITTEE	1) NOTIFY THE GAS COMPANY OF THE
	RBO	APPROVED BY	PwD	DRAWN BY					NOTE: LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES WAS OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.	PROPOSED LOCATION OF EXCAVATION. 2) TAKE PRECAUTION TO AVOID DAMAGE
CONSULTANT DRAWING NU		RELEASED FOR CONSTRUCTION		SCALE: HORIZONTAL	RBO	20/10/15	RE-ISSUED FOR TENDER	1		TO GAS COMPANY INSTALLATIONS.
CU-04	_	DATE	1:50 020 10 15	VERTICAL	RBO BY	20/10/05 DATE	ISSUED FOR TENDER REVISIONS	0 NO.		SEE PROVINCIAL REGULATION 210/72 FOR DETAILS



- 2. INSTALL FORCEMAIN AND SEWERMAIN BY TRENCHLESS METHODS.

- ASSEMBLING PIPE.
- 6. EXPOSE EXISTING FORCEMAIN AT STA. 1+06.55 & TO CONSTRUCTION.
- 7. CONTRACTOR TO VERIFY ALL EXISTING

NOTE: CHAINAGES SHOWN ARE ALONG S PL WELLINGTON CR

1. ALL WORKS TO BE IN ACCORDANCE WITH THE LATEST REVISIONS OF THE CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS ..

3. CONTRACTOR TO PROVIDE TEMPORARY SHORING WHERE REQUIRED IN ACCORDANCE WITH THE LATEST REVISIONS TO THE "CONSTRUCTION SAFETY ACT" OF THE PROVINCE OF MANITOBA DEPARTMENT OF LABOR AND IN ACCORDANCE WITH THE PROVINCE OF MANITOBA "W210 WORKPLACE SAFETY & HEALTH ACT" AND "GUIDELINES FOR EXCAVATION WORK". WHERE SHORING IS REQUIRED, THE CONTRACTOR SHALL SUPPLY STAMPED ENGINEERING SHORING DESIGN BY ENGINEER REGISTERED IN PROVINCE OF MANITOBA,

4. ALL ELEVATIONS SHOWN ON DRAWINGS ARE TAKEN FROM CITY OF WINNIPEG RECORD DRAWINGS.

5. CONTRACTOR TO CONFIRM ALL DIMENSIONS BEFORE

WWS AT ALL PROPOSED MANHOLE LOCATIONS AND CONFIRM INVERTS AND EXISTING PIPE SIZES PRIOR

UNDERGROUND UTILITIES AND EXISTING SERVICES VIA SOFT-DIGGING PRIOR TO CONSTRUCTION.

TEMPORARY BY-PASS PUMPING NOTES:

- 1. CONTRACTOR TO PROVIDE TEMPORARY BY-PASS PUMPING OF FLOWS DURING CONNECTION OF NEW FORCEMAIN TO CHATAWAY PUMP STATION.
- 2. CONTRACTOR TO PROVIDE BY-PASS PUMPING PLAN TO CONTRACT ADMINISTRATOR FOR REVIEW A MINIMUM OF 2 WEEKS PRIOR TO COMMENCEMENT OF ANY WORK ON THE FORCEMAIN.
- 3. PUMPING TO BE FROM WET WELL OF LIFT STATION TO EITHER MH-A (NEW), MH-B (EXSITING) OR BY-PASS MANHOLÈ DEPENDING ON CONTRACTOR SCHEDULE.
- 4. CONTRACTOR SHALL NOT OPERATE GATES. CONTRACTOR TO CONSTRUCT TEMPORARY WEIR U/S OF STATION AS REQUIRED FOR BY PASS PUMPING.
- 5. TEMPORARY BY-PASS PUMP MUST (AT MINIMUM) BE CAPABLE OF PUMPING THE PDWF = 25 L/S
- 6. REDUNDANT PUMP REQUIRED ON SITE AT ALL TIMES DURING BY-PASS PUMPING.
- 7. SEWAGE LEVEL IN SYSTEM MUST NEVER EXCEED ELEVATION 225.394 m (THE OVERFLOW WEIR). CONTRACTOR TO PROVIDE INSPECTION OF UPSTREAM ELEVATION DURING BY-PASS PUMPING.
- 8. THE CONTRACTOR MAY BE REQUIRED TO WORK EVENINGS, NIGHTS AND WEEKENDS WHERE REQUIRED TO MINIMIZE FORCEMAIN INTERRUPTIONS DURING THIS PROJECT.
- 9. ALL INSTRUMENTATION IN LIFT STATION AND MANHOLES SHALL BE PROTECTED AND AVOIDED AT ALL TIMES.

LAYOUT CONTROL TABLE									
STATION	NORTHING (m)	EASTING (m)	ELEVATION (m)						
1+06.55	5526045.86	628525.56	228.57						
1+13.72	5526045.29	628543.13	228.52						
1+25.67	5526044.80	628545.20	228.50						
1+45.00	5526029.00	628567.60	228.45						
1+84.87	5526035.78	628606.84	230.12						