



ARENA CRAWLSPACE - MECHANICAL DEMOLITION

SCALE: 3/32" = 1'-0"

KEY NOTES

1. DISCONNECT POWER AND PIPING. REMOVE EXISTING SUMP PUMPS AND PITS.
2. EXISTING CRAWLSPACE EXHAUST DUCT TO BE REMOVED WHERE ACCESSIBLE.
3. REMOVE ALL EXPOSED PLUMBING PIPING ABOVE GRADE WITHIN CRAWLSPACE. EXPOSE BURIED PIPING IN SMALL AREA AT POINT WHERE THE PIPING ROUTES BELOW GRADE TO ACCOMMODATE CONNECTION TO NEW PIPING.
4. ALL MECHANICAL LOUVERS, DAMPERS, GRILLES SHALL BE REMOVED TO ACCOMMODATE PATCHING OF OPENINGS. COORDINATE WITH STRUCTURAL.
5. EXISTING HIGH LEVEL SANITARY PIPING WITHIN BASEMENT INCOMING SERVICES ROOM. RELOCATE AS NECESSARY TO ACCOMMODATE STRUCTURAL WORK. COORDINATE WITH STRUCTURAL.

KEY PLAN
NTS

The General Contractor shall check & verify all dimensions and report any errors or omissions to the designers.

NO.	DATE	DESCRIPTION
0	2020-10-30	ISSUED FOR CONSTRUCTION

Certificate of Authorization
Epp Siepman Engineering Inc.
No. 4035

Consultant

400 - 136 Market Avenue
Winnipeg, MB R3B 0P4
T 204.943.7501
F 204.943.7507

Crosier Kilgour & Partners Ltd.
CONSULTING STRUCTURAL ENGINEERS

Project

SJCC RINK CRAWLSPACE

ARENA CRAWLSPACE
RESTORATION

2055 NESS AVENUE
WINNIPEG, MANITOBA

Sheet Title

**ARENA CRAWLSPACE - MECHANICAL
PLAN**

File	20057	Date	2020-09-17
Design	JS	Drawn	DK
Revision		Sheet No.	

MD2.1