


- BEGIN INJECTION AT BOTTOM PORT. RESIN WILL TEND TO TRAVEL IN A RADIAL PATTERN.
- CONTINUE INJECTION UNTIL RESIN APPEARS AT NEXT PORT OR EVIDENCE OF RESIN TRAVEL HAS PASSED NEXT PORT. CAP OFF PORT AND CONTINUE PROCEDURE.
- ALLOW ADEQUATE CURE OF RESIN BEFORE REMOVAL OF PORTS
- SURFACE SEAL MUST BE COMPLETELY REMOVED

The General Contractor shall check & verify all dimensions and report any errors or omissions to the designers.

0	2020-10-30	ISSUED FOR CONSTRUCTION	DJM
No.	Date	Issue/Revision	By



Consultant

300-275 Carlton Street
Winnipeg, Manitoba R3C 5R6
T 204. 943. 7501
F 204. 943. 7507



Crosier Kilgour
& Partners Ltd.
CONSULTING STRUCTURAL ENGINEERS

Project **ST. JAMES CIVIC CENTRE**
ARENA CRAWLSPACE RESTORATION

2055 NESS AVENUE
WINNIPEG, MANITOBA

Sheet Title

TYPICAL DETAILS

File	2020-0197	Date	2020-10-30
Design	DJM	Drawn	LOL
Revision	Sheet No.		
0	S5.1		