

NOTE:
REFER TO SHEET S106 FOR
EXTENT OF SITE CONCRETE
ELEMENTS




- GB1**
203x610 R/W 2-15M TOP AND
BOTTOM, 10M STIRRUPS @ 300O/C
- GB2**
610x530 R/W 4-15M TOP AND
BOTTOM, 10M STIRRUPS @ 300O/C
- BP1**
300x300x13 C/W 6-13 DIA NELSON
STUDS x 150 LONG
- BP2**
TYPICAL RAILING BASE PLATE

NOTE: BIDDERS SHALL FAMILIARIZE THEMSELVES WITH THE GEOTECHNICAL REPORT AS PREPARED BY TREK GEOTECHNICAL AND DATED JANUARY 27, 2021. SPECIFICALLY, REPORT PROVIDES INFORMATION ABOUT THE POTENTIAL PRESENCE OF OLD FOUNDATIONS / RUBBLE IN THE GENERAL PROJECT AREA AND THE NEED FOR THE USE OF STEEL SLEEVES DURING PILE INSTALLATION

**ENGINEERS
GEOLOGISTS
MANITOBA**

Certificate of Authorization
SWP Projects Ltd.
No. 6036 Expiry: April 30,2021



APPROXIMATE LAYOUT OF CONTAINER A FLOOR FRAMING SHOWN THUS - CONFIRM PRECISE FRAMING WITH SUPPLIED CONTAINER. SHIM AND CONTINUOUSLY GROUT CONTAINER BOTTOM RAILS AND END FRAMES TO TOP OF GB2 BEAM



SWP PROJECTS LTD.
678 MAIN STREET - 2ND FLR WINNIPEG, MB R3B 1E4
(P) 204.586.3636
(C) 204.330.2611
(E) david@totalprojectmgmt.ca

715 MAIN STREET PUBLIC TOILET
THE CITY OF WINNIPEG
BID OPPORTUNITY 54-2021

No.	Description	Date
1	ISSUED FOR CONSTRUCTION	21-03-04

FOUNDATION FRAMING PLAN

Project number	20-104	S101
Date	2021-03-04	
Drawn by	DP	
Checked by	DP	
Scale		1 : 50

2021-03-04 12:42:17 PM