



1 CT 08 ASPHALT PATH TYPICAL CROSS SECTION-2
Scale NTS

- REFERENCE NOTES:**
- PAVEMENT DIMENSIONS ARE TO BACK OF CURB
 - BASELINE IS CENTRE LINE ROADWAY
 - PROPERTY LINES OBTAINED FROM CITY OF WINNIPEG L.B.I.S., AND NO SCALE FACTOR WAS APPLIED
 - REFER TO AECOM FIELD BOOK NO. 5113
- CONSTRUCTION NOTES:**
- CONSTRUCT NEW ASPHALT PAVEMENT OVERLAY TYPE 1A (100mm AVG. THICKNESS)
 - CONSTRUCT NEW ASPHALT BIKE PATHWAY PAVEMENT TYPE 1A (75mm THICKNESS) C/W COMPACTED 125mm OF LIMESTONE BASE COURSE, GEOGRID, 150mm OF 50mm LIMESTONE SUB-BASE AND SEPARATION/FILTRATION GEOTEXTILE
 - REMOVE EXISTING CONCRETE PAVEMENT AND CONSTRUCT NEW 150mm REINFORCED CONCRETE PAVEMENT
 - ADJUST EXISTING MANHOLE / CATCH BASIN TO GRADE
 - INSTALL NEW CAST IRON RISER RING
 - REMOVE EXISTING FRAME AND COVER AND PLACE NEW FRAME AND COVER (AP-006 / AP-007)
 - ADJUST EXISTING PAVING STONES
 - ADJUST EXISTING PATIO BLOCKS
 - RENEW EXISTING CONCRETE SIDEWALK
 - INSTALL CONCRETE BARRIER CURB (SEPARATE SD-203A 75mm REVEAL)
 - ADJUST EXISTING WATER VALVE TO GRADE
 - REMOVE EXISTING BARRIER CURB AND CONSTRUCT NEW CONCRETE BARRIER CURB (75mm REVEAL HT. DOWELED)
 - REMOVE AND RELOCATE STREET LIGHTS. REFER TO MANITOBA HYDRO STREET LIGHT DRAWINGS FOR LOCATION
 - CONTRACT ADMINISTRATOR TO DETERMINE LOCATIONS FOR INSTALLATION OF PAVEMENT REPAIR FABRIC PRIOR TO ASPHALT PAVING

ENGINEERS GEOSCIENTISTS MANITOBA
Certificate of Authorization
AECOM Canada Ltd.
No. 4671 Date: 2022/02/17

METRIC.
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES

LEGEND - PLAN		LEGEND - PROFILE	
150 mm W.M.	WATERMAIN	150 mm W.M.	HYDRO
Hydrant	HYDRANT	M.T.S.	M.T.S.
Valve	VALVE	CONCRETE	CONCRETE
300mm L.D.S.	LAND DRAINAGE SEWER	ASPHALT	ASPHALT
250mm W.W.S.	WASTEWATER SEWER	PROPERTY LINE	PROPERTY LINE
Manhole	MANHOLE	SURVEY BAR	SURVEY BAR
Catch Basin	CATCH BASIN	ELEVATION (235.750)	ELEVATION
Catch Pit	CATCH PIT	TREE	TREE
Junctions	JUNCTIONS	SIDEWALK RAMP	SIDEWALK RAMP
Culvert	CULVERT	CONCRETE SIDEWALK	CONCRETE SIDEWALK
Gas	GAS	FENCE	FENCE
EXISTING	LEGEND - PLAN	PROPOSED	LEGEND - PROFILE

LOCATION APPROVED UNDERGROUND STRUCTURES

DATE: _____

NOTE:
LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE. BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.

AECOM

DESIGNED BY: BC
CHECKED BY: BC/TF

DRAWN BY: AA
APPROVED BY:

HOR. SCALE: 1=250
VERTICAL: 1=10

RELEASED FOR CONSTRUCTION BY:

DATE: 02/17/2022

0 ISSUED FOR TENDER 02/17/2022 BC
A ISSUED FOR REVIEW 01/28/2022 BC

NO. REVISIONS DATE BY

THE CITY OF WINNIPEG
PUBLIC WORKS DEPARTMENT
ENGINEERING DIVISION

2022 LOCAL AND INDUSTRIAL STREET RENEWAL PROGRAM

BERRY STREET - PORTAGE AVENUE TO ELLICE AVENUE
ASPHALT PAVEMENT REHABILITATION
STATION 0+350 TO STATION 0+490

CITY DRAWING NUMBER
SHEET 08 OF 19

CONSULTANT DRAWING NO.
CT-08