



1 Roof Ladder Detail
A1.6 Scale: 3/4" = 1'-0"



2 Roof Ladder Elevation
A1.6 Scale: 3/4" = 1'-0"



3 Roof Ladder Plan
A1.6 Scale: 3/4" = 1'-0"

NEW LADDER CONSTRUCTION:
 - 1 1/2" Ø GALV. PIPE STRINGERS @ 18" o.c.
 - 13 GA. GALV. HOT ROLLED STEEL 3 HOLE SURFACE RUNGS @ 12" o.c.
 - 2" x 3/16" BENT GALV. STEEL MOUNTING BRACKETS ANCHORED TO WALL

ALL CONNECTIONS TO BE CONTINUOUSLY WELDED AND GROUND SMOOTH.

ALL LADDERS, BRACKETS, & FASTENERS TO BE HOT DIPPED GALVANIZED.

CONTRACTOR TO SITE VERIFY ALL DIMENSIONS PRIOR TO FABRICATION.

LADDER TO MEET MANITOBA BUILDING CODE REQUIREMENTS & WORKPLACE SAFETY AND HEALTH REGULATIONS.

Partial Roof Replacement

Project Address	752 McGee Street Winnipeg, Manitoba BID # 168-2022
Client	JDB Building Envelope Specialists Winnipeg, Manitoba www.buildingenvelope.biz 204.371.0996

Drawing

DETAILS