



B
S1.1 | S1.3

PARTIAL ROOF FRAMING PLAN

- 1:100
- DESIGN LOADS:
DEAD = 0.86 kPa
SNOW = 1.73 kPa
 - FALL ARREST LOAD AT ANY POINT ALONG FALL ARREST BEAM = 22.5 kN
 - SITE CONFIRM LOCATIONS TO HAVE BEAM ALIGN IN CENTRE OF MAINTENANCE BAY



APEGM
Certificate of Authorization
Crosier Kilgour & Partners Ltd.
No. 235 Date: 2022-08-26

No.	Date	Issue/Revision	By
0	2022-08-26	ISSUED FOR CONSTRUCTION	JAL

300-275 Carlton Street
Winnipeg, Manitoba R3C 5R6
T 204. 943. 7501
F 204. 943. 7507



Crosier Kilgour
& Partners Ltd.
CONSULTING STRUCTURAL ENGINEERS

Project
WINNIPEG TRANSIT
ROOF FALL ARREST
FORT ROUGE GARAGE - BUILDING 'A'
421 OSBORNE STREET
WINNIPEG, MANITOBA

Sheet Title
PARTIAL ROOF FRAMING PLAN

File 2021-0352	Date 2022-08-26
-------------------	--------------------

Design JAL	Drawn JRM
---------------	--------------

Revision 0	Sheet No. S1.3
----------------------	--------------------------