



- NOTES:
- DESIGN WIND = 30 PSF
 - STRUCTURAL STEEL TO GRADE 350W
 - ALL WELDING TO CSA W59-03 (R2008) FABRICATORS TO CSA W47.1
 - DESIGN IS IN ACCORDANCE WITH CSA S16-09
 - BASED ON SOIL CONDITIONS CAPABLE OF WITHSTANDING 200 PSF/FT LATERAL BEARING PRESSURE
 - ALL EXPOSED STEEL TO BE GALVANIZED OR PAINTED WITH ZINC RICH PAINT.
 - CONFIRM ALL EXIST. CONDITIONS ON SITE.

1 FRONT ELEVATION
S-1 1 : 50

0	ISSUED FOR CONSTRUCTION	23/06/07	DRC
No.	REVISION	DATE	BY

WOLFROM ENGINEERING LTD
 CONSULTING ENGINEERS
 345 WARDLAW AVENUE
 WINNIPEG, CANADA R3L 0L5
 (204)452-0041 FAX: 284-8680
 E-Mail: info@wolfromeng.com

JOB TITLE
SEVEN OAKS POOL SIGN
 444 ADSUM DRIVE
 WINNIPEG MANITOBA

DATE	JUNE 7, 2023
SCALE	AS NOTED
FILE NO.	W21511
DRAWING NO.	S-1
DRAWN BY	MDT

SEAL

2023-06-07