

1 A3.1 MAIN FLOOR RENOVATION RCP
SCALE 1:100

CEILING GENERAL NOTES:

1. ALL GYPSUM BOARD CEILINGS AND BULKHEADS TO RECEIVE PAINT FINISH UNLESS OTHERWISE NOTED.



2 A3.1 TYPICAL ACS TO GB CEILING TRANSITION (DIFFERENT ELEVATIONS)
SCALE 1 : 10



3 A3.1 TYPICAL ACS TO GB CEILING TRANSITION (SAME ELEVATION)
SCALE 1 : 10

CEILING ABBREVIATIONS:

ACB	ACOUSTIC CEILING BAFFLES
ACS	ACOUSTIC CEILING UNITS ON SUSPENSION SYSTEM
AP	ACCESS PANEL
CJ	CONTROL JOINT
EP	EPOXY PAINT
ES	EXPOSED STRUCTURE
GB	SUSPENDED GYPSUM BOARD CEILING
GBBH	GYPSUM BOARD BULKHEAD
HP	HIGH POINT
P	PAINT
U	UNFINISHED
WD	WOOD (CEDAR)
X	EXISTING

RCP LEGEND:

- RECESSED LUMINAIRE
- SURFACE MOUNTED LUMINAIRE
- SUSPENDED LINEAR LUMINAIRE
- RECESSED DOWNLIGHT LUMINAIRE
- WALL MOUNTED LUMINAIRE
- WALL MOUNTED EXIT LIGHT
- CEILING MOUNTED EXIT LIGHT
- SUPPLY AIR DIFFUSER
- RETURN AIR / EXHAUST GRILLE
- RADIANT PANEL
- SPEAKER
- CEILING ACCESS PANEL

RCP KEYNOTES:

1. LAMINATED GLASS BARRIER FROM RECEPTION DESK TO CEILING (REFER TO SECTION 7/A9.2)
2. CEILING MOUNTED PATIENT LIFT. REFER TO STRUCTURAL FOR MOUNTING DETAILS.
3. NEW DUCT WORK. INSTALL LOW ACS AS TIGHT AS POSSIBLE AGAINST DUCTWORK. FINAL PLAUSIBLE HEIGHT OF ACS WILL DICTATE LOW CEILING HEIGHT ALONG SOUTH WALL IN POOL DECK.
4. INSTALL ACS-1 ALONG SUSPENDED CEILING SYSTEM BORDER TO AVOID THE INSTALL OF THE INSTALLATION OF ACS TILES SMALLER THAN 250FT.
5. FIXED SOUND-ABSORPTIVE WALL PANELS. REFER TO INTERIOR ELEVATIONS FOR SHAPE AND LAYOUT.
6. SUPPLY AND INSTALL NEW 6MM SOLID SURFACE MATERIAL SHROUD WHERE OLD PVC SHROUD WAS REMOVED BETWEEN GRID LINE X1 AND X9. REFER TO WALL SECTION 1/A5.1 FOR HEIGHT.
7. POOL TANK BELOW SHOWN WITH DASHED LINE

No.	Date	Issue / Revision	By
0	22/12/2023	ISSUED FOR CONSTRUCTION	CF

Drawn By: DN

Printing Date: DEC. 22, 2023

PROVINCE OF MANITOBA — CASEY W. GREENHAM — 2023-12-22 — REGISTERED ARCHITECT

PROVINCE OF MANITOBA — LM ARCHITECTURAL GROUP — No. 032 — APPROVED PARTNERSHIP OF CORPORATIONS

Drawings and specifications, as instruments of service are the property of the architects, the copyright in the same being reserved to them. No reproduction may be made without the permission of the architects, and when made, must bear their names. All prints to be returned.

The contractor is to verify dimensions and data noted herein with conditions on the site and is held responsible for reporting any discrepancy to the architects for adjustment.

LM Architectural Group

500-136 Market Ave
Winnipeg Manitoba Canada R3B 0P4
t: (204) 942.0681 f: (204) 943.8676
www.lm-architects.com

CITY OF WINNIPEG
BONIVITAL POOL RENEWAL

1215 Archibald St, Winnipeg, MB.

MAIN FLOOR REFLECTED CEILING PLAN

Comm. No.: 2129 Sheet: **A3.1**

Plotted on: ~~11-11-11~~