A
–
TYPICAL EXTERIOR WALL
SCALE: 1:10

0 200 400 600 800 1000

SCALE: 1:10

GENERAL NOTES:

1. PREPARE EXISTING CURB AND FLOOR SURFACE FOR EPOXY COATING AS PER MANUFACTURES INSTRUCTIONS.
2. SANDBLAST AND PREPARE CONCRETE TO CSP VALUE RECOMMENDED PRODUCT MANUFACTURER.

ROOM FINISH SCHEDULE

ROOM	FLOOR	WALLS TYPE–FINISH	CEILING TYPE–FINISH	COMMENTS
SUPERSTRUCTURE	EXIST/NEW CONCRETE W/ EPOXY COATING	MASONRY BLOCK – BLOCK FILLER / PAINT	PLYWOOD – PAINT	SEE NOTE 2
SUB–LEVEL 1 BASEMENT	CONCRETE W/ EPOXY COATING	EXIST CONCRETE – PAINT	EXIST CONCRETE – PAINT	SEE NOTE 2
MOTOR ROOM	CONCRETE W/ EPOXY COATING	EXIST CONCRETE – PAINT	EXIST CONCRETE – PAINT	SEE NOTE 2
PUMP ROOM	CONCRETE W/ EPOXY COATING	EXIST CONCRETE – PAINT	EXIST CONCRETE – PAINT	SEE NOTE 2
COMMINUTOR ROOM	CONCRETE W/ EPOXY COATING	EXIST CONCRETE – PAINT	EXIST CONCRETE – PAINT	SEE NOTE 2

ITEM	DESCRIPTION	APPROVED PRODUCT	COMMENTS
HINGES	ANSI/BHMA A156.1	STANLEY FBB 191 OR 199	KEYED TO CITY SYSTEM AS DIRECTED
LOCKSET	ANSI/BHMA A156.2 CYLINDRICAL LOCK SERIES 4000 GRADE 1	SCHLAGE ND SERIES	
CLOSER	ANSI/BHMA A156.2 SIZED TO STANDARD	LCN 4040XP CUSH OR APPROVED EQUAL	
WEATHERSTRIP	EXTRUDED ALUMINUM CLEAR ANODIZED WITH SPONGE NEOPRENE INSERT	DRAFTSEAL DS130	
DOOR SWEEP	EXTRUDED ALUMINUM CLEAR WITH ANODIZED RUBBER INSERT	DRAFTSEAL DS136C–2	
THRESHOLD	ANSI/BHMA A156.21 FULL WIDTH EXTRUDED ALUMINUM	DRAFTSEAL DS501TBA	
KICKPLATE	300 HIGH 1.27mm THICK BRASS. DOOR WIDTH LESS 25mm EACH SIDE. 656 FINISH		
PANIC HARDWARE	ANSI/BHMA A156.3 TYPE 1 RIM, GRADE 1, RATED FOR FIRE EXIT, C/W DOGGING DEVICE & THUMBPIECE	VON DUPRIN 98 SERIES	

MARK	NOMINAL SIZE	DOOR TYPE	MATERIAL DOOR–FRAME	FINISH DOOR–FRAME	COMMENTS
100	2–914x2134	A	HOLLOW METAL/STEEL	PAINT/PAINT	INSULATED DOOR AND FRAME

A

B
–
TYPICAL DOOR JAMB DETAIL
SCALE: 1:10

NO.	DRAWING NUMBER	REFERENCE DRAWING TITLE
10		
9		
8		
7		
6		
5		
4		
3		
2		
1		

REFERENCE DRAWINGS

METRIC
WHOLE NUMBERS INDICATE MILLIMETRES
DECIMALIZED NUMBERS INDICATE METRES
UNLESS OTHERWISE NOTED

ENGINEERS GEOSCIENTISTS MANITOBA
Certificate of Authorization
MPE, a division of Englobe Corp.
No. 4968 Date: MAR 19, 2024

B.M.
ELEV.

NO.	REVISIONS	DATE	BY
0	ISSUED FOR CONSTRUCTION	2024–03–19	

MPE a division of Englobe

DESIGNED BY	M. BAKER	CHECKED BY	D. CHRONIK
DRAWN BY	D. MCMILLAN	APPROVED BY	D. CHRONIK
SCALE: HORIZONTAL	1:10	RELEASED FOR CONSTRUCTION	
VERTICAL			
DATE	2024–03–19	DATE	

PLOT DATE: 2024 03 19

PROVINCE OF MANITOBA M.J. BAKER Member 43540 REGISTERED PROFESSIONAL ENGINEER
MARCH 21, 2024
CONSULTANT DRAWING NUMBER

BID OPPORTUNITY: --

Winnipeg
THE CITY OF WINNIPEG
WATER AND WASTE DEPARTMENT
ENGINEERING DIVISION

CONWAY LIFT PUMPING STATION
2024 UPGRADES
BUILDING/ARCHITECTURAL
ARCHITECTURAL DETAILS AND SCHEDULES

CITY DRAWING NUMBER 1–0131L–B0012–001–00 SHEET 17 OF 102

FILE PATH: M:\N-Data\84\00 City of Winnipeg\005 – Conway Lift Station\Autodesk\ACAD\
FILE NAME: A1.13–ARCHITECTURAL DETAILS.dwg