


VOLUME (m3) (APPROX.)		
TOPSOIL TO BE STRIPPED	SOIL OFFLOAD	BERM FILL
5,700	13,000	6,200

LENGTH OF CULVERT EXTENSIONS AT STN 0+220, 0+590 AND 1+260 ARE VARIED AND FIELD FIT BY CONTRACTOR.

LEGEND



- PROPERTY LINE
- GIS PROPERTY LINE
- SWALE ELEV.
- FILL COMPACTED TO 95% MAXIMUM DRY DENSITY (MDD)
- SOIL OFFLOAD
- TOPSOIL 150 mm THICK TO BE STRIPPED AND PLACED ON COMPACTED OUTSIDE BERM SLOPE

NOTES


- ALL ELEVATIONS ARE IN METERS UNLESS OTHERWISE NOTED.
- G.W.L = GROUNDWATER LEVEL.
- C.W.L = CHANNEL WATER LEVEL.
- ALL CULVERT LOCATIONS, CULVERT LENGTHS, INVERT ELEV. AND DRAINAGE PATHS ARE APPROXIMATE.
- OUTSIDE DRAIN SWALE GRADES TO BE DETERMINED AFTER EXCAVATION AND COMPACTED BERM CONSTRUCTION.

NO.	DATE	ISSUE / REVISION
0	Jul. 2024	tender


420 Turenne Street
Winnipeg, MB
R2J 3V8
Phone: (204) 233-1694
Fax: (204) 235-1579

ENG. STAMP:

CLIENT: CITY OF WINNIPEG	
PROJECT: LOT 16 BANK STABILIZATION	
DWG DESCRIPTION: DRAIN BANK CROSS SECTIONS	
SCALE: 1:125	
DRAWN BY: RAJ/TB	DATE: JULY 2024
FILE No.: 20-217-01	CLIENT DWG/FIG. No.:
ENG-TECH DWG/FIG. No.:	NO.:
5 OF 7	



4 CROSS SECTION 4 STA 0+705 - CULVERT #2 PROFILE
SCALE: 1:125



5 CROSS SECTION 5 STA 1+214 - CULVERT #3 PROFILE
SCALE: 1:125