

INSP_TYPE	SEWER_DISTRICT	ASSET_NUMBER	LENGTH	REASON
LDS	AINSLIE	S-MA20000040	72.83	RECENT INSPECTION
LDS	AINSLIE	S-MA20000042	90.83	RECENT INSPECTION
LDS	AINSLIE	S-MA20000117	95.75	RECENT INSPECTION
LDS	AINSLIE	S-MA20000118	90.18	RECENT INSPECTION
LDS	AINSLIE	S-MA20000121	23.2	RECENT INSPECTION
LDS	AINSLIE	S-MA20000138	144.87	RECENT INSPECTION
LDS	AINSLIE	S-MA20000143	72.3	RECENT INSPECTION
LDS	AINSLIE	S-MA20000144	75.59	RECENT INSPECTION
LDS	AINSLIE	S-MA20000145	73.34	RECENT INSPECTION
LDS	AINSLIE	S-MA20000148	106.75	RECENT INSPECTION
LDS	AINSLIE	S-MA20000168	146.52	RECENT INSPECTION
LDS	AINSLIE	S-MA20000258	9.69	RECENT INSPECTION
LDS	AINSLIE	S-MA20000271	44.2	RECENT INSPECTION
LDS	AINSLIE	S-MA20000272	82.11	RECENT INSPECTION
LDS	AINSLIE	S-MA20000278	183.16	RECENT INSPECTION
LDS	AINSLIE	S-MA20000282	81.06	RECENT INSPECTION
LDS	AINSLIE	S-MA20000283	67.06	RECENT INSPECTION
LDS	AINSLIE	S-MA20000284	70.35	RECENT INSPECTION
LDS	AINSLIE	S-MA20000288	100.55	RECENT INSPECTION
LDS	AINSLIE	S-MA20000348	89.26	RECENT INSPECTION
LDS	AINSLIE	S-MA20000349	43.23	RECENT INSPECTION
LDS	AINSLIE	S-MA20000386	112.4	RECENT INSPECTION
LDS	AINSLIE	S-MA20000421	93.08	RECENT INSPECTION
LDS	AINSLIE	S-MA20000422	89.76	RECENT INSPECTION
LDS	AINSLIE	S-MA20000423	10.8	RECENT
LDS	AINSLIE	S-MA20000425	6.1	RECENT INSPECTION
LDS	AINSLIE	S-MA20003873	68.87	OUTFALL
LDS	AINSLIE	S-MA20003885	71.33	PARKDALE DISTRICT
LDS	AINSLIE	S-MA20003886	117.68	OUTFALL
LDS	AINSLIE	S-MA20003889	147.07	RECENT INSPECTION
LDS	AINSLIE	S-MA20003893	75.85	OUTFALL
LDS	AINSLIE	S-MA20005071	48.77	OUTFALL
LDS	AINSLIE	S-MA20005604	104.11	OUTFALL
LDS	AINSLIE	S-MA20006358	102	RECENT INSPECTION

LDS	AINSLIE	S-MA20006359	93.89	RECENT INSPECTION
LDS	AINSLIE	S-MA20006361	87.2	RECENT INSPECTION
LDS	AINSLIE	S-MA20006663	78.28	RECENT INSPECTION
LDS	AINSLIE	S-MA20006687	93.43	RECENT INSPECTION
LDS	AINSLIE	S-MA20006757	115.29	RECENT INSPECTION
LDS	AINSLIE	S-MA20006758	109.85	RECENT INSPECTION
LDS	AINSLIE	S-MA20020068	146.06	RECENT INSPECTION
LDS	AINSLIE	S-MA70006919	66.16	OUTFALL
LDS	AINSLIE	S-MA70038123	56.04	RECENT INSPECTION
LDS	AINSLIE	S-MA70038124	32.39	RECENT INSPECTION
LDS	AINSLIE	S-MA70038162	110.09	RECENT INSPECTION
LDS	AINSLIE	S-MA70078949	106.97	OUTFALL
LDS	AINSLIE	S-MA70109199	94.24	SUBDRAIN
LDS	AINSLIE	S-MA70109200	115.12	SUBDRAIN
LDS	AINSLIE	S-MA70109201	136.24	SUBDRAIN
LDS	AINSLIE	S-MA70109202	17.24	SUBDRAIN
LDS	AINSLIE	S-MA70109207	94.24	SUBDRAIN
LDS	AINSLIE	S-MA70109208	115.24	SUBDRAIN
LDS	AINSLIE	S-MA70109209	135.74	SUBDRAIN
LDS	AINSLIE	S-MA70109210	15.72	SUBDRAIN
LDS	AINSLIE	S-MA70152211	15.8	OUTFALL
LDS	AINSLIE	S-MA70153274	5.6	RECENT INSPECTION
LDS	AINSLIE	S-MA70153281	53.16	RECENT INSPECTION
REINSPECTION	WOODHAVEN	S-MA20002845	229.65	INTERCEPTOR
REINSPECTION	WOODHAVEN	S-MA20002848	124.94	INTERCEPTOR
REINSPECTION	WOODHAVEN	S-MA20002849	81.59	INTERCEPTOR
REINSPECTION	WOODHAVEN	S-MA20002862	120.56	INTERCEPTOR
REINSPECTION	WOODHAVEN	S-MA20005021	4.69	FORCE MAIN
REINSPECTION	WOODHAVEN	S-MA20005029	129.54	INTERCEPTOR
REINSPECTION	WOODHAVEN	S-MA20005045	161.01	INTERCEPTOR
REINSPECTION	WOODHAVEN	S-MA20005054	112.21	INTERCEPTOR
REINSPECTION	MISSION	S-MA50002504	3.2	OUTFALL
REINSPECTION	MISSION	S-MA50002509	29.19	PENDING WO
REINSPECTION	MISSION	S-MA50002528	2.36	OUTFALL
REINSPECTION	MISSION	S-MA50002566	18.64	OUTFALL

REINSPECTION	DESPINS	S-MA50002619	70.1	PENDING WO
REINSPECTION	MARION	S-MA50002632	108.42	PENDING WO
REINSPECTION	MARION	S-MA50003618	138.1	PENDING WO
REINSPECTION	MARION	S-MA50004035	100.27	RECENT INSPECTION
REINSPECTION	MARION	S-MA50004039	86	RECENT INSPECTION
REINSPECTION	MARION	S-MA50004113	85.19	RECENT INSPECTION
REINSPECTION	MISSION	S-MA50005428	99.4	PENDING WO
REINSPECTION	MARION	S-MA50007462	79.19	PENDING WO
REINSPECTION	MARION	S-MA50007503	79.16	RECENT INSPECTION
REINSPECTION	MARION	S-MA50007540	79.5	RECENT INSPECTION
REINSPECTION	MARION	S-MA50008337	41.2	OUTFALL
REINSPECTION	MISSION	S-MA50018054	195.71	INTERCEPTOR
REINSPECTION	MARION	S-MA70001907	0.85	STUB
REINSPECTION	MISSION	S-MA70008079	2.51	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70008081	1.03	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70008084	1.03	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70008533	131.23	PENDING WO
REINSPECTION	MISSION	S-MA70008534	0.85	NO ACCESS TO INSPECT
REINSPECTION	MISSION	S-MA70016004	50.38	OUTFALL
REINSPECTION	WOODHAVEN	S-MA70016527	193.91	INTERCEPTOR
REINSPECTION	AINSLIE	S-MA70016531	194.15	INTERCEPTOR
REINSPECTION	MISSION	S-MA70016934	76.11	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70016938	4.95	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70016939	2.53	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70016944	5.81	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70016945	0.58	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70016959	1.49	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70016965	2.25	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70016970	11.11	INTERCEPTOR
REINSPECTION	MISSION	S-MA70016971	2.44	INTERNAL PIPING
REINSPECTION	DESPINS	S-MA70017694	34.17	OUTFALL
REINSPECTION	DESPINS	S-MA70017697	5.76	INTERNAL PIPING
REINSPECTION	DESPINS	S-MA70017699	2.67	BENCHING FLOW
REINSPECTION	DESPINS	S-MA70017700	1.11	BENCHING FLOW
REINSPECTION	DESPINS	S-MA70017701	5.43	INTERNAL PIPING

REINSPECTION	DESPINS	S-MA70017878	11.76	INTERNAL PIPING
REINSPECTION	DESPINS	S-MA70017890	0.62	BENCHING FLOW
REINSPECTION	MARION	S-MA70017949	6.18	BENCHING FLOW
REINSPECTION	MARION	S-MA70017952	1.29	BENCHING FLOW
REINSPECTION	MARION	S-MA70017954	6.14	BENCHING FLOW
REINSPECTION	MARION	S-MA70017956	2.04	BENCHING FLOW
REINSPECTION	MARION	S-MA70017958	2.04	BENCHING FLOW
REINSPECTION	MARION	S-MA70017960	6.1	BENCHING FLOW
REINSPECTION	MARION	S-MA70017962	2.35	BENCHING FLOW
REINSPECTION	MARION	S-MA70017963	2.38	BENCHING FLOW
REINSPECTION	MARION	S-MA70017964	4.06	BENCHING FLOW
REINSPECTION	MARION	S-MA70017965	5.32	BENCHING FLOW
REINSPECTION	MARION	S-MA70017966	1.11	BENCHING FLOW
REINSPECTION	MARION	S-MA70018185	2.39	BENCHING FLOW
REINSPECTION	MARION	S-MA70018186	1.66	BENCHING FLOW
REINSPECTION	MARION	S-MA70018187	5.59	BENCHING FLOW
REINSPECTION	MARION	S-MA70018188	1.71	BENCHING FLOW
REINSPECTION	MARION	S-MA70018189	3.18	BENCHING FLOW
REINSPECTION	MARION	S-MA70018190	3.47	INTERNAL PIPING
REINSPECTION	MARION	S-MA70018191	1.68	INTERNAL PIPING
REINSPECTION	MARION	S-MA70018192	1.9	INTERNAL PIPING
REINSPECTION	MARION	S-MA70018193	3.43	BENCHING FLOW
REINSPECTION	MARION	S-MA70018274	8.79	OUTFALL
REINSPECTION	WOODHAVEN	S-MA70019650	12.54	INTERNAL PIPING
REINSPECTION	WOODHAVEN	S-MA70019656	1.32	INTERNAL PIPING
REINSPECTION	WOODHAVEN	S-MA70019657	1.09	BENCHING FLOW
REINSPECTION	WOODHAVEN	S-MA70019662	62.6	RECENT INSPECTION
REINSPECTION	MISSION	S-MA70019972	52.03	BENCHING FLOW
REINSPECTION	MISSION	S-MA70019979	70.26	BENCHING FLOW
REINSPECTION	MISSION	S-MA70025548	23.11	YARD PIPING
REINSPECTION	MISSION	S-MA70025549	53.34	YARD PIPING
REINSPECTION	MISSION	S-MA70025551	22.91	YARD PIPING
REINSPECTION	MISSION	S-MA70025552	67.06	YARD PIPING
REINSPECTION	MISSION	S-MA70025553	20.53	YARD PIPING
REINSPECTION	MISSION	S-MA70028467	202.85	INTERCEPTOR

REINSPECTION	MARION	S-MA70032834	0.76	INTERNAL PIPING
REINSPECTION	MARION	S-MA70040771	13.45	INTERNAL PIPING
REINSPECTION	MISSION	S-MA70041411	13.57	OUTFALL
REINSPECTION	MISSION	S-MA70041462	18.77	OUTFALL
REINSPECTION	MISSION	S-MA70041464	19.11	OUTFALL
REINSPECTION	MISSION	S-MA70042084	25.65	OUTFALL
REINSPECTION	MISSION	S-MA70042123	6.38	BENCHING FLOW
REINSPECTION	MISSION	S-MA70046417	294.33	FORCE MAIN
REINSPECTION	MISSION	S-MA70046432	293.14	FORCE MAIN
REINSPECTION	MISSION	S-MA70046746	20.12	POOL DRAIN
REINSPECTION	DESPINS	S-MA70047498	8.01	UNDERDRAIN
REINSPECTION	MARION	S-MA70056952	26.52	FORCE MAIN
REINSPECTION	MARION	S-MA70057225	18.33	INTERNAL PIPING
REINSPECTION	MARION	S-MA70057885	472	FORCE MAIN
REINSPECTION	WOODHAVEN	S-MA70073365	26	OUTFALL
REINSPECTION	DESPINS	S-MA70078247	0.53	BENCHING FLOW
REINSPECTION	DESPINS	S-MA70078253	0.18	BENCHING FLOW
REINSPECTION	WOODHAVEN	S-MA70079768	1.25	INTERNAL PIPING
REINSPECTION	WOODHAVEN	S-MA70079770	2.17	INTERNAL PIPING
REINSPECTION	WOODHAVEN	S-MA70079776	0.16	BENCHING FLOW
REINSPECTION	WOODHAVEN	S-MA70079779	0.2	BENCHING FLOW
REINSPECTION	WOODHAVEN	S-MA70079781	0.61	BENCHING FLOW
REINSPECTION	WOODHAVEN	S-MA70079782	0.3	BENCHING FLOW
REINSPECTION	WOODHAVEN	S-MA70079786	0.88	INTERNAL PIPING
REINSPECTION	WOODHAVEN	S-MA70079787	1.21	INTERNAL PIPING
REINSPECTION	WOODHAVEN	S-MA70079788	0.88	INTERNAL PIPING
REINSPECTION	WOODHAVEN	S-MA70079789	1.21	BENCHING FLOW
REINSPECTION	DESPINS	S-MA70082170	1.52	INTERNAL PIPING
REINSPECTION	DESPINS	S-MA70082171	1.18	INTERNAL PIPING
REINSPECTION	DESPINS	S-MA70082195	3.37	BENCHING FLOW
REINSPECTION	DESPINS	S-MA70082196	1.34	BENCHING FLOW
REINSPECTION	DESPINS	S-MA70082198	2.14	INTERNAL PIPING
REINSPECTION	DESPINS	S-MA70082199	2.12	BENCHING FLOW
REINSPECTION	DESPINS	S-MA70082214	3.43	INTERNAL PIPING
REINSPECTION	DESPINS	S-MA70082215	0.61	INTERNAL PIPING

REINSPECTION	DESPINS	S-MA70082215	0.37	INTERNAL PIPING
REINSPECTION	DESPINS	S-MA70082216	3.78	INTERNAL PIPING
REINSPECTION	MARION	S-MA70082495	2.47	INTERNAL PIPING
REINSPECTION	MARION	S-MA70082496	0.46	BENCHING FLOW
REINSPECTION	MARION	S-MA70082497	1.77	INTERNAL PIPING
REINSPECTION	MARION	S-MA70082498	0.53	BENCHING FLOW
REINSPECTION	MARION	S-MA70082499	1.75	INTERNAL PIPING
REINSPECTION	MARION	S-MA70082500	0.52	BENCHING FLOW
REINSPECTION	MARION	S-MA70085375	1.89	BENCHING FLOW
REINSPECTION	MARION	S-MA70085397	0.95	BENCHING FLOW
REINSPECTION	MARION	S-MA70085398	1.75	BENCHING FLOW
REINSPECTION	MARION	S-MA70085399	1.26	BENCHING FLOW
REINSPECTION	MARION	S-MA70085400	1.4	BENCHING FLOW
REINSPECTION	MARION	S-MA70085414	2.83	INTERNAL PIPING
REINSPECTION	MARION	S-MA70085421	2.84	INTERNAL PIPING
REINSPECTION	MARION	S-MA70085425	5.32	INTERNAL PIPING
REINSPECTION	MARION	S-MA70085428	2.98	INTERNAL PIPING
REINSPECTION	DESPINS	S-MA70087426	26.3	OUTFALL
REINSPECTION	MARION	S-MA70145450	43.02	OUTFALL
SRS	AUBREY	S-MA20010366	0.44	NO ACCESS TO INSPECT
SRS	AUBREY	S-MA20011243	8.61	BOTH NODES ARE TEES-CANNOT INSPECT
SRS	CLIFTON	S-MA20011477	37.77	OUTFALL
SRS	MARION	S-MA70008060	139.84	OUTFALL
SRS	AUBREY	S-MA70017585	55.45	OUTFALL
SRS	AUBREY	S-MA70124938	14.7	RECENT INSPECTION
SRS	AUBREY	S-MA70124942	9.89	RECENT INSPECTION
WWS	BURLAND PARK NORTH	S-MA50000853	84.7	RECENT INSPECTION
WWS	BURLAND PARK NORTH	S-MA50000862	69.73	RECENT INSPECTION
WWS	HIGHBURY PARK	S-MA50000864	51.15	RECENT INSPECTION
WWS	HIGHBURY PARK	S-MA50000865	94.39	RECENT INSPECTION
WWS	BURLAND PARK SOUTH	S-MA50000937	543	RECENT INSPECTION
WWS	BURLAND PARK NORTH	S-MA50001084	584.27	RECENT INSPECTION
WWS	BURLAND PARK NORTH	S-MA50001099	94.6	RECENT INSPECTION
WWS	COMPARK	S-MA50006825	69	INTERCEPTOR
WWS	HIGHBURY PARK	S-MA50006828	106.1	INTERCEPTOR

WWS	HIGHBURY PARK	S-MA50006829	106.9	INTERCEPTOR
WWS	COMPARK	S-MA50006831	95.6	INTERCEPTOR
WWS	COMPARK	S-MA50006832	90.9	INTERCEPTOR
WWS	COMPARK	S-MA50006868	93.62	INTERCEPTOR
WWS	COMPARK	S-MA50006869	93	INTERCEPTOR
WWS	COMPARK	S-MA50006870	107.11	INTERCEPTOR
WWS	COMPARK	S-MA50006871	102.41	INTERCEPTOR
WWS	COMPARK	S-MA50006872	87.43	INTERCEPTOR
WWS	COMPARK	S-MA50006873	109.84	INTERCEPTOR
WWS	COMPARK	S-MA50006874	82.58	INTERCEPTOR
WWS	HIGHBURY PARK	S-MA50007345	113.7	INTERCEPTOR
WWS	HIGHBURY PARK	S-MA50007346	118	INTERCEPTOR
WWS	HIGHBURY PARK	S-MA50007347	76.9	INTERCEPTOR
WWS	HIGHBURY PARK	S-MA50007348	148.7	INTERCEPTOR
WWS	BURLAND PARK NORTH	S-MA50008165	93.86	PENDING WO
WWS	HIGHBURY PARK	S-MA70007947	107.75	INTERCEPTOR
WWS	COMPARK	S-MA70016016	93.4	INTERCEPTOR
WWS	HIGHBURY PARK	S-MA70016326	18.71	INTERCEPTOR
WWS	HIGHBURY PARK	S-MA70019304	106.67	INTERCEPTOR
WWS	COMPARK	S-MA70045616	210.02	INTERCEPTOR
WWS	COMPARK	S-MA70045617	90.96	INTERCEPTOR
WWS	COMPARK	S-MA70045618	139.24	INTERCEPTOR
WWS	COMPARK	S-MA70045619	146.9	INTERCEPTOR
WWS	COMPARK	S-MA70045620	151.26	INTERCEPTOR
WWS	COMPARK	S-MA70045660	186.87	INTERCEPTOR