



2% sloped type 2 EPS
minimum 0.25"

Approx. Area
sq.m.
A2 = 330
B2 = 8

A2 Roof Construction (2025)
steel deck
1/2" DensDeck
self-adhering vapor barrier
3.5" polyisocyanurate
sloped type 2 EPS back slope
2" polyisocyanurate
1/2" DensDeck
self-adhering SBS base
torch applied SBS cap

B2 Roof Construction (2025)
steel deck
1/2" DensDeck
self-adhering vapor barrier
sloped type 2 EPS min 2"
2" polyisocyanurate
1/2" DensDeck
self-adhering SBS base
torch applied SBS cap

A2 & B2 Existing Construction
steel deck
vapor barrier
4" type 2 EPS
1/2" fiberboard
4 ply felt and asphalt
gravel

Notes:
.01 Contractor is responsible for the site verification of all dimensions
.02 Drawings are not to be scaled for estimating purposes
.03 All areas given are approximate
.04 Contractor is responsible for site verification of existing roof constructions
.05 Contractor is responsible for insuring that all scupper downpipes and drain line exit locations are clear of any wall obstructions such as windows, gas lines etc. Sloped Insulation layout is to be adjusted accordingly.

Stated scale is when in 11x17 format

GRAPHIC LEGEND

- Parapet
- Gravel stop
- Gas line
- Control joint
- Expansion Joint
- New Insulated drain pipe
- X = leak
- Attic vent
- 8'x8' drain sump
- Area Label
area
no. of stories

KEYNOTE LEGEND

- 1 core sample
- 2 chimney
- 3 AC unit
- 4 vent hood
- 5 ventilator
- 6 vent pipe
- 7 roof drain
- 8 skylight
- 9 eavestrough
- 10 firewall
- 11 antenna
- 12 ladder
- 13 stub column
- 14 roof hatch
- 15 scupper
- 16 pitch box
- 17 HVAC unit
- 18 capped curb
- 19 flag pole
- 20 electrical mast
- 21 cooling tower
- 22 splash pad
- 23 splash pan
- 24 downspout/rainwater leader
- 30 life line anchor

Agassiz Consulting Group Ltd.
Box 41, Warren, Manitoba R0C 3E0
Office Phone: (204) 383-5538

Project: Champion Community Centre
282 Minerville Avenue
Winnipeg, MB

Date: October 17, 2024

Drawing No.: R-1

File no: 5280-24 **Scale:** 1:100

