


GRADING NOTES

1. ALL WORK TO CONFORM TO CURRENT CITY OF WINNIPEG STANDARD CONSTRUCTION SPECIFICATIONS AND DETAILS UNLESS OTHERWISE NOTED.
2. DIMENSIONS ARE IN METERS UNLESS OTHERWISE NOTED.
3. DO NOT SCALE DRAWING.
4. PROTECT EXISTING TREES TO REMAIN, TYP.
5. PAVEMENT: DIRECTIONAL SLOPE 5% MAX., CROSS SLOPE 2% MAX. NEW PATHWAYS TO MATCH EXISTING GRADES UNLESS OTHERWISE NOTED ON THE GRADING PLAN.
6. SAFETY SURFACE: SLOPE 1%. TIMBER EDGING: MAX 1% SLOPE. ENSURE TOP OF CAP IS 100 MM ABOVE TOP OF SAFETY SURFACE
7. DRAINAGE PIPE/MULTIFLOW: 0.5% MIN SLOPE AS PER SCD-659/SCD-661

LEGEND

- TOSS: TOP OF SAFETY SURFACE
- TOT: TOP OF TIMBER EDGING
- CB: CATCH BASIN
- CONTOUR INTERVAL = 0.05 PROPOSED
- EXISTING SLOPE: 2%
- PROPOSED SLOPE: 2%
- PROPOSED ELEVATION: 100m
- EXISTING ELEVATION: 100m
- PROPOSED CONTOURS:
- EXISTING CONTOURS:
- SUBSURFACE DRAINAGE TIED INTO EXISTING CATCH BASIN:



TBM1: 231.528



TBM2: 231.761

CONTRACTOR TO CONFIRM ALL DIMENSIONS AND REPORT ANY DISCREPANCIES TO CONTRACT ADMINISTRATOR PRIOR TO CONSTRUCTION. LOCATION OF UNDERGROUND STRUCTURES AS SHOWN ARE BASED ON THE BEST INFORMATION AVAILABLE BUT NO GUARANTEE IS GIVEN THAT ALL EXISTING UTILITIES ARE SHOWN OR THAT THE GIVEN LOCATIONS ARE EXACT. CONFIRMATION OF EXISTENCE AND EXACT LOCATION OF ALL SERVICES MUST BE OBTAINED FROM THE INDIVIDUAL UTILITIES BEFORE PROCEEDING WITH CONSTRUCTION.



THE CITY OF WINNIPEG
 Planning, Property and Development Department
 Planning and Land Use Division
 Unit 15 - 30 Fort Street, Winnipeg, MB, (R3C 4X5)

DESIGNED BY	CHECKED BY	DL
DRAWN BY	APPROVED BY	DL
HORIZ. SCALE	1:250	
VERT. SCALE		
DATE	January 2025	

MANAGER, PARK AND OPEN SPACES	DATE
MANAGER, PLANNING AND LAND USE DIVISION	DATE

DRAWING TITLE	DRAWING NO.
Marshall Crescent Park Playground Redevelopment Grading Plan	M.53 - D
SITE ADDRESS 165 Marshall Crescent	BID OPPORTUNITY NO. 113-2025